

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

OBJECTID	PLAN_ID	ES_HOME	MS_HOME	HS_HOME	PHASEOUT
	1	Forest Ridge ES	Patuxent Valley MS	Reservoir HS	
	2	Laurel Woods ES	Murray Hill MS	Reservoir HS	
	3	Gorman Crossing ES	Murray Hill MS	Reservoir HS	
	4	Forest Ridge ES	Patuxent Valley MS	Hammond HS	
	5	Gorman Crossing ES	Murray Hill MS	Atholton HS	
	6	Gorman Crossing ES	Murray Hill MS	Atholton HS	
	7	Fulton ES	Hammond MS	Reservoir HS	
	8	Fulton ES	Lime Kiln MS	Reservoir HS	
	9	Hammond ES	Hammond MS	Reservoir HS	
	10	Hammond ES	Hammond MS	Atholton HS	
	11	Hammond ES	Hammond MS	Atholton HS	
	12	Forest Ridge ES	Patuxent Valley MS	Reservoir HS	
	13	Atholton ES	Hammond MS	Hammond HS	
	14	Atholton ES	Hammond MS	Hammond HS	
	15	Atholton ES	Hammond MS	Hammond HS	
	16	Atholton ES	Hammond MS	Hammond HS	
	17	Hammond ES	Hammond MS	Hammond HS	
	18	Hammond ES	Hammond MS	Hammond HS	
	19	Centennial Lane ES	Burleigh Manor MS	Centennial HS	
	20	Bollman Bridge ES	Patuxent Valley MS	Hammond HS	
	21	Bollman Bridge ES	Patuxent Valley MS	Hammond HS	
	22	Bollman Bridge ES	Patuxent Valley MS	Hammond HS	
	23	Bollman Bridge ES	Patuxent Valley MS	Hammond HS	
	24	Bollman Bridge ES	Patuxent Valley MS	Hammond HS	
	25	Bollman Bridge ES	Patuxent Valley MS	Hammond HS	
	26	Guilford ES	Thomas Viaduct MS	Hammond HS	
	27	Guilford ES	Thomas Viaduct MS	Hammond HS	
	28	Clarksville ES	Clarksville MS	River Hill HS	
	29	Waverly ES	Mount View MS	Marriotts Ridge HS	
	30	Deep Run ES	Thomas Viaduct MS	Hammond HS	
	31	Manor Woods ES	Mount View MS	Marriotts Ridge HS	
	32	Rockburn ES	Thomas Viaduct MS	Hammond HS	

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	STUDNT_POP	GR0_POP	GR1_POP	GR2_POP	GR3_	GR4_	GR5_	GR6_	GR7_	GR8_	GR9_	GR10	GR11_POP	GR12_POP
1	108	8	14	8	5	13	4	13	8	8	4	5	12	6
2	147	10	10	9	9	12	11	15	10	16	8	11	14	12
3	203	11	15	17	17	16	17	13	20	15	18	20	10	14
4	22	0	2	4	2	3	1	2	1	2	2	1	1	1
5	195	13	11	13	15	16	17	13	16	15	19	17	15	15
6	77	9	2	5	9	5	6	9	7	6	3	9	4	3
7	138	9	5	10	10	9	12	5	10	18	7	11	18	14
8	88	7	6	5	9	9	7	10	2	5	8	4	8	8
9	65	4	6	8	3	3	5	6	5	7	5	3	4	6
10	71	8	4	5	7	8	7	5	5	3	8	3	4	4
11	62	7	5	6	4	5	4	5	4	7	5	3	4	3
12	41	1	6	1	4	5	2	2	0	5	8	1	4	2
13	60	4	11	5	5	6	4	4	8	5	1	4	2	1
14	85	12	7	5	9	6	4	3	7	7	6	7	5	7
15	265	35	23	27	20	19	14	13	17	25	10	29	14	19
16	33	0	4	2	2	6	1	3	1	3	3	2	3	3
17	136	12	13	10	12	8	11	11	12	13	9	5	11	9
18	56	3	4	6	6	6	7	5	2	7	3	2	3	2
19	179	7	11	12	12	11	16	11	19	19	21	13	16	11
20	111	12	3	8	3	9	3	10	12	6	11	12	13	9
21	89	3	7	7	5	9	5	6	6	8	10	7	10	6
22	19	3	2	3	2	0	2	1	1	0	1	2	0	2
23	138	11	8	5	10	16	11	13	10	14	16	9	9	6
24	194	21	18	18	15	14	17	12	14	7	19	12	11	16
25	72	8	7	7	6	7	6	6	2	6	6	3	2	6
26	82	8	4	4	2	5	9	8	6	8	10	5	8	5
27	62	3	4	4	5	5	4	2	8	5	6	4	4	8
28	124	4	5	5	5	12	8	10	13	9	13	17	6	17
29	125	10	6	11	7	8	11	10	10	9	15	11	7	10
30	40	2	4	5	5	1	4	1	6	1	5	0	3	3
31	165	7	12	9	18	10	16	9	16	9	11	17	13	18
32	154	12	18	15	9	19	8	14	6	15	3	13	10	12

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	FARM_POP	ESPROJ1	MSPROJ1	HSPROJ1	ESPROJ2	MSPROJ2	HSPROJ2	ESPROJ3	MSPROJ3
1	77	44	26	32	43	27	33	43	26
2	31	52	36	49	50	37	50	48	37
3	62	81	51	63	80	54	66	81	55
4 *		13	6	6	13	7	6	13	7
5 *		71	46	73	70	48	76	71	49
6 *		62	25	35	84	35	41	96	43
7	10	48	29	47	49	28	46	49	29
8 *		37	21	25	38	22	27	38	23
9 *		25	15	20	25	15	21	25	15
10 *		31	16	21	31	16	23	31	17
11 *		24	14	20	24	14	22	24	14
12	15	22	9	13	23	11	13	26	12
13 *		35	17	14	35	18	16	35	19
14	13	35	17	23	35	18	23	35	19
15	38	117	57	70	114	60	72	117	63
16 *		17	8	10	17	8	10	17	9
17	58	55	33	39	54	32	40	54	32
18	13	29	15	13	29	16	15	29	16
19 *		61	47	66	59	47	69	56	47
20 *		28	19	40	26	19	36	27	17
21 *		35	19	29	34	20	28	34	20
22 *		10	4	4	10	5	4	10	5
23	51	53	31	42	50	32	42	51	31
24	54	87	41	50	83	46	51	84	46
25	27	43	17	18	40	21	19	41	21
26	25	23	16	28	25	15	26	25	15
27	22	23	13	21	24	13	20	26	14
28 *		32	27	52	31	26	48	31	26
29 *		42	30	41	42	30	42	42	31
30	29	20	9	10	20	10	11	21	11
31 *		69	42	53	70	43	56	71	47
32	74	73	36	40	74	38	42	77	40

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HSPROJ3	ESPROJ4	MSPROJ4	HSPROJ4	ESPROJ5	MSPROJ5	HSPROJ5	KSPROJ1	KSPROJ2
1	35	46	27	36	46	25	37	8.00	8.00
2	51	47	38	52	45	37	53	9.00	9.00
3	69	80	59	72	84	57	74	11.00	12.00
4	7	14	7	7	14	7	8	0.00	0.00
5	76	71	52	78	74	50	79	13.00	14.00
6	46	95	51	51	100	52	56	14.00	23.00
7	44	53	30	45	56	31	45	8.00	8.00
8	28	41	23	29	43	24	30	6.00	6.00
9	21	25	16	21	25	16	22	4.00	4.00
10	24	31	18	25	30	18	26	8.00	8.00
11	22	24	15	22	28	15	23	7.00	7.00
12	14	28	13	15	28	13	16	1.00	2.00
13	18	35	20	19	35	21	20	3.00	3.00
14	23	35	20	23	34	21	23	8.00	9.00
15	74	118	68	72	111	69	76	24.00	24.00
16	10	17	10	10	16	10	11	0.00	0.00
17	41	53	34	40	53	34	41	12.00	13.00
18	16	29	17	17	29	17	18	3.00	3.00
19	72	55	48	73	55	46	74	9.00	7.00
20	33	28	18	30	28	16	29	12.00	15.00
21	28	36	20	26	36	19	27	3.00	4.00
22	5	10	5	5	11	5	5	3.00	4.00
23	42	53	32	40	55	30	41	11.00	14.00
24	53	88	47	53	88	46	55	22.00	27.00
25	21	43	23	21	43	22	23	8.00	10.00
26	24	24	16	23	23	16	23	9.00	9.00
27	19	25	15	18	32	15	19	3.00	3.00
28	45	31	25	44	30	23	43	6.00	4.00
29	42	40	31	43	39	31	43	9.00	10.00
30	11	21	12	12	23	12	12	2.00	2.00
31	58	74	48	59	76	50	61	6.00	7.00
32	44	78	43	44	82	44	46	14.00	12.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	KSPROJ3	KSPROJ4	KSPROJ5	KSPROJ6	KSPROJ7	KSPROJ8	KSPROJ9	ESPROJ9	MSPROJ9
1	9.00	8.00	10.00	10.00	11.00	11.00	11.00	57.00	27.00
2	10.00	8.00	9.00	8.00	9.00	9.00	9.00	42.00	34.00
3	10.00	10.00	9.00	9.00	9.00	8.00	9.00	79.00	58.00
4	0.00	0.00	0.00	0.00	0.00	0.00	0.00	16.00	8.00
5	12.00	12.00	11.00	11.00	10.00	10.00	11.00	69.00	51.00
6	19.00	21.00	20.00	20.00	19.00	18.00	19.00	96.00	60.00
7	10.00	9.00	9.00	9.00	9.00	8.00	8.00	54.00	36.00
8	8.00	7.00	7.00	7.00	7.00	6.00	6.00	41.00	26.00
9	4.00	4.00	4.00	4.00	5.00	6.00	6.00	25.00	17.00
10	8.00	9.00	8.00	8.00	10.00	12.00	12.00	31.00	21.00
11	7.00	8.00	7.00	8.00	9.00	11.00	11.00	28.00	18.00
12	2.00	2.00	2.00	2.00	2.00	2.00	2.00	33.00	15.00
13	3.00	3.00	3.00	3.00	3.00	3.00	3.00	31.00	23.00
14	8.00	7.00	8.00	8.00	8.00	8.00	8.00	30.00	22.00
15	23.00	24.00	24.00	24.00	24.00	24.00	24.00	103.00	75.00
16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	14.00	11.00
17	12.00	13.00	12.00	13.00	15.00	18.00	18.00	54.00	37.00
18	3.00	3.00	3.00	3.00	4.00	5.00	5.00	29.00	20.00
19	8.00	8.00	7.00	7.00	7.00	7.00	7.00	53.00	48.00
20	15.00	15.00	15.00	14.00	14.00	14.00	14.00	29.00	17.00
21	4.00	4.00	4.00	4.00	4.00	4.00	4.00	39.00	21.00
22	4.00	4.00	4.00	4.00	3.00	3.00	4.00	13.00	6.00
23	14.00	14.00	14.00	13.00	12.00	13.00	13.00	56.00	31.00
24	27.00	26.00	27.00	24.00	24.00	25.00	24.00	92.00	48.00
25	10.00	10.00	10.00	9.00	9.00	9.00	10.00	45.00	24.00
26	9.00	8.00	8.00	8.00	9.00	10.00	10.00	26.00	18.00
27	3.00	3.00	3.00	3.00	3.00	4.00	4.00	41.00	22.00
28	5.00	4.00	4.00	4.00	4.00	4.00	4.00	29.00	22.00
29	8.00	9.00	9.00	9.00	9.00	9.00	9.00	37.00	30.00
30	2.00	3.00	2.00	2.00	2.00	2.00	2.00	26.00	16.00
31	7.00	6.00	6.00	6.00	6.00	5.00	5.00	81.00	56.00
32	12.00	15.00	13.00	13.00	15.00	16.00	17.00	109.00	62.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HSPROJ9	KSPROJ10	ESPROJ10	MSPROJ10	HSPROJ10	KSPROJ11	ESPROJ11	MSPROJ11	HSPROJ11	KSPROJ12
1	37.00	11.00	60.00	28.00	37.00	10.00	60.00	29.00	37.00	10.00
2	52.00	9.00	44.00	34.00	52.00	9.00	43.00	33.00	51.00	9.00
3	77.00	8.00	81.00	58.00	77.00	7.00	78.00	56.00	78.00	8.00
4	9.00	0.00	17.00	8.00	9.00	0.00	19.00	8.00	9.00	0.00
5	83.00	10.00	71.00	51.00	83.00	9.00	69.00	49.00	84.00	9.00
6	72.00	17.00	98.00	61.00	75.00	16.00	94.00	60.00	78.00	16.00
7	47.00	8.00	54.00	36.00	47.00	8.00	52.00	36.00	47.00	7.00
8	33.00	6.00	42.00	28.00	33.00	6.00	40.00	28.00	34.00	6.00
9	23.00	6.00	25.00	18.00	23.00	6.00	26.00	18.00	23.00	5.00
10	30.00	12.00	31.00	21.00	30.00	11.00	32.00	21.00	31.00	10.00
11	26.00	11.00	28.00	18.00	26.00	10.00	29.00	18.00	27.00	9.00
12	17.00	2.00	35.00	15.00	17.00	2.00	35.00	16.00	18.00	2.00
13	25.00	3.00	31.00	23.00	26.00	3.00	31.00	23.00	27.00	3.00
14	27.00	8.00	30.00	22.00	27.00	8.00	30.00	22.00	28.00	9.00
15	88.00	24.00	104.00	75.00	90.00	24.00	103.00	75.00	93.00	24.00
16	13.00	0.00	14.00	11.00	13.00	0.00	14.00	11.00	13.00	0.00
17	46.00	18.00	54.00	38.00	47.00	17.00	56.00	38.00	48.00	15.00
18	21.00	4.00	29.00	20.00	22.00	4.00	30.00	20.00	23.00	4.00
19	76.00	7.00	52.00	47.00	77.00	7.00	52.00	47.00	77.00	8.00
20	27.00	14.00	28.00	17.00	27.00	14.00	28.00	17.00	28.00	15.00
21	27.00	4.00	38.00	21.00	28.00	4.00	38.00	21.00	29.00	5.00
22	6.00	4.00	12.00	6.00	6.00	4.00	12.00	6.00	7.00	4.00
23	42.00	13.00	55.00	32.00	43.00	13.00	55.00	32.00	44.00	13.00
24	60.00	26.00	91.00	50.00	61.00	26.00	97.00	51.00	63.00	25.00
25	27.00	10.00	45.00	24.00	27.00	10.00	46.00	25.00	29.00	10.00
26	23.00	10.00	30.00	19.00	24.00	10.00	29.00	20.00	24.00	10.00
27	21.00	4.00	44.00	23.00	22.00	4.00	44.00	25.00	24.00	4.00
28	38.00	4.00	30.00	21.00	37.00	4.00	29.00	21.00	36.00	4.00
29	45.00	8.00	37.00	31.00	45.00	9.00	37.00	30.00	45.00	10.00
30	15.00	2.00	26.00	17.00	16.00	2.00	26.00	18.00	17.00	3.00
31	69.00	5.00	81.00	56.00	69.00	7.00	81.00	56.00	71.00	6.00
32	56.00	19.00	110.00	66.00	59.00	21.00	122.00	68.00	64.00	24.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	ESPROJ12	MSPROJ12	HSPROJ12	KSPROJ13	ESPROJ13	MSPROJ13	HSPROJ13	KSPROJ14	ESPROJ14	MSPROJ14	HSPROJ14
1	61.00	29.00	38.00	10.00	60.00	30.00	38.00	10.00	60.00	30.00	39.00
2	44.00	32.00	52.00	9.00	45.00	32.00	51.00	10.00	46.00	32.00	51.00
3	76.00	55.00	79.00	8.00	74.00	55.00	79.00	8.00	74.00	54.00	79.00
4	19.00	8.00	10.00	0.00	19.00	9.00	10.00	0.00	18.00	9.00	11.00
5	66.00	49.00	87.00	9.00	65.00	49.00	87.00	9.00	65.00	48.00	88.00
6	92.00	60.00	82.00	16.00	89.00	60.00	84.00	17.00	89.00	60.00	86.00
7	49.00	36.00	49.00	7.00	48.00	37.00	48.00	8.00	48.00	39.00	49.00
8	38.00	28.00	35.00	6.00	36.00	27.00	35.00	6.00	35.00	27.00	35.00
9	28.00	18.00	24.00	6.00	28.00	18.00	24.00	7.00	28.00	19.00	24.00
10	34.00	21.00	32.00	11.00	35.00	22.00	33.00	13.00	35.00	24.00	33.00
11	31.00	19.00	28.00	10.00	32.00	19.00	28.00	12.00	32.00	21.00	29.00
12	34.00	16.00	18.00	2.00	34.00	17.00	19.00	2.00	35.00	17.00	19.00
13	31.00	23.00	28.00	3.00	31.00	23.00	29.00	3.00	32.00	24.00	30.00
14	30.00	22.00	30.00	9.00	31.00	23.00	30.00	9.00	31.00	24.00	31.00
15	104.00	74.00	99.00	24.00	103.00	76.00	101.00	24.00	104.00	81.00	103.00
16	14.00	11.00	14.00	0.00	14.00	11.00	14.00	0.00	15.00	11.00	15.00
17	60.00	38.00	50.00	17.00	61.00	39.00	51.00	20.00	61.00	42.00	53.00
18	32.00	20.00	24.00	4.00	33.00	21.00	25.00	5.00	33.00	22.00	26.00
19	53.00	46.00	78.00	8.00	53.00	46.00	79.00	8.00	53.00	46.00	79.00
20	28.00	17.00	28.00	15.00	28.00	17.00	29.00	15.00	28.00	17.00	29.00
21	38.00	21.00	30.00	5.00	38.00	22.00	30.00	4.00	38.00	22.00	31.00
22	12.00	6.00	7.00	4.00	12.00	6.00	7.00	4.00	12.00	6.00	8.00
23	55.00	32.00	45.00	13.00	56.00	32.00	46.00	13.00	55.00	32.00	47.00
24	95.00	51.00	66.00	25.00	99.00	54.00	68.00	25.00	99.00	54.00	70.00
25	47.00	24.00	30.00	10.00	48.00	25.00	31.00	10.00	48.00	25.00	32.00
26	29.00	20.00	25.00	10.00	30.00	20.00	26.00	10.00	32.00	20.00	27.00
27	46.00	26.00	25.00	5.00	49.00	26.00	27.00	4.00	49.00	26.00	28.00
28	29.00	21.00	36.00	4.00	30.00	21.00	36.00	4.00	30.00	21.00	36.00
29	37.00	30.00	45.00	10.00	38.00	29.00	45.00	10.00	38.00	30.00	45.00
30	26.00	18.00	18.00	3.00	27.00	18.00	19.00	3.00	27.00	18.00	20.00
31	79.00	58.00	71.00	6.00	76.00	57.00	73.00	6.00	72.00	57.00	74.00
32	136.00	72.00	69.00	25.00	152.00	73.00	73.00	26.00	167.00	75.00	77.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	ES_PASS_RE	ES_TAKE_RE	ES_READ_PC	MS_PASS_RE	MS_TAKE_RE	MS_READ_PC	HS_PASS_RE	HS_TAKE_RE
1	*	*	<=5	*	*	33	*	*
2	*	*	75	*	*	80	*	*
3	*	*	>=95	*	*	90	*	*
4	*	*	>=95					
5	*	*	56	*	*	90	*	*
6	0	0	<=5	*	*	88	*	*
7	*	*	>=95	*	*	87	*	*
8	*	*	50	*	*	92	*	*
9	*	*	>=95	*	*	85	*	*
10	*	*	75	*	*	>=95	*	*
11	*	*	50	*	*	92	*	*
12	*	*	>=95	*	*	>=95	*	*
13	*	*	>=95	*	*	90	*	*
14	*	*	50	*	*	75	*	*
15	*	*	>=95	*	*	89	*	*
16	*	*	>=95	*	*	>=95	*	*
17	*	*	75	*	*	90	*	*
18	*	*	>=95	*	*	75	*	*
19	*	*	94	*	*	93	*	*
20	*	*	>=95	*	*	90	*	*
21	*	*	>=95	*	*	33	*	*
22	*	*	>=95					
23	*	*	67	*	*	>=95	*	*
24	*	*	50	*	*	75	*	*
25	*	*	>=95	*	*	33	*	*
26	*	*	>=95	*	*	83	*	*
27	0	0	<=5	*	*	<=5	*	*
28	*	*	>=95	*	*	91	*	*
29	*	*	>=95	*	*	91	*	*
30	0	0	<=5	*	*	>=95	*	*
31	*	*	83	*	*	90	*	*
32	*	*	83	*	*	93	*	*

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HS_READ_PC	ES_PASS_MA	ES_TAKE_MA	ES_MATH_PC	MS_PASS_MA	MS_TAKE_MA	MS_MATH_PC	HS_PASS_MA
1	50	*	*	>=95	*	*	>=95	*
2	69	*	*	>=95	*	*	85	*
3	93	*	*	75	*	*	86	*
4		*	*	>=95				
5	84	*	*	89	*	*	93	17
6	83	0	0	<=5	*	*	75	*
7	71	*	*	>=95	*	*	78	*
8	72	*	*	>=95	13	13	>=95	*
9	89	*	*	>=95	*	*	77	*
10	80	*	*	>=95	*	*	67	*
11	58	*	*	>=95	*	*	85	*
12	>=95	*	*	<=5	*	*	33	*
13	80	*	*	75	*	*	70	*
14	64	*	*	>=95	*	*	88	*
15	88	*	*	57	16	27	59	*
16	>=95	*	*	<=5	*	*	67	*
17	>=95	*	*	50	*	*	50	*
18	>=95	*	*	71	*	*	50	*
19	86	*	*	81	*	*	88	23
20	85	*	*	>=95	*	*	71	*
21	89	*	*	50	*	*	>=95	*
22		*	*	<=5				
23	>=95	*	*	>=95	*	*	17	*
24	88	*	*	>=95	*	*	63	*
25	75	*	*	>=95	*	*	>=95	*
26	75	*	*	>=95	*	*	50	*
27	83	0	0	<=5	*	*	>=95	*
28	79	*	*	86	*	*	82	24
29	82	*	*	>=95	*	*	91	*
30	50	0	0	<=5	*	*	<=5	*
31	76	*	*	92	*	*	84	28
32	75	*	*	67	*	*	50	*

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HS_TAKE_MA	HS_MATH_PC	DONE
1	*	50	
2	*	69	
3	*	36	
4			
5	31	55	
6	*	67	
7	*	79	
8	*	67	
9	*	56	
10	*	60	
11	*	75	
12	*	25	
13	*	80	
14	*	82	
15	*	65	
16	*	67	
17	*	40	
18	*	50	
19	37	62	
20	*	60	
21	*	56	
22			
23	*	40	
24	*	38	
25	*	75	
26	*	63	
27	*	33	
28	38	63	
29	*	73	
30	*	50	
31	38	74	
32	*	38	

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

OBJECTID	PLAN_ID	ES_HOME	MS_HOME	HS_HOME	PHASEOUT
	33	Ducketts Lane ES	Thomas Viaduct MS	Long Reach HS	
	34	St Johns Lane ES	Patapsco MS	Mt Hebron HS	
	35	Ducketts Lane ES	Thomas Viaduct MS	Long Reach HS	
	36	Elkridge ES	Elkridge Landing MS	Long Reach HS	
	37	Ducketts Lane ES	Thomas Viaduct MS	Long Reach HS	
	38	Elkridge ES	Elkridge Landing MS	Howard HS	
	39	Elkridge ES	Elkridge Landing MS	Howard HS	
	40	Elkridge ES	Elkridge Landing MS	Howard HS	
	41	Elkridge ES	Elkridge Landing MS	Howard HS	
	42	Elkridge ES	Elkridge Landing MS	Howard HS	
	43	Elkridge ES	Elkridge Landing MS	Long Reach HS	
	44	Rockburn ES	Elkridge Landing MS	Howard HS	
	45	Cradlerock ES	Lake Elkhorn MS	Oakland Mills HS	
	46	Forest Ridge ES	Patuxent Valley MS	Reservoir HS	
	47	Forest Ridge ES	Patuxent Valley MS	Hammond HS	
	48	Guilford ES	Lake Elkhorn MS	Hammond HS	
	49	Guilford ES	Lake Elkhorn MS	Oakland Mills HS	
	50	Guilford ES	Lake Elkhorn MS	Hammond HS	
	51	Talbott Springs ES	Lake Elkhorn MS	Oakland Mills HS	
	52	Talbott Springs ES	Lake Elkhorn MS	Oakland Mills HS	
	53	Swansfield ES	Harpers Choice MS	Wilde Lake HS	
	54	Cradlerock ES	Lake Elkhorn MS	Oakland Mills HS	
	55	Cradlerock ES	Lake Elkhorn MS	Oakland Mills HS	
	56	Atholton ES	Oakland Mills MS	Oakland Mills HS	
	57	Atholton ES	Hammond MS	Hammond HS	
	58	Cradlerock ES	Lake Elkhorn MS	Oakland Mills HS	
	59	Talbott Springs ES	Oakland Mills MS	Oakland Mills HS	
	60	Jeffers Hill ES	Lake Elkhorn MS	Oakland Mills HS	
	61	Clemens Crossing ES	Wilde Lake MS	Atholton HS	
	62	Stevens Forest ES	Oakland Mills MS	Oakland Mills HS	
	63	Talbott Springs ES	Oakland Mills MS	Oakland Mills HS	
	64	Pointers Run ES	Clarksville MS	Atholton HS	

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	STUDNT_POP	GR0_POP	GR1_POP	GR2_POP	GR3_POP	GR4_POP	GR5_POP	GR6_POP	GR7_POP	GR8_POP	GR9_POP	GR10_POP	GR11_POP	GR12_POP
33	164	18	20	16	12	11	11	10	21	12	11	9	11	2
34	60	2	5	3	4	5	4	7	4	4	7	5	6	4
35	1	0	0	0	0	0	0	0	0	0	0	0	1	0
36	217	15	19	11	22	18	15	13	17	14	22	21	16	14
37	282	19	23	32	32	28	18	21	29	21	18	18	11	12
38	118	7	8	9	6	13	7	7	10	12	14	10	8	7
39	5	0	0	1	1	0	0	1	0	1	0	0	0	1
40	42	2	5	4	5	3	2	3	5	3	7	1	0	2
41	5	0	0	0	0	0	0	1	2	0	0	0	1	1
42	198	13	11	16	14	16	19	10	14	21	18	12	16	18
43	38	0	3	3	4	2	4	4	3	3	1	9	0	2
44	43	2	5	4	2	1	4	3	4	5	3	6	2	2
45	1	1	0	0	0	0	0	0	0	0	0	0	0	0
46	116	15	8	11	11	9	11	9	4	12	6	9	2	9
47	200	17	8	17	17	22	13	17	18	20	11	17	14	9
48	59	1	4	3	8	7	2	6	4	6	5	4	5	4
49	120	2	14	8	7	10	12	10	13	12	8	8	9	7
50	259	15	18	22	21	25	21	19	20	19	26	24	12	17
51	24	4	2	0	3	3	1	0	1	2	3	3	1	1
52	117	10	16	10	17	9	6	11	5	4	9	6	11	3
53	89	5	10	4	8	6	6	7	6	9	8	7	6	7
54	133	4	8	8	11	13	11	10	7	9	9	17	12	14
55	55	4	2	1	2	7	3	5	2	6	8	7	3	5
56	46	4	6	4	4	7	1	2	2	4	4	1	4	3
57	22	3	0	1	3	1	4	0	2	3	1	2	1	1
58	199	21	18	16	23	13	16	14	10	11	18	14	15	10
59	94	12	8	5	2	11	6	5	9	7	7	12	6	4
60	99	7	7	11	8	8	8	10	8	5	9	4	8	6
61	34	3	3	1	2	2	1	2	1	3	4	5	6	1
62	29	4	3	3	2	2	3	3	1	0	3	0	2	3
63	54	3	7	8	5	6	6	4	3	2	4	2	2	2
64	133	9	6	10	19	5	13	4	6	14	12	11	14	10

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	FARM_POP	ESPROJ1	MSPROJ1	HSPROJ1	ESPROJ2	MSPROJ2	HSPROJ2	ESPROJ3	MSPROJ3
33	29	73	40	41	95	41	46	113	46
34	*	20	14	21	21	13	20	21	13
35	*	0	0	1	0	0	0	0	0
36	37	86	52	65	89	54	67	85	57
37	75	132	72	70	157	73	80	171	78
38	*	46	29	42	52	30	42	49	31
39	*	2	2	2	2	2	2	2	1
40	*	19	12	13	18	12	14	17	12
41	*	0	1	3	0	1	3	0	1
42	61	73	48	67	74	48	67	69	49
43	*	16	11	12	15	11	13	15	10
44	12	17	12	15	18	11	16	18	12
45	*	0	0	0	0	0	0	0	0
46	*	50	26	29	48	29	31	49	28
47	35	79	45	58	74	47	58	74	46
48	17	23	15	19	22	15	19	22	15
49	46	48	32	39	47	33	39	47	32
50	151	103	60	76	99	66	77	101	65
51	10	9	5	6	9	5	6	9	5
52	36	59	29	28	60	33	30	59	35
53	29	34	20	20	35	21	23	35	21
54	68	52	29	45	49	32	42	46	32
55	20	15	11	21	14	11	18	14	10
56	*	26	11	12	30	13	12	30	15
57	*	10	5	6	10	5	6	10	5
58	84	89	46	53	82	52	54	78	52
59	33	33	19	29	33	20	27	33	20
60	13	42	24	29	41	26	29	41	26
61	*	9	6	14	9	5	13	10	6
62	*	13	6	7	12	7	7	13	7
63	*	33	14	11	33	17	13	33	18
64	*	52	32	47	51	34	50	48	36

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HSPROJ3	ESPROJ4	MSPROJ4	HSPROJ4	ESPROJ5	MSPROJ5	HSPROJ5	KSPROJ1	KSPROJ2
33	49	133	54	52	163	59	56	24.00	27.00
34	20	21	13	19	21	13	19	2.00	2.00
35	0	0	0	0	0	0	0	0.00	0.00
36	68	79	54	70	77	56	71	14.00	13.00
37	83	188	87	86	211	94	94	26.00	26.00
38	43	47	31	44	45	32	44	7.00	8.00
39	2	2	1	2	2	1	2	0.00	0.00
40	15	16	12	15	16	12	16	2.00	2.00
41	2	0	0	2	0	0	2	0.00	0.00
42	68	65	47	69	63	48	69	11.00	10.00
43	13	14	10	13	13	10	14	0.00	0.00
44	16	19	11	16	20	12	16	2.00	2.00
45	0	0	0	0	0	0	0	1.00	1.00
46	34	53	29	35	52	28	37	16.00	17.00
47	59	81	47	57	81	44	59	18.00	19.00
48	19	21	15	19	20	14	19	1.00	1.00
49	40	45	32	41	42	30	44	2.00	2.00
50	80	97	65	77	93	63	79	17.00	16.00
51	6	9	5	7	9	5	7	3.00	3.00
52	34	61	35	37	59	35	40	8.00	7.00
53	24	36	21	25	35	21	26	5.00	6.00
54	42	44	31	43	43	30	45	4.00	3.00
55	18	13	10	17	13	9	17	4.00	3.00
56	14	30	15	15	29	16	17	3.00	3.00
57	6	10	6	6	14	6	6	2.00	2.00
58	58	74	52	61	73	50	65	23.00	13.00
59	27	33	20	27	33	19	29	10.00	9.00
60	30	41	26	32	41	26	34	6.00	6.00
61	12	10	6	12	11	6	12	3.00	3.00
62	8	13	7	8	13	7	9	5.00	5.00
63	15	33	18	17	33	18	19	2.00	2.00
64	51	49	36	53	61	35	55	9.00	9.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	KSPROJ3	KSPROJ4	KSPROJ5	KSPROJ6	KSPROJ7	KSPROJ8	KSPROJ9	ESPROJ9	MSPROJ9
33	35.00	37.00	37.00	40.00	37.00	36.00	36.00	206.00	101.00
34	2.00	2.00	2.00	2.00	2.00	2.00	2.00	24.00	14.00
35	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
36	13.00	13.00	14.00	11.00	13.00	13.00	13.00	79.00	53.00
37	29.00	30.00	30.00	32.00	29.00	29.00	28.00	233.00	138.00
38	7.00	8.00	7.00	7.00	7.00	7.00	8.00	46.00	31.00
39	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.00	1.00
40	1.00	2.00	1.00	1.00	1.00	1.00	2.00	15.00	11.00
41	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
42	9.00	10.00	9.00	9.00	9.00	9.00	10.00	59.00	45.00
43	0.00	0.00	0.00	0.00	0.00	0.00	0.00	12.00	10.00
44	2.00	3.00	2.00	2.00	2.00	2.00	2.00	19.00	13.00
45	1.00	1.00	1.00	2.00	1.00	1.00	1.00	0.00	0.00
46	16.00	15.00	18.00	19.00	20.00	20.00	20.00	61.00	30.00
47	19.00	17.00	21.00	22.00	23.00	24.00	24.00	94.00	47.00
48	1.00	1.00	1.00	1.00	1.00	1.00	1.00	21.00	13.00
49	2.00	2.00	2.00	2.00	2.00	2.00	2.00	46.00	27.00
50	16.00	14.00	17.00	17.00	16.00	18.00	19.00	105.00	57.00
51	4.00	3.00	3.00	3.00	3.00	3.00	3.00	9.00	5.00
52	9.00	8.00	8.00	8.00	8.00	9.00	9.00	58.00	34.00
53	5.00	5.00	6.00	6.00	6.00	6.00	6.00	37.00	22.00
54	3.00	3.00	3.00	3.00	3.00	3.00	3.00	42.00	27.00
55	3.00	3.00	3.00	4.00	3.00	3.00	3.00	12.00	8.00
56	3.00	3.00	3.00	3.00	3.00	3.00	3.00	28.00	16.00
57	2.00	2.00	2.00	2.00	2.00	2.00	2.00	13.00	8.00
58	17.00	15.00	15.00	17.00	16.00	17.00	17.00	70.00	44.00
59	10.00	10.00	10.00	10.00	10.00	10.00	10.00	32.00	19.00
60	6.00	6.00	6.00	6.00	6.00	6.00	7.00	41.00	24.00
61	3.00	4.00	3.00	3.00	4.00	4.00	4.00	13.00	7.00
62	5.00	5.00	5.00	5.00	5.00	5.00	5.00	13.00	7.00
63	3.00	2.00	2.00	2.00	3.00	3.00	3.00	32.00	19.00
64	8.00	7.00	12.00	17.00	18.00	17.00	16.00	106.00	46.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HSPROJ9	KSPROJ10	ESPROJ10	MSPROJ10	HSPROJ10	KSPROJ11	ESPROJ11	MSPROJ11	HSPROJ11	KSPROJ12
33	75.00	35.00	210.00	110.00	82.00	36.00	215.00	116.00	90.00	36.00
34	20.00	2.00	24.00	15.00	20.00	2.00	24.00	15.00	20.00	2.00
35	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
36	76.00	13.00	82.00	55.00	77.00	16.00	86.00	58.00	79.00	16.00
37	116.00	27.00	233.00	146.00	125.00	27.00	232.00	150.00	135.00	27.00
38	46.00	9.00	48.00	32.00	46.00	9.00	49.00	33.00	46.00	9.00
39	2.00	0.00	2.00	1.00	2.00	1.00	9.00	2.00	2.00	1.00
40	17.00	1.00	15.00	12.00	17.00	2.00	17.00	12.00	17.00	2.00
41	1.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	1.00	1.00
42	70.00	10.00	59.00	45.00	70.00	11.00	61.00	47.00	69.00	10.00
43	14.00	0.00	12.00	10.00	14.00	0.00	13.00	10.00	15.00	0.00
44	17.00	2.00	19.00	13.00	17.00	3.00	21.00	13.00	18.00	3.00
45	0.00	1.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	1.00
46	38.00	20.00	65.00	31.00	38.00	19.00	64.00	32.00	39.00	19.00
47	61.00	23.00	99.00	48.00	62.00	22.00	100.00	49.00	64.00	22.00
48	19.00	1.00	22.00	13.00	19.00	1.00	21.00	13.00	20.00	1.00
49	43.00	2.00	45.00	28.00	42.00	2.00	45.00	28.00	42.00	2.00
50	84.00	18.00	105.00	60.00	85.00	18.00	104.00	61.00	86.00	19.00
51	7.00	4.00	9.00	5.00	7.00	4.00	9.00	5.00	7.00	4.00
52	45.00	8.00	59.00	35.00	44.00	9.00	60.00	35.00	44.00	9.00
53	27.00	6.00	37.00	22.00	28.00	6.00	38.00	22.00	28.00	6.00
54	44.00	3.00	42.00	27.00	43.00	3.00	43.00	27.00	42.00	3.00
55	16.00	3.00	12.00	8.00	15.00	3.00	13.00	8.00	15.00	3.00
56	19.00	3.00	28.00	16.00	19.00	3.00	28.00	16.00	19.00	3.00
57	8.00	2.00	13.00	8.00	8.00	2.00	13.00	8.00	9.00	2.00
58	68.00	18.00	72.00	45.00	66.00	18.00	73.00	46.00	65.00	18.00
59	29.00	10.00	32.00	19.00	28.00	10.00	33.00	19.00	28.00	10.00
60	35.00	7.00	42.00	25.00	35.00	7.00	42.00	25.00	34.00	7.00
61	12.00	4.00	14.00	8.00	12.00	4.00	14.00	8.00	12.00	4.00
62	9.00	5.00	13.00	7.00	9.00	5.00	13.00	7.00	9.00	5.00
63	22.00	3.00	32.00	18.00	22.00	3.00	33.00	18.00	22.00	3.00
64	62.00	16.00	105.00	46.00	63.00	16.00	101.00	49.00	65.00	15.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	ESPROJ12	MSPROJ12	HSPROJ12	KSPROJ13	ESPROJ13	MSPROJ13	HSPROJ13	KSPROJ14	ESPROJ14	MSPROJ14	HSPROJ14
33	212.00	121.00	99.00	37.00	209.00	121.00	111.00	38.00	211.00	122.00	117.00
34	24.00	15.00	20.00	2.00	23.00	15.00	20.00	2.00	23.00	15.00	20.00
35	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
36	85.00	61.00	82.00	14.00	86.00	57.00	87.00	14.00	89.00	59.00	88.00
37	228.00	155.00	145.00	27.00	222.00	152.00	161.00	28.00	222.00	151.00	165.00
38	48.00	34.00	46.00	9.00	48.00	33.00	46.00	9.00	49.00	34.00	46.00
39	9.00	2.00	2.00	1.00	9.00	2.00	2.00	1.00	9.00	3.00	2.00
40	18.00	12.00	17.00	2.00	19.00	12.00	17.00	2.00	19.00	12.00	17.00
41	2.00	0.00	1.00	1.00	2.00	0.00	1.00	1.00	2.00	0.00	1.00
42	59.00	48.00	68.00	10.00	60.00	46.00	69.00	10.00	61.00	46.00	69.00
43	12.00	10.00	15.00	0.00	13.00	10.00	16.00	0.00	13.00	10.00	16.00
44	21.00	14.00	17.00	3.00	21.00	14.00	18.00	3.00	21.00	14.00	18.00
45	0.00	0.00	0.00	1.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00
46	64.00	32.00	40.00	19.00	62.00	33.00	40.00	18.00	61.00	33.00	41.00
47	98.00	50.00	66.00	22.00	97.00	52.00	68.00	22.00	95.00	52.00	70.00
48	21.00	13.00	20.00	1.00	21.00	13.00	21.00	1.00	21.00	13.00	21.00
49	45.00	28.00	41.00	2.00	46.00	28.00	40.00	2.00	46.00	28.00	41.00
50	102.00	63.00	90.00	18.00	104.00	62.00	92.00	18.00	104.00	62.00	93.00
51	9.00	5.00	7.00	4.00	9.00	5.00	7.00	4.00	10.00	6.00	7.00
52	61.00	36.00	45.00	9.00	61.00	36.00	44.00	9.00	63.00	36.00	45.00
53	38.00	22.00	29.00	6.00	39.00	22.00	29.00	6.00	39.00	22.00	30.00
54	43.00	27.00	42.00	3.00	44.00	27.00	41.00	3.00	45.00	28.00	41.00
55	13.00	8.00	14.00	3.00	13.00	8.00	14.00	3.00	13.00	8.00	14.00
56	28.00	16.00	20.00	3.00	28.00	16.00	19.00	3.00	29.00	16.00	20.00
57	13.00	8.00	9.00	2.00	13.00	8.00	9.00	2.00	13.00	9.00	10.00
58	72.00	46.00	65.00	18.00	74.00	46.00	64.00	19.00	76.00	47.00	65.00
59	33.00	19.00	28.00	10.00	34.00	19.00	27.00	11.00	34.00	19.00	27.00
60	43.00	25.00	34.00	7.00	43.00	25.00	34.00	7.00	44.00	26.00	34.00
61	14.00	8.00	12.00	4.00	14.00	8.00	13.00	4.00	14.00	8.00	13.00
62	13.00	7.00	9.00	5.00	14.00	7.00	9.00	5.00	14.00	8.00	9.00
63	33.00	18.00	22.00	3.00	34.00	19.00	22.00	3.00	34.00	19.00	23.00
64	97.00	49.00	68.00	16.00	94.00	51.00	70.00	16.00	88.00	52.00	72.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	ES_PASS_RE	ES_TAKE_RE	ES_READ_PC	MS_PASS_RE	MS_TAKE_RE	MS_READ_PC	HS_PASS_RE	HS_TAKE_RE
33	*	*	20	*	*	88	*	*
34	*	*	>=95	*	*	92	*	*
35								
36	*	*	86	*	*	89	*	*
37	*	*	>=95	*	*	>=95	*	*
38	*	*	67	*	*	88	*	*
39								
40	0	0	<=5	*	*	50	*	*
41								
42	*	*	>=95	*	*	91	*	*
43	*	*	>=95	*	*	>=95	*	*
44	*	*	>=95	*	*	>=95	*	*
45								
46	*	*	>=95	*	*	78	*	*
47	*	*	>=95	*	*	92	*	*
48	*	*	>=95	*	*	67	*	*
49	*	*	>=95	*	*	86	*	*
50	*	*	50	*	*	94	*	*
51	0	0	<=5				*	*
52	*	*	50	*	*	86	*	*
53	*	*	>=95	*	*	90	*	*
54	*	*	33	*	*	>=95	*	*
55	*	*	>=95	*	*	80	*	*
56	0	0	<=5	*	*	>=95	*	*
57	*	*	>=95					
58	*	*	50	*	*	78	*	*
59	*	*	<=5	*	*	75	*	*
60	*	*	80	12	12	>=95	*	*
61	*	*	>=95	*	*	>=95	*	*
62	*	*	>=95				*	*
63	*	*	>=95	*	*	>=95	*	*
64	*	*	75	*	*	81	23	34

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HS_READ_PC	ES_PASS_MA	ES_TAKE_MA	ES_MATH_PC	MS_PASS_MA	MS_TAKE_MA	MS_MATH_PC	HS_PASS_MA
33	63	*	*	80	*	17	41	*
34	77	*	*	>=95	*	*	92	*
35								
36	81	*	*	57	*	*	67	*
37	93	*	*	80	*	*	59	*
38	69	*	*	67	*	*	81	*
39								
40	>=95	0	0	<=5	*	*	>=95	*
41								
42	82	*	*	25	*	*	36	*
43	>=95	*	*	>=95	*	*	75	*
44	75	*	*	>=95	*	*	>=95	*
45								
46	92	*	*	>=95	*	*	78	*
47	88	*	*	40	*	*	76	*
48	71	*	*	>=95	*	*	67	*
49	75	*	*	>=95	*	*	57	*
50	75	*	*	>=95	*	*	50	*
51	>=95	0	0	<=5				*
52	75	*	*	50	*	*	86	*
53	83	*	*	>=95	*	*	70	*
54	92	*	*	>=95	*	*	20	*
55	>=95	*	*	>=95	*	*	80	*
56	50	0	0	<=5	*	*	75	*
57		*	*	67				
58	73	*	*	75	*	*	67	*
59	86	*	*	>=95	*	*	75	*
60	60	*	*	80	*	*	92	*
61	50	*	*	>=95	*	*	83	*
62	>=95	*	*	>=95				*
63	<=5	*	*	33	*	*	67	*
64	68	12	12	>=95	*	*	81	24

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HS_TAKE_MA	HS_MATH_PC	DONE
33	*	63	
34	*	85	
35			
36	*	57	
37	*	53	
38	*	50	
39			
40	*	33	
41			
42	*	27	
43	*	56	
44	*	50	
45			
46	*	33	
47	*	81	
48	*	71	
49	*	63	
50	*	75	
51	*	<=5	
52	*	50	
53	*	83	
54	*	42	
55	*	75	
56	*	50	
57			
58	*	53	
59	*	29	
60	*	70	
61	*	80	
62	*	>=95	
63	*	>=95	
64	34	71	

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

OBJECTID	PLAN_ID	ES_HOME	MS_HOME	HS_HOME	PHASEOUT
	65	Thunder Hill ES	Ellicott Mills MS	Howard HS	
	66	Clemens Crossing ES	Harpers Choice MS	Wilde Lake HS	
	67	Thunder Hill ES	Ellicott Mills MS	Howard HS	
	68	Phelps Luck ES	Bonnie Branch MS	Howard HS	
	69	Phelps Luck ES	Bonnie Branch MS	Long Reach HS	
	70	Phelps Luck ES	Bonnie Branch MS	Long Reach HS	
	71	Jeffers Hill ES	Mayfield Woods MS	Long Reach HS	
	72	St Johns Lane ES	Patapsco MS	Mt Hebron HS	
	73	Waterloo ES	Mayfield Woods MS	Long Reach HS	
	74	Waterloo ES	Ellicott Mills MS	Howard HS	
	75	Waterloo ES	Mayfield Woods MS	Long Reach HS	
	76	Waterloo ES	Mayfield Woods MS	Long Reach HS	
	77	Bellows Spring ES	Mayfield Woods MS	Long Reach HS	
	78	Deep Run ES	Mayfield Woods MS	Long Reach HS	
	79	Deep Run ES	Mayfield Woods MS	Long Reach HS	
	80	Deep Run ES	Mayfield Woods MS	Long Reach HS	
	81	Deep Run ES	Mayfield Woods MS	Long Reach HS	
	82	Bellows Spring ES	Thomas Viaduct MS	Long Reach HS	
	83	Bellows Spring ES	Mayfield Woods MS	Long Reach HS	
	84	Ilchester ES	Bonnie Branch MS	Howard HS	
	85	Ilchester ES	Bonnie Branch MS	Howard HS	
	86	Rockburn ES	Elkridge Landing MS	Howard HS	
	87	Rockburn ES	Elkridge Landing MS	Howard HS	
	88	Ilchester ES	Bonnie Branch MS	Howard HS	
	89	Ilchester ES	Bonnie Branch MS	Howard HS	
	90	Ilchester ES	Bonnie Branch MS	Howard HS	
	91	Rockburn ES	Bonnie Branch MS	Howard HS	
	92	Rockburn ES	Elkridge Landing MS	Howard HS	
	93	Worthington ES	Ellicott Mills MS	Mt Hebron HS	
	94	Worthington ES	Ellicott Mills MS	Mt Hebron HS	
	95	Ilchester ES	Bonnie Branch MS	Howard HS	
	96	Stevens Forest ES	Oakland Mills MS	Oakland Mills HS	

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	STUDNT_POP	GR0_POP	GR1_POP	GR2_POP	GR3_POP	GR4_POP	GR5_POP	GR6_POP	GR7_POP	GR8_POP	GR9_POP	GR10_POP	GR11_POP	GR12_POP
65	36	3	2	3	5	2	2	4	1	2	4	4	0	4
66	50	6	2	2	6	3	4	5	3	2	4	5	2	6
67	0	0	0	0	0	0	0	0	0	0	0	0	0	0
68	99	6	7	7	3	6	8	12	8	15	5	10	6	6
69	70	6	4	3	4	7	5	3	5	6	7	7	6	7
70	114	6	12	10	6	12	9	8	7	8	11	15	4	6
71	146	17	6	11	9	11	10	14	9	9	12	10	11	17
72	171	9	13	12	11	14	16	11	11	13	12	19	16	14
73	32	3	4	2	3	4	1	2	1	5	2	2	2	1
74	38	3	4	1	1	3	2	3	4	4	5	1	5	2
75	172	16	15	8	18	13	13	13	14	17	11	17	10	7
76	168	10	17	7	17	17	14	13	19	15	14	9	8	8
77	58	2	8	5	5	1	6	4	7	2	6	4	4	4
78	43	3	2	2	4	0	4	5	1	2	5	3	8	4
79	33	2	1	5	2	1	0	4	4	1	6	2	2	3
80	183	15	15	10	21	20	12	8	11	15	14	10	18	14
81	289	37	28	34	20	26	25	21	18	17	20	18	14	11
82	88	7	11	5	11	7	8	3	12	7	5	2	7	3
83	2	0	0	0	0	0	0	2	0	0	0	0	0	0
84	82	3	5	5	10	0	13	6	6	7	7	4	8	8
85	149	14	14	11	18	12	14	11	4	12	9	13	10	7
86	45	3	0	2	2	2	3	3	4	1	4	8	7	6
87	82	4	6	6	7	9	3	3	8	9	9	6	5	7
88	193	13	16	14	16	27	12	19	18	17	8	9	10	14
89	104	2	2	10	8	10	11	12	10	6	10	9	7	7
90	28	0	4	1	4	2	2	1	8	3	2	0	1	0
91	118	9	9	9	12	7	10	14	12	10	6	6	6	8
92	7	1	0	1	1	0	0	1	0	1	1	0	1	0
93	146	3	7	8	10	12	10	8	8	11	9	20	21	19
94	16	1	2	1	1	0	2	1	2	1	1	3	0	1
95	134	9	9	7	11	6	10	12	14	7	13	8	18	10
96	220	13	22	16	21	18	20	18	12	14	21	19	12	14

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	FARM_POP	ESPROJ1	MSPROJ1	HSPROJ1	ESPROJ2	MSPROJ2	HSPROJ2	ESPROJ3	MSPROJ3
65	*	14	9	12	14	9	12	13	10
66	*	17	10	12	18	10	13	19	10
67	*	0	0	0	0	0	0	0	0
68	18	31	26	38	31	25	37	32	24
69	15	23	15	22	23	15	22	24	15
70	47	50	28	32	47	31	34	51	31
71	21	47	28	45	46	28	43	46	30
72	35	65	40	55	64	39	54	68	38
73	*	14	8	8	14	8	9	13	9
74	*	10	9	15	10	9	14	10	9
75	81	63	40	48	63	39	50	61	41
76	36	69	42	46	69	42	50	65	44
77	*	25	14	17	26	14	18	27	15
78	*	13	7	15	15	8	14	15	8
79	*	10	6	12	10	6	11	10	7
80	33	82	40	49	83	43	51	86	48
81	74	140	67	64	141	73	73	146	81
82	28	43	22	21	44	23	24	45	24
83	*	1	1	1	3	1	1	3	1
84	*	31	21	28	28	22	28	27	21
85	*	65	38	40	60	42	44	58	41
86	*	9	7	20	9	7	17	10	6
87	*	32	21	29	32	21	28	33	21
88	*	80	55	59	72	56	64	71	55
89	*	38	28	37	36	28	37	35	27
90	*	12	10	9	11	10	10	11	9
91	*	49	32	38	50	34	40	52	34
92	*	2	2	2	2	2	3	2	1
93	*	43	31	55	40	31	51	37	32
94	*	5	4	5	5	4	5	5	4
95	14	40	30	50	37	30	47	36	29
96	134	94	50	63	93	54	61	93	55

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HSPROJ3	ESPROJ4	MSPROJ4	HSPROJ4	ESPROJ5	MSPROJ5	HSPROJ5	KSPROJ1	KSPROJ2
65	12	13	10	13	13	10	13	3.00	3.00
66	13	20	10	13	20	11	13	6.00	7.00
67	0	0	0	0	0	0	0	0.00	0.00
68	38	34	22	37	35	21	36	6.00	6.00
69	22	25	15	21	26	15	21	6.00	6.00
70	36	54	31	37	54	30	38	6.00	6.00
71	42	45	30	42	46	30	42	15.00	16.00
72	54	66	39	54	67	41	54	9.00	10.00
73	9	13	9	10	13	9	10	4.00	4.00
74	14	10	8	14	10	8	13	4.00	4.00
75	51	62	41	51	61	42	53	19.00	19.00
76	51	65	45	53	65	45	54	12.00	11.00
77	18	28	16	18	29	17	19	2.00	2.00
78	13	15	9	13	17	9	13	3.00	3.00
79	10	10	7	10	11	7	10	2.00	2.00
80	53	86	50	55	94	52	57	14.00	16.00
81	78	147	86	84	161	87	90	34.00	39.00
82	26	47	26	27	49	26	28	9.00	8.00
83	1	3	1	1	3	1	1	0.00	0.00
84	30	26	19	30	25	18	29	3.00	3.00
85	48	55	39	51	53	37	52	13.00	13.00
86	16	10	6	14	10	7	13	3.00	3.00
87	30	34	21	30	35	22	30	4.00	4.00
88	67	66	51	72	63	49	72	12.00	12.00
89	39	33	25	39	31	23	39	2.00	2.00
90	12	10	8	12	10	8	12	0.00	0.00
91	43	53	32	44	58	32	45	10.00	9.00
92	3	2	1	2	5	1	2	1.00	1.00
93	49	34	31	48	34	30	48	3.00	3.00
94	5	4	4	5	4	4	5	1.00	1.00
95	48	34	26	47	33	25	45	9.00	9.00
96	63	95	55	66	95	54	72	17.00	17.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	KSPROJ3	KSPROJ4	KSPROJ5	KSPROJ6	KSPROJ7	KSPROJ8	KSPROJ9	ESPROJ9	MSPROJ9
65	3.00	3.00	3.00	3.00	3.00	3.00	3.00	12.00	9.00
66	7.00	7.00	7.00	7.00	7.00	8.00	8.00	23.00	12.00
67	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
68	6.00	6.00	7.00	7.00	7.00	7.00	7.00	37.00	22.00
69	6.00	6.00	7.00	7.00	7.00	7.00	7.00	27.00	16.00
70	6.00	6.00	7.00	7.00	7.00	7.00	7.00	58.00	33.00
71	14.00	14.00	15.00	15.00	15.00	16.00	16.00	46.00	30.00
72	9.00	10.00	10.00	10.00	10.00	11.00	11.00	75.00	44.00
73	3.00	4.00	4.00	4.00	4.00	4.00	4.00	13.00	9.00
74	3.00	3.00	3.00	4.00	4.00	4.00	4.00	11.00	7.00
75	17.00	18.00	18.00	18.00	18.00	18.00	18.00	61.00	41.00
76	10.00	12.00	12.00	11.00	11.00	11.00	12.00	67.00	44.00
77	2.00	2.00	2.00	2.00	2.00	2.00	2.00	34.00	18.00
78	3.00	4.00	4.00	4.00	4.00	4.00	4.00	21.00	10.00
79	2.00	3.00	2.00	2.00	2.00	2.00	2.00	12.00	7.00
80	16.00	19.00	17.00	18.00	17.00	18.00	18.00	106.00	57.00
81	39.00	48.00	42.00	44.00	43.00	44.00	45.00	180.00	97.00
82	7.00	9.00	7.00	7.00	7.00	8.00	7.00	57.00	36.00
83	0.00	0.00	0.00	0.00	0.00	3.00	3.00	12.00	3.00
84	2.00	3.00	2.00	5.00	6.00	7.00	7.00	32.00	19.00
85	11.00	13.00	12.00	10.00	11.00	11.00	12.00	60.00	38.00
86	3.00	4.00	3.00	3.00	3.00	3.00	3.00	10.00	7.00
87	4.00	5.00	4.00	4.00	4.00	4.00	4.00	33.00	22.00
88	10.00	11.00	11.00	9.00	10.00	10.00	10.00	71.00	48.00
89	2.00	2.00	2.00	2.00	4.00	4.00	4.00	39.00	23.00
90	0.00	0.00	0.00	0.00	0.00	0.00	0.00	22.00	7.00
91	9.00	11.00	10.00	9.00	9.00	10.00	10.00	55.00	34.00
92	1.00	1.00	1.00	1.00	1.00	2.00	3.00	18.00	3.00
93	3.00	3.00	3.00	3.00	3.00	4.00	4.00	37.00	26.00
94	1.00	1.00	1.00	1.00	1.00	1.00	1.00	5.00	3.00
95	8.00	8.00	8.00	7.00	7.00	7.00	7.00	37.00	24.00
96	15.00	15.00	15.00	15.00	15.00	16.00	16.00	96.00	56.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HSPROJ9	KSPROJ10	ESPROJ10	MSPROJ10	HSPROJ10	KSPROJ11	ESPROJ11	MSPROJ11	HSPROJ11	KSPROJ12
65	13.00	3.00	12.00	9.00	13.00	3.00	12.00	9.00	13.00	3.00
66	14.00	8.00	23.00	12.00	14.00	8.00	24.00	12.00	15.00	8.00
67	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
68	35.00	7.00	38.00	23.00	35.00	7.00	38.00	23.00	35.00	7.00
69	22.00	7.00	28.00	16.00	22.00	7.00	29.00	16.00	23.00	7.00
70	42.00	7.00	60.00	34.00	43.00	7.00	61.00	35.00	44.00	7.00
71	43.00	16.00	47.00	32.00	43.00	16.00	47.00	32.00	45.00	16.00
72	59.00	11.00	74.00	45.00	59.00	11.00	73.00	46.00	59.00	10.00
73	11.00	4.00	13.00	9.00	12.00	4.00	13.00	9.00	12.00	4.00
74	13.00	4.00	12.00	7.00	13.00	4.00	14.00	7.00	12.00	4.00
75	56.00	19.00	61.00	43.00	57.00	19.00	61.00	44.00	58.00	20.00
76	58.00	12.00	67.00	47.00	59.00	12.00	67.00	47.00	61.00	12.00
77	21.00	2.00	33.00	20.00	22.00	2.00	32.00	20.00	23.00	2.00
78	13.00	4.00	20.00	11.00	13.00	4.00	21.00	12.00	14.00	4.00
79	10.00	2.00	12.00	8.00	10.00	2.00	12.00	8.00	11.00	3.00
80	65.00	18.00	104.00	62.00	67.00	19.00	106.00	63.00	71.00	19.00
81	106.00	46.00	177.00	104.00	110.00	47.00	179.00	107.00	116.00	46.00
82	34.00	7.00	54.00	37.00	36.00	7.00	52.00	38.00	38.00	7.00
83	2.00	3.00	12.00	4.00	2.00	3.00	18.00	4.00	3.00	3.00
84	29.00	8.00	33.00	19.00	29.00	8.00	33.00	19.00	29.00	8.00
85	53.00	12.00	65.00	38.00	54.00	11.00	65.00	38.00	54.00	11.00
86	12.00	3.00	10.00	7.00	12.00	3.00	10.00	7.00	12.00	3.00
87	31.00	4.00	33.00	23.00	32.00	5.00	32.00	24.00	32.00	5.00
88	71.00	10.00	71.00	47.00	72.00	10.00	72.00	48.00	71.00	10.00
89	37.00	4.00	39.00	24.00	37.00	4.00	38.00	24.00	37.00	4.00
90	12.00	0.00	22.00	8.00	12.00	0.00	22.00	9.00	12.00	0.00
91	47.00	10.00	54.00	35.00	47.00	10.00	53.00	35.00	47.00	11.00
92	3.00	3.00	18.00	4.00	3.00	3.00	18.00	5.00	3.00	3.00
93	46.00	4.00	38.00	25.00	45.00	3.00	39.00	26.00	45.00	3.00
94	5.00	1.00	5.00	3.00	5.00	1.00	5.00	3.00	5.00	1.00
95	42.00	8.00	36.00	24.00	42.00	7.00	36.00	24.00	41.00	7.00
96	75.00	17.00	99.00	55.00	74.00	17.00	100.00	56.00	74.00	17.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	ESPROJ12	MSPROJ12	HSPROJ12	KSPROJ13	ESPROJ13	MSPROJ13	HSPROJ13	KSPROJ14	ESPROJ14	MSPROJ14	HSPROJ14
65	13.00	9.00	13.00	3.00	13.00	9.00	13.00	3.00	13.00	9.00	13.00
66	24.00	12.00	15.00	7.00	24.00	13.00	16.00	8.00	24.00	13.00	16.00
67	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
68	39.00	24.00	34.00	7.00	39.00	24.00	34.00	7.00	40.00	25.00	35.00
69	29.00	17.00	24.00	7.00	29.00	18.00	25.00	7.00	29.00	18.00	25.00
70	61.00	36.00	46.00	7.00	62.00	37.00	49.00	7.00	62.00	38.00	50.00
71	48.00	33.00	46.00	17.00	49.00	32.00	49.00	17.00	49.00	32.00	49.00
72	73.00	46.00	60.00	11.00	71.00	45.00	60.00	11.00	70.00	45.00	60.00
73	14.00	9.00	12.00	4.00	14.00	9.00	13.00	4.00	14.00	9.00	13.00
74	14.00	8.00	12.00	4.00	14.00	8.00	12.00	4.00	14.00	8.00	12.00
75	63.00	45.00	60.00	20.00	64.00	43.00	64.00	19.00	64.00	43.00	65.00
76	68.00	48.00	64.00	12.00	69.00	46.00	68.00	12.00	71.00	47.00	69.00
77	32.00	21.00	24.00	2.00	31.00	20.00	26.00	2.00	30.00	20.00	27.00
78	21.00	12.00	15.00	4.00	21.00	12.00	16.00	4.00	21.00	12.00	16.00
79	12.00	8.00	11.00	3.00	12.00	8.00	12.00	3.00	13.00	8.00	12.00
80	106.00	66.00	74.00	19.00	108.00	64.00	80.00	19.00	109.00	65.00	82.00
81	181.00	111.00	122.00	47.00	183.00	109.00	133.00	47.00	185.00	110.00	136.00
82	51.00	39.00	40.00	7.00	50.00	38.00	44.00	7.00	49.00	37.00	45.00
83	22.00	5.00	3.00	3.00	22.00	6.00	3.00	3.00	21.00	6.00	4.00
84	34.00	20.00	28.00	7.00	33.00	21.00	29.00	7.00	32.00	21.00	29.00
85	67.00	40.00	53.00	10.00	65.00	41.00	54.00	9.00	63.00	42.00	54.00
86	10.00	7.00	12.00	3.00	10.00	7.00	12.00	3.00	10.00	7.00	12.00
87	32.00	24.00	31.00	5.00	33.00	24.00	32.00	4.00	33.00	24.00	32.00
88	74.00	49.00	70.00	9.00	72.00	49.00	71.00	8.00	69.00	50.00	71.00
89	40.00	25.00	36.00	3.00	41.00	25.00	36.00	3.00	40.00	26.00	36.00
90	23.00	9.00	12.00	0.00	22.00	10.00	12.00	1.00	22.00	11.00	12.00
91	54.00	36.00	47.00	11.00	54.00	36.00	47.00	10.00	55.00	37.00	48.00
92	18.00	6.00	4.00	3.00	18.00	6.00	4.00	3.00	18.00	7.00	4.00
93	44.00	27.00	44.00	3.00	43.00	27.00	44.00	3.00	42.00	28.00	43.00
94	5.00	3.00	5.00	1.00	5.00	3.00	5.00	1.00	5.00	4.00	5.00
95	38.00	25.00	40.00	6.00	36.00	25.00	40.00	6.00	35.00	26.00	40.00
96	102.00	56.00	74.00	17.00	101.00	55.00	74.00	17.00	101.00	56.00	74.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	ES_PASS_RE	ES_TAKE_RE	ES_READ_PC	MS_PASS_RE	MS_TAKE_RE	MS_READ_PC	HS_PASS_RE	HS_TAKE_RE
65	*	*	>=95	*	*	50	*	*
66	*	*	>=95	*	*	88	*	*
67								
68	*	*	>=95	*	*	88	*	*
69	*	*	>=95	*	*	88	*	*
70	0	0	<=5	*	*	80	*	*
71	*	*	>=95	*	*	85	*	*
72	*	*	70	*	*	70	*	*
73	*	*	>=95	*	*	20	*	*
74	0	0	<=5	*	*	83	*	*
75	*	*	80	*	*	67	*	*
76	*	*	80	*	*	>=95	*	*
77	*	*	50	*	*	86	*	*
78	*	*	>=95	*	*	>=95	*	*
79	0	0	<=5	*	*	>=95	*	*
80	*	*	>=95	19	19	>=95	*	*
81	*	*	60	*	*	83	*	*
82	*	*	40	*	*	>=95	*	*
83								
84	*	*	75	*	*	75	*	*
85	*	*	80	*	*	87	*	*
86	*	*	>=95	*	*	83	*	*
87	*	*	>=95	*	*	94	*	*
88	*	*	86	*	*	90	*	*
89	*	*	>=95	*	*	77	*	*
90	*	*	<=5	*	*	89		
91	*	*	43	*	*	81	*	*
92								
93	*	*	83	*	*	76	32	42
94	*	*	50					
95	*	*	75	*	*	80	13	25
96	*	*	>=95	*	*	78	*	*

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HS_READ_PC	ES_PASS_MA	ES_TAKE_MA	ES_MATH_PC	MS_PASS_MA	MS_TAKE_MA	MS_MATH_PC	HS_PASS_MA
65	88	*	*	>=95	*	*	>=95	*
66	57	*	*	>=95	*	*	88	*
67								
68	90	*	*	>=95	*	*	88	*
69	87	*	*	67	*	*	75	*
70	>=95	0	0	<=5	*	*	60	*
71	83	*	*	83	*	*	85	13
72	73	*	*	80	*	*	90	*
73	>=95	*	*	>=95	*	*	>=95	*
74	40	0	0	<=5	*	*	83	*
75	75	*	*	80	*	*	83	*
76	78	*	*	>=95	*	*	58	*
77	80	*	*	>=95	*	*	71	*
78	57	*	*	>=95	*	*	>=95	*
79	86	0	0	<=5	*	*	80	*
80	89	*	*	67	*	*	68	*
81	60	10	10	>=95	*	*	87	*
82	71	*	*	80	*	*	75	*
83								
84	58	*	*	75	*	*	63	*
85	91	*	*	80	*	*	83	*
86	73	*	*	>=95	*	*	>=95	*
87	81	*	*	>=95	*	*	59	*
88	84	*	*	>=95	*	*	79	*
89	78	*	*	>=95	*	*	77	*
90		*	*	>=95	*	*	89	
91	92	*	*	86	*	*	71	*
92								
93	76	*	*	83	*	*	71	25
94		*	*	>=95				
95	52	*	*	88	*	*	76	*
96	>=95	*	*	50	*	*	67	*

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HS_TAKE_MA	HS_MATH_PC	DONE
65	*	63	
66	*	71	
67			
68	*	70	
69	*	53	
70	*	<=5	
71	24	54	
72	*	85	
73	*	67	
74	*	80	
75	*	75	
76	*	67	
77	*	90	
78	*	57	
79	*	57	
80	18	44	
81	*	87	
82	*	71	
83			
84	*	83	
85	*	87	
86	*	73	
87	*	69	
88	*	84	
89	*	56	
90			
91	*	69	
92			
93	42	60	
94			
95	*	84	
96	*	57	

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

OBJECTID	PLAN_ID	ES_HOME	MS_HOME	HS_HOME	PHASEOUT
	97	Centennial Lane ES	Burleigh Manor MS	Centennial HS	
	98	Waterloo ES	Ellicott Mills MS	Howard HS	
	99	Worthington ES	Ellicott Mills MS	Mt Hebron HS	
	100	Waterloo ES	Ellicott Mills MS	Centennial HS	
	101	Veterans ES	Ellicott Mills MS	Centennial HS	
	102	Veterans ES	Ellicott Mills MS	Centennial HS	
	103	Veterans ES	Ellicott Mills MS	Centennial HS	
	104	Veterans ES	Dunloggin MS	Mt Hebron HS	
	105	Hollifield Station ES	Dunloggin MS	Mt Hebron HS	
	106	St Johns Lane ES	Dunloggin MS	Mt Hebron HS	
	107	Hollifield Station ES	Patapsco MS	Mt Hebron HS	
	108	Hollifield Station ES	Patapsco MS	Mt Hebron HS	
	109	Hollifield Station ES	Patapsco MS	Mt Hebron HS	
	111	Thunder Hill ES	Dunloggin MS	Wilde Lake HS	
	112	Fulton ES	Lime Kiln MS	Reservoir HS	
	113	Stevens Forest ES	Oakland Mills MS	Oakland Mills HS	
	114	Pointers Run ES	Lime Kiln MS	Reservoir HS	
	115	Fulton ES	Lime Kiln MS	Reservoir HS	
	116	Forest Ridge ES	Patuxent Valley MS	Reservoir HS	
	117	Pointers Run ES	Lime Kiln MS	Atholton HS	
	118	Pointers Run ES	Lime Kiln MS	Atholton HS	
	119	Dayton Oaks ES	Lime Kiln MS	River Hill HS	
	120	Pointers Run ES	Lime Kiln MS	Atholton HS	
	121	Laurel Woods ES	Murray Hill MS	Reservoir HS	
	122	Pointers Run ES	Lime Kiln MS	Reservoir HS	
	123	Pointers Run ES	Lime Kiln MS	Atholton HS	
	124	Elkridge ES	Elkridge Landing MS	Howard HS	
	125	Pointers Run ES	Lime Kiln MS	Reservoir HS	
	126	Pointers Run ES	Lime Kiln MS	Atholton HS	
	127	Clemens Crossing ES	Lime Kiln MS	Atholton HS	
	128	Pointers Run ES	Clarksville MS	Atholton HS	
	129	Pointers Run ES	Clarksville MS	Atholton HS	

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	STUDNT_POP	GR0_POP	GR1_POP	GR2_POP	GR3_	GR4_	GR5_	GR6_	GR7_	GR8_	GR9_	GR10	GR11_POP	GR12_POP
97	274	18	21	29	18	22	26	28	21	22	24	23	11	11
98	104	6	8	5	12	5	7	12	6	9	5	11	11	7
99	159	16	17	20	13	17	17	12	7	9	12	9	7	3
100	106	3	4	10	9	9	13	6	12	9	6	9	11	5
101	112	7	5	11	11	6	11	7	12	13	10	7	8	4
102	65	1	2	2	5	6	9	9	7	5	7	5	6	1
103	192	10	11	8	19	15	15	12	17	17	23	17	19	9
104	92	12	8	3	6	11	6	9	4	5	5	6	6	11
105	48	5	7	3	9	2	7	0	2	3	2	1	1	6
106	169	14	16	16	4	14	15	11	13	11	17	17	9	12
107	319	31	34	34	29	30	23	27	21	23	19	19	16	13
108	86	8	6	5	7	4	9	10	6	6	8	6	8	3
109	266	15	13	20	22	17	19	23	23	19	26	21	29	19
111	62	2	4	8	5	5	7	8	3	5	5	2	7	1
112	23	2	1	1	2	1	1	0	1	2	3	2	5	2
113	75	7	4	7	5	7	6	4	7	4	9	6	5	4
114	13	3	2	1	2	1	1	0	0	0	1	1	1	0
115	81	12	9	9	9	9	7	3	6	5	4	5	2	1
116	28	0	3	1	1	1	2	4	3	1	1	1	2	8
117	48	2	4	3	5	5	4	1	4	2	2	6	5	5
118	41	2	4	1	6	1	4	1	3	3	4	3	3	6
119	33	2	3	4	2	1	4	1	4	1	2	2	5	2
120	41	2	5	5	3	6	2	3	3	2	2	0	5	3
121	218	10	17	10	18	20	8	21	16	20	16	22	15	25
122	56	5	2	3	1	5	2	6	6	6	5	3	8	4
123	25	1	3	2	2	2	1	0	2	2	4	0	3	3
124	131	9	7	13	8	7	11	11	10	8	14	10	16	7
125	32	2	4	4	1	2	4	1	2	3	1	4	2	2
126	10	0	1	0	0	0	1	0	1	1	2	2	0	2
127	222	13	22	15	15	19	15	17	13	19	17	17	24	16
128	142	3	8	12	12	12	15	7	16	13	9	13	11	11
129	119	7	7	8	5	5	11	9	5	12	7	16	10	17

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	FARM_POP	ESPROJ1	MSPROJ1	HSPROJ1	ESPROJ2	MSPROJ2	HSPROJ2	ESPROJ3	MSPROJ3
97	28	114	81	83	110	84	96	105	85
98	*	35	27	37	35	26	37	34	28
99	*	85	49	36	83	54	45	78	59
100	*	43	31	35	42	31	39	41	32
101	*	45	32	36	46	32	41	45	34
102	*	25	19	24	26	19	26	25	20
103	32	70	48	69	71	49	71	69	52
104	*	35	18	26	35	19	25	35	19
105	*	30	12	9	30	14	11	29	15
106	21	63	35	52	63	35	50	66	36
107	91	160	87	79	160	88	89	153	89
108	*	34	21	27	36	21	27	34	21
109	*	96	61	92	120	60	91	127	63
111	*	29	16	23	29	16	23	27	16
112	*	6	4	8	6	4	8	7	4
113	24	28	16	23	28	17	21	28	17
114	*	7	3	2	7	3	2	7	4
115	*	60	24	16	76	29	23	82	36
116	*	8	6	11	8	5	11	8	5
117	*	21	11	17	21	12	17	20	13
118	*	18	10	16	18	10	16	17	11
119	*	14	8	10	13	8	11	13	8
120	*	21	12	12	24	12	15	23	14
121	80	73	51	77	72	52	76	68	52
122	*	13	12	21	13	11	20	12	10
123	*	10	5	9	10	6	9	9	6
124	16	47	31	47	46	31	45	44	31
125	*	15	8	8	15	9	9	14	9
126	*	2	2	5	2	1	5	2	1
127	*	86	52	82	93	54	85	98	56
128	*	57	40	53	57	40	58	54	42
129	*	35	26	50	35	25	49	34	26

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HSPROJ3	ESPROJ4	MSPROJ4	HSPROJ4	ESPROJ5	MSPROJ5	HSPROJ5	KSPROJ1	KSPROJ2
97	109	102	85	113	103	83	117	23.00	20.00
98	38	35	27	39	34	27	39	7.00	8.00
99	52	75	58	58	74	58	62	18.00	18.00
100	42	42	32	44	41	32	45	4.00	4.00
101	44	46	34	46	45	34	48	6.00	6.00
102	27	26	19	29	26	19	29	1.00	1.00
103	75	70	52	77	70	52	78	9.00	8.00
104	26	35	19	26	35	20	26	11.00	10.00
105	13	30	15	14	29	16	15	5.00	4.00
106	49	65	36	50	66	38	50	12.00	17.00
107	97	156	90	102	155	95	107	28.00	24.00
108	28	35	21	28	35	22	28	8.00	7.00
109	90	141	67	91	151	74	93	13.00	14.00
111	22	26	16	22	27	17	22	2.00	2.00
112	7	7	4	7	7	4	7	2.00	2.00
113	22	29	17	22	29	17	24	9.00	9.00
114	3	6	4	3	6	4	4	3.00	3.00
115	27	88	40	32	91	43	37	13.00	14.00
116	10	8	5	10	8	5	9	0.00	0.00
117	18	20	13	19	20	13	19	2.00	2.00
118	16	17	11	17	17	11	17	3.00	3.00
119	11	12	8	11	13	8	11	2.00	2.00
120	16	22	14	18	23	14	18	2.00	2.00
121	76	66	54	77	63	52	78	9.00	9.00
122	19	12	10	19	12	9	18	5.00	5.00
123	9	9	6	10	9	6	10	1.00	1.00
124	46	42	29	46	40	30	45	8.00	7.00
125	10	14	9	11	14	9	11	2.00	2.00
126	4	2	1	4	2	1	3	0.00	0.00
127	86	105	58	88	108	60	89	13.00	15.00
128	60	54	40	62	55	39	63	3.00	3.00
129	47	33	26	47	33	24	46	7.00	7.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	KSPROJ3	KSPROJ4	KSPROJ5	KSPROJ6	KSPROJ7	KSPROJ8	KSPROJ9	ESPROJ9	MSPROJ9
97	21.00	19.00	19.00	19.00	20.00	20.00	20.00	99.00	89.00
98	7.00	7.00	7.00	7.00	7.00	7.00	7.00	34.00	24.00
99	14.00	21.00	19.00	23.00	27.00	31.00	31.00	85.00	53.00
100	3.00	3.00	3.00	4.00	4.00	4.00	4.00	41.00	29.00
101	6.00	6.00	6.00	6.00	6.00	6.00	6.00	40.00	30.00
102	1.00	1.00	1.00	1.00	2.00	2.00	2.00	31.00	19.00
103	9.00	8.00	8.00	8.00	8.00	8.00	8.00	62.00	47.00
104	11.00	10.00	10.00	10.00	10.00	10.00	10.00	31.00	20.00
105	5.00	5.00	4.00	4.00	4.00	4.00	4.00	31.00	17.00
106	13.00	16.00	15.00	15.00	16.00	17.00	16.00	74.00	39.00
107	26.00	26.00	24.00	23.00	23.00	24.00	24.00	146.00	99.00
108	8.00	8.00	8.00	8.00	7.00	8.00	7.00	36.00	23.00
109	18.00	18.00	19.00	19.00	19.00	19.00	18.00	158.00	87.00
111	2.00	2.00	2.00	2.00	2.00	2.00	2.00	29.00	16.00
112	2.00	2.00	2.00	2.00	2.00	2.00	2.00	7.00	4.00
113	8.00	8.00	9.00	9.00	9.00	9.00	9.00	29.00	17.00
114	3.00	2.00	3.00	3.00	2.00	2.00	2.00	6.00	4.00
115	19.00	21.00	20.00	22.00	22.00	20.00	20.00	87.00	52.00
116	0.00	0.00	0.00	0.00	0.00	0.00	0.00	10.00	5.00
117	2.00	2.00	2.00	2.00	2.00	2.00	2.00	20.00	13.00
118	3.00	3.00	3.00	3.00	3.00	3.00	3.00	17.00	11.00
119	2.00	2.00	2.00	2.00	2.00	2.00	2.00	12.00	8.00
120	2.00	2.00	2.00	2.00	2.00	2.00	2.00	23.00	15.00
121	10.00	8.00	9.00	8.00	9.00	9.00	9.00	57.00	48.00
122	5.00	4.00	4.00	4.00	4.00	4.00	4.00	13.00	9.00
123	1.00	1.00	1.00	1.00	1.00	1.00	1.00	10.00	6.00
124	7.00	7.00	7.00	7.00	7.00	7.00	7.00	41.00	29.00
125	2.00	2.00	2.00	2.00	2.00	2.00	2.00	14.00	9.00
126	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.00	1.00
127	15.00	17.00	15.00	15.00	17.00	16.00	18.00	119.00	68.00
128	3.00	2.00	3.00	3.00	2.00	2.00	2.00	55.00	38.00
129	6.00	5.00	6.00	6.00	6.00	6.00	5.00	33.00	23.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HSPROJ9	KSPROJ10	ESPROJ10	MSPROJ10	HSPROJ10	KSPROJ11	ESPROJ11	MSPROJ11	HSPROJ11	KSPROJ12
97	128.00	20.00	98.00	88.00	128.00	20.00	97.00	87.00	133.00	20.00
98	38.00	7.00	35.00	24.00	38.00	7.00	34.00	24.00	38.00	8.00
99	71.00	30.00	92.00	53.00	71.00	28.00	101.00	55.00	72.00	28.00
100	48.00	4.00	42.00	28.00	48.00	4.00	41.00	29.00	48.00	4.00
101	50.00	6.00	39.00	30.00	51.00	6.00	41.00	30.00	51.00	6.00
102	30.00	2.00	32.00	19.00	31.00	2.00	37.00	19.00	31.00	2.00
103	81.00	8.00	67.00	46.00	81.00	9.00	69.00	47.00	81.00	8.00
104	28.00	10.00	30.00	20.00	28.00	11.00	32.00	20.00	28.00	10.00
105	19.00	4.00	32.00	17.00	20.00	5.00	32.00	18.00	20.00	5.00
106	54.00	17.00	73.00	40.00	54.00	16.00	72.00	41.00	54.00	16.00
107	124.00	24.00	145.00	100.00	123.00	24.00	144.00	101.00	126.00	25.00
108	31.00	7.00	35.00	23.00	31.00	10.00	38.00	24.00	31.00	11.00
109	106.00	18.00	155.00	91.00	106.00	19.00	156.00	92.00	109.00	20.00
111	23.00	2.00	29.00	16.00	23.00	2.00	30.00	17.00	23.00	2.00
112	7.00	2.00	7.00	5.00	6.00	2.00	7.00	5.00	7.00	2.00
113	24.00	9.00	30.00	17.00	24.00	9.00	30.00	17.00	24.00	9.00
114	5.00	2.00	6.00	4.00	5.00	3.00	12.00	4.00	5.00	2.00
115	49.00	19.00	83.00	54.00	51.00	19.00	88.00	55.00	53.00	19.00
116	8.00	0.00	10.00	5.00	8.00	0.00	10.00	5.00	8.00	0.00
117	21.00	2.00	20.00	14.00	21.00	1.00	19.00	14.00	21.00	1.00
118	18.00	2.00	18.00	12.00	18.00	2.00	17.00	12.00	18.00	2.00
119	11.00	2.00	11.00	9.00	11.00	2.00	11.00	9.00	11.00	2.00
120	22.00	2.00	23.00	16.00	22.00	2.00	22.00	16.00	22.00	2.00
121	76.00	9.00	58.00	47.00	74.00	9.00	57.00	45.00	74.00	9.00
122	16.00	4.00	13.00	9.00	16.00	3.00	12.00	10.00	16.00	3.00
123	10.00	1.00	10.00	7.00	10.00	1.00	9.00	7.00	10.00	1.00
124	45.00	7.00	42.00	30.00	45.00	7.00	43.00	31.00	45.00	8.00
125	12.00	1.00	14.00	10.00	12.00	1.00	13.00	10.00	12.00	1.00
126	3.00	0.00	2.00	1.00	3.00	0.00	2.00	1.00	3.00	0.00
127	99.00	19.00	122.00	71.00	100.00	19.00	125.00	74.00	102.00	21.00
128	64.00	2.00	55.00	37.00	64.00	2.00	53.00	37.00	65.00	2.00
129	45.00	5.00	33.00	22.00	44.00	5.00	32.00	23.00	44.00	5.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	ESPROJ12	MSPROJ12	HSPROJ12	KSPROJ13	ESPROJ13	MSPROJ13	HSPROJ13	KSPROJ14	ESPROJ14	MSPROJ14	HSPROJ14
97	99.00	85.00	133.00	21.00	100.00	84.00	136.00	18.00	101.00	84.00	135.00
98	35.00	25.00	37.00	8.00	36.00	25.00	37.00	8.00	36.00	26.00	37.00
99	113.00	59.00	72.00	27.00	111.00	60.00	73.00	28.00	112.00	63.00	74.00
100	42.00	30.00	49.00	4.00	43.00	30.00	50.00	4.00	43.00	31.00	49.00
101	42.00	31.00	51.00	6.00	41.00	31.00	52.00	6.00	41.00	32.00	52.00
102	38.00	21.00	32.00	7.00	41.00	21.00	32.00	7.00	51.00	22.00	32.00
103	70.00	49.00	82.00	8.00	70.00	49.00	83.00	8.00	70.00	50.00	83.00
104	32.00	20.00	28.00	10.00	32.00	20.00	28.00	10.00	31.00	20.00	28.00
105	32.00	18.00	20.00	5.00	33.00	18.00	21.00	5.00	34.00	18.00	21.00
106	72.00	41.00	54.00	17.00	70.00	41.00	55.00	16.00	69.00	42.00	55.00
107	145.00	100.00	127.00	27.00	148.00	99.00	128.00	24.00	153.00	97.00	129.00
108	39.00	24.00	32.00	11.00	40.00	23.00	32.00	11.00	43.00	23.00	32.00
109	156.00	93.00	111.00	20.00	160.00	92.00	112.00	20.00	165.00	92.00	113.00
111	30.00	17.00	23.00	2.00	31.00	17.00	24.00	2.00	32.00	17.00	24.00
112	7.00	5.00	7.00	2.00	11.00	5.00	7.00	2.00	11.00	5.00	7.00
113	30.00	17.00	24.00	9.00	30.00	17.00	23.00	9.00	30.00	17.00	23.00
114	12.00	5.00	5.00	2.00	11.00	5.00	5.00	3.00	11.00	5.00	5.00
115	82.00	55.00	56.00	19.00	78.00	54.00	57.00	19.00	77.00	54.00	59.00
116	10.00	5.00	8.00	0.00	10.00	5.00	8.00	0.00	10.00	5.00	8.00
117	18.00	14.00	22.00	1.00	17.00	14.00	22.00	1.00	17.00	13.00	23.00
118	16.00	12.00	19.00	2.00	15.00	12.00	19.00	2.00	15.00	12.00	20.00
119	11.00	9.00	12.00	2.00	12.00	8.00	12.00	3.00	14.00	8.00	12.00
120	21.00	16.00	23.00	2.00	20.00	15.00	24.00	2.00	20.00	15.00	24.00
121	58.00	45.00	74.00	9.00	59.00	44.00	73.00	10.00	59.00	44.00	73.00
122	12.00	9.00	16.00	3.00	11.00	9.00	16.00	3.00	11.00	9.00	15.00
123	9.00	7.00	11.00	1.00	8.00	6.00	11.00	1.00	8.00	6.00	11.00
124	46.00	32.00	45.00	8.00	47.00	31.00	45.00	8.00	47.00	31.00	45.00
125	13.00	10.00	13.00	1.00	12.00	10.00	13.00	1.00	12.00	9.00	13.00
126	2.00	1.00	3.00	0.00	2.00	1.00	3.00	0.00	2.00	1.00	3.00
127	130.00	73.00	107.00	22.00	131.00	74.00	110.00	21.00	130.00	75.00	112.00
128	51.00	36.00	66.00	2.00	49.00	37.00	67.00	2.00	47.00	36.00	67.00
129	31.00	22.00	45.00	5.00	29.00	22.00	45.00	5.00	28.00	22.00	45.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	ES_PASS_RE	ES_TAKE_RE	ES_READ_PC	MS_PASS_RE	MS_TAKE_RE	MS_READ_PC	HS_PASS_RE	HS_TAKE_RE
97	*	*	53	27	39	69	*	*
98	*	*	>=95	*	*	79	*	*
99	*	*	80	*	*	94	*	*
100	*	*	63	*	*	90	*	*
101	*	*	63	*	*	82	*	*
102	*	*	>=95	*	*	87	*	*
103	*	*	83	*	*	>=95	21	33
104	*	*	60	*	*	85	*	*
105	*	*	75				*	*
106	*	*	75	*	*	82	*	*
107	*	*	70	23	34	68	*	*
108	*	*	40	*	*	88	*	*
109	*	*	83	*	*	>=95	31	48
111	*	*	50	*	*	92	*	*
112	*	*	<=5				*	*
113	*	*	>=95	*	*	33	*	*
114	0	0	<=5					
115	*	*	>=95	*	*	>=95	*	*
116	0	0	<=5	*	*	>=95	*	*
117	*	*	>=95	*	*	>=95	*	*
118	*	*	>=95	*	*	>=95	*	*
119	*	*	<=5	*	*	83	*	*
120	*	*	>=95	*	*	>=95	*	*
121	*	*	33	*	*	61	10	10
122	*	*	50	*	*	85	*	*
123	0	0	<=5				*	*
124	*	*	40	*	*	85	*	*
125	*	*	>=95	*	*	50	*	*
126							*	*
127	*	*	70	*	*	89	31	41
128	*	*	>=95	*	*	88	*	*
129	*	*	78	*	*	86	*	*

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HS_READ_PC	ES_PASS_MA	ES_TAKE_MA	ES_MATH_PC	MS_PASS_MA	MS_TAKE_MA	MS_MATH_PC	HS_PASS_MA
97	69	*	*	93	*	*	>=95	*
98	64	*	*	>=95	*	*	71	*
99	75	10	10	>=95	*	*	89	*
100	71	*	*	>=95	*	*	75	*
101	80	*	*	>=95	*	*	86	*
102	64	*	*	>=95	*	*	67	*
103	64	*	*	83	*	*	88	*
104	78	*	*	80	*	*	77	*
105	75	*	*	>=95				*
106	87	*	*	75	*	*	65	*
107	58	*	*	90	*	*	85	*
108	60	*	*	80	*	*	81	*
109	65	*	*	92	*	*	82	33
111	60	*	*	>=95	*	*	75	*
112	50	*	*	>=95				*
113	67	*	*	>=95	*	*	>=95	*
114		0	0	<=5				
115	>=95	*	*	>=95	*	*	50	*
116	>=95	0	0	<=5	*	*	>=95	*
117	85	*	*	>=95	*	*	67	*
118	92	*	*	>=95	*	*	>=95	*
119	50	*	*	>=95	*	*	83	*
120	57	*	*	<=5	*	*	83	*
121	>=95	*	*	>=95	*	*	78	*
122	78	*	*	50	*	*	92	*
123	60	0	0	<=5				*
124	65	*	*	>=95	*	*	54	*
125	60	*	*	>=95	*	*	>=95	*
126	>=95							*
127	76	10	10	>=95	*	*	82	24
128	75	*	*	>=95	*	*	84	*
129	81	*	*	78	*	*	>=95	19

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HS_TAKE_MA	HS_MATH_PC	DONE
97	*	77	
98	*	86	
99	*	85	
100	*	76	
101	*	65	
102	*	91	
103	*	91	
104	*	67	
105	*	75	
106	*	60	
107	*	84	
108	*	80	
109	48	69	
111	*	60	
112	*	>=95	
113	*	89	
114			
115	*	60	
116	*	33	
117	*	62	
118	*	62	
119	*	88	
120	*	71	
121	*	20	
122	*	78	
123	*	>=95	
124	*	55	
125	*	80	
126	*	50	
127	41	59	
128	*	67	
129	32	59	

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

OBJECTID	PLAN_ID	ES_HOME	MS_HOME	HS_HOME	PHASEOUT
	130	Clemens Crossing ES	Wilde Lake MS	Atholton HS	
	131	Clemens Crossing ES	Wilde Lake MS	Atholton HS	
	132	Clemens Crossing ES	Wilde Lake MS	Atholton HS	
	133	Bryant Woods ES	Wilde Lake MS	Atholton HS	
	134	Clemens Crossing ES	Harpers Choice MS	Wilde Lake HS	
	135	Swansfield ES	Harpers Choice MS	Wilde Lake HS	
	136	Running Brook ES	Wilde Lake MS	Wilde Lake HS	
	137	Bryant Woods ES	Wilde Lake MS	Wilde Lake HS	
	138	Swansfield ES	Harpers Choice MS	Wilde Lake HS	
	139	Cradlerock ES	Lake Elkhorn MS	Oakland Mills HS	
	140	Swansfield ES	Harpers Choice MS	Wilde Lake HS	
	141	Longfellow ES	Harpers Choice MS	Wilde Lake HS	
	142	Longfellow ES	Harpers Choice MS	Wilde Lake HS	
	143	Longfellow ES	Harpers Choice MS	Wilde Lake HS	
	144	Longfellow ES	Harpers Choice MS	Wilde Lake HS	
	145	Running Brook ES	Wilde Lake MS	Wilde Lake HS	
	146	Running Brook ES	Wilde Lake MS	Wilde Lake HS	
	147	Centennial Lane ES	Burleigh Manor MS	Centennial HS	
	148	Northfield ES	Dunloggin MS	Wilde Lake HS	
	149	Northfield ES	Dunloggin MS	Wilde Lake HS	
	150	Northfield ES	Dunloggin MS	Centennial HS	
	151	Thunder Hill ES	Oakland Mills MS	Oakland Mills HS	
	152	Northfield ES	Dunloggin MS	Wilde Lake HS	
	153	Northfield ES	Burleigh Manor MS	Centennial HS	
	154	Northfield ES	Burleigh Manor MS	Centennial HS	
	155	Northfield ES	Dunloggin MS	Centennial HS	
	156	Centennial Lane ES	Burleigh Manor MS	Centennial HS	
	157	Manor Woods ES	Burleigh Manor MS	Marriotts Ridge HS	
	158	St Johns Lane ES	Patapsco MS	Mt Hebron HS	
	159	St Johns Lane ES	Patapsco MS	Mt Hebron HS	
	160	Waverly ES	Patapsco MS	Mt Hebron HS	
	161	St Johns Lane ES	Patapsco MS	Mt Hebron HS	

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	STUDNT_POP	GR0_POP	GR1_POP	GR2_POP	GR3_	GR4_	GR5_	GR6_	GR7_	GR8_	GR9_	GR10	GR11_POP	GR12_POP
130	89	14	12	11	7	6	4	6	5	4	4	5	5	6
131	103	9	6	11	6	4	13	7	8	5	10	8	8	8
132	63	5	3	6	5	3	6	4	7	5	2	5	7	5
133	189	12	10	12	15	16	9	17	13	18	18	14	18	17
134	52	4	3	1	6	5	5	3	3	7	3	2	6	4
135	140	9	8	6	7	14	10	16	9	15	15	8	13	10
136	18	3	0	1	1	1	2	1	1	0	1	4	2	1
137	8	2	1	0	0	1	1	1	1	0	0	1	0	0
138	148	12	19	9	17	10	12	10	10	11	11	14	5	8
139	73	3	8	7	7	1	7	4	4	7	6	2	8	9
140	29	1	3	2	1	5	2	1	0	2	3	3	3	3
141	43	1	4	4	3	1	4	2	3	7	4	4	3	3
142	140	6	13	7	10	16	16	13	3	12	10	12	10	12
143	93	4	5	6	10	4	5	8	15	5	10	8	6	7
144	34	4	2	1	1	3	0	4	5	3	2	3	2	4
145	39	4	1	7	1	3	3	2	3	4	2	4	2	3
146	66	5	8	7	5	7	8	5	3	6	3	3	1	5
147	127	14	8	11	12	12	10	15	12	6	11	6	6	4
148	50	5	7	5	3	8	2	6	1	6	3	2	1	1
149	32	1	5	3	3	2	1	3	3	2	2	2	2	3
150	98	5	2	5	7	7	7	10	6	8	7	10	11	13
151	122	14	10	9	19	11	11	6	8	4	9	4	10	7
152	128	7	5	8	7	10	17	5	16	9	12	13	10	9
153	66	3	3	5	4	6	2	3	5	4	3	11	7	10
154	82	5	1	2	6	3	10	9	8	14	5	5	8	6
155	17	1	1	2	1	2	0	1	3	1	3	0	0	2
156	125	6	13	12	10	12	7	14	9	8	12	7	6	9
157	96	7	4	3	9	6	4	7	14	9	5	8	13	7
158	66	5	3	4	6	4	7	2	7	7	8	5	1	7
159	135	8	13	11	9	11	13	8	13	8	10	12	9	10
160	59	0	2	4	5	8	4	4	2	3	8	7	3	9
161	97	7	6	8	9	9	9	7	7	6	12	4	10	3

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	FARM_POP	ESPROJ1	MSPROJ1	HSPROJ1	ESPROJ2	MSPROJ2	HSPROJ2	ESPROJ3	MSPROJ3
130	*	48	23	26	50	24	30	53	27
131	10	40	24	36	41	23	38	48	24
132	*	23	16	23	24	14	25	26	15
133	82	70	43	74	71	40	75	72	42
134	*	20	12	11	21	12	13	22	12
135	38	45	31	33	46	30	37	46	29
136	*	5	3	7	6	3	6	6	3
137	*	3	2	2	3	2	2	3	2
138	93	66	35	28	68	37	35	69	38
139	21	31	17	23	29	19	22	27	19
140	*	13	6	9	13	7	9	13	7
141	*	15	10	10	15	10	12	15	10
142	43	58	33	32	58	34	37	57	34
143	13	28	21	23	28	20	25	27	19
144	*	7	7	8	6	6	9	6	5
145	*	15	10	15	17	9	14	18	10
146	15	36	20	19	40	19	22	43	21
147	*	52	37	36	72	40	43	85	45
148	*	26	13	15	27	14	16	27	14
149	*	14	8	12	15	8	12	15	8
150	*	29	19	39	30	18	37	30	18
151	26	61	28	28	59	32	30	56	34
152	*	48	28	53	50	27	49	50	28
153	*	21	14	26	21	15	25	21	15
154	*	23	23	33	23	21	34	23	20
155	*	6	4	6	6	4	6	14	5
156	*	53	36	39	52	38	44	49	38
157	15	27	24	36	28	23	36	28	22
158	*	23	16	21	23	15	21	25	14
159	*	56	34	40	56	33	41	58	33
160	*	22	13	21	22	13	20	22	13
161	*	40	24	28	41	24	29	43	24

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HSPROJ3	ESPROJ4	MSPROJ4	HSPROJ4	ESPROJ5	MSPROJ5	HSPROJ5	KSPROJ1	KSPROJ2
130	32	57	28	35	66	29	37	15.00	18.00
131	38	51	25	39	53	27	39	9.00	10.00
132	24	27	15	25	28	15	25	5.00	6.00
133	73	71	44	73	70	43	73	10.00	11.00
134	14	23	12	14	24	13	15	4.00	4.00
135	38	47	28	38	47	29	38	10.00	10.00
136	6	7	3	5	7	3	5	4.00	6.00
137	2	3	2	3	3	2	3	2.00	2.00
138	39	70	40	42	69	40	43	14.00	14.00
139	23	26	18	24	25	18	25	3.00	2.00
140	9	14	7	9	13	8	9	1.00	1.00
141	12	14	9	12	14	9	12	1.00	1.00
142	39	55	35	41	53	35	42	7.00	7.00
143	25	27	18	26	26	18	25	5.00	5.00
144	8	6	5	8	6	5	8	5.00	5.00
145	14	20	10	14	22	10	14	5.00	6.00
146	23	46	22	24	51	24	25	6.00	7.00
147	49	90	51	54	90	54	59	18.00	16.00
148	17	26	15	17	27	15	18	6.00	5.00
149	12	15	8	12	15	9	11	1.00	1.00
150	36	29	18	35	30	18	34	6.00	5.00
151	33	54	33	36	55	32	39	15.00	13.00
152	46	49	28	44	51	29	43	8.00	7.00
153	25	21	16	25	22	16	25	3.00	3.00
154	35	23	20	35	24	20	34	6.00	5.00
155	8	15	6	9	16	7	9	1.00	1.00
156	49	48	40	52	48	39	54	7.00	6.00
157	35	30	23	35	30	23	35	6.00	7.00
158	21	24	15	21	24	15	21	5.00	6.00
159	42	57	34	43	58	35	44	8.00	9.00
160	19	21	13	19	21	13	19	0.00	0.00
161	30	42	24	31	42	26	31	7.00	8.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	KSPROJ3	KSPROJ4	KSPROJ5	KSPROJ6	KSPROJ7	KSPROJ8	KSPROJ9	ESPROJ9	MSPROJ9
130	17.00	19.00	18.00	17.00	20.00	19.00	22.00	87.00	40.00
131	11.00	12.00	10.00	11.00	12.00	11.00	13.00	64.00	34.00
132	6.00	6.00	6.00	6.00	6.00	7.00	7.00	31.00	18.00
133	9.00	11.00	10.00	11.00	10.00	11.00	11.00	67.00	48.00
134	4.00	5.00	4.00	5.00	5.00	5.00	5.00	27.00	14.00
135	10.00	10.00	10.00	10.00	10.00	10.00	10.00	49.00	29.00
136	7.00	8.00	8.00	8.00	9.00	9.00	9.00	10.00	5.00
137	2.00	2.00	2.00	2.00	2.00	2.00	2.00	3.00	2.00
138	13.00	13.00	13.00	13.00	13.00	14.00	14.00	72.00	42.00
139	2.00	2.00	2.00	3.00	2.00	2.00	2.00	25.00	16.00
140	1.00	1.00	1.00	1.00	1.00	1.00	1.00	14.00	8.00
141	1.00	1.00	1.00	1.00	1.00	1.00	1.00	14.00	9.00
142	6.00	7.00	7.00	7.00	7.00	7.00	7.00	55.00	34.00
143	4.00	4.00	4.00	4.00	4.00	4.00	5.00	26.00	17.00
144	4.00	4.00	4.00	4.00	4.00	4.00	5.00	6.00	4.00
145	6.00	6.00	7.00	7.00	7.00	8.00	8.00	30.00	14.00
146	8.00	8.00	9.00	9.00	9.00	10.00	10.00	68.00	32.00
147	16.00	17.00	17.00	16.00	18.00	18.00	18.00	87.00	65.00
148	5.00	5.00	5.00	5.00	5.00	5.00	5.00	27.00	16.00
149	1.00	1.00	1.00	1.00	1.00	1.00	1.00	15.00	9.00
150	5.00	5.00	5.00	5.00	5.00	5.00	5.00	29.00	18.00
151	13.00	14.00	13.00	13.00	13.00	14.00	14.00	53.00	32.00
152	6.00	7.00	6.00	7.00	7.00	7.00	7.00	49.00	30.00
153	3.00	3.00	3.00	3.00	3.00	3.00	3.00	21.00	17.00
154	5.00	5.00	5.00	5.00	5.00	5.00	5.00	23.00	20.00
155	1.00	2.00	2.00	2.00	2.00	2.00	3.00	16.00	8.00
156	7.00	7.00	6.00	6.00	6.00	6.00	6.00	46.00	41.00
157	7.00	6.00	6.00	6.00	6.00	5.00	5.00	31.00	25.00
158	5.00	6.00	5.00	5.00	6.00	6.00	6.00	27.00	16.00
159	8.00	9.00	9.00	9.00	9.00	9.00	10.00	79.00	38.00
160	0.00	0.00	0.00	0.00	0.00	0.00	0.00	20.00	13.00
161	7.00	8.00	8.00	8.00	8.00	8.00	8.00	54.00	28.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HSPROJ9	KSPROJ10	ESPROJ10	MSPROJ10	HSPROJ10	KSPROJ11	ESPROJ11	MSPROJ11	HSPROJ11	KSPROJ12
130	46.00	21.00	88.00	43.00	48.00	21.00	91.00	45.00	50.00	19.00
131	45.00	13.00	65.00	36.00	46.00	13.00	67.00	37.00	47.00	11.00
132	26.00	7.00	32.00	19.00	27.00	7.00	33.00	19.00	27.00	7.00
133	76.00	12.00	69.00	49.00	76.00	12.00	70.00	49.00	77.00	11.00
134	16.00	6.00	28.00	14.00	16.00	6.00	28.00	14.00	17.00	5.00
135	39.00	11.00	49.00	29.00	39.00	11.00	50.00	29.00	40.00	11.00
136	5.00	10.00	10.00	5.00	5.00	10.00	11.00	5.00	6.00	10.00
137	3.00	2.00	3.00	2.00	3.00	2.00	3.00	2.00	3.00	2.00
138	49.00	14.00	73.00	43.00	50.00	14.00	74.00	42.00	52.00	15.00
139	25.00	2.00	25.00	16.00	25.00	2.00	25.00	16.00	24.00	2.00
140	10.00	1.00	14.00	8.00	10.00	1.00	14.00	8.00	10.00	1.00
141	12.00	1.00	14.00	9.00	12.00	1.00	14.00	9.00	13.00	1.00
142	44.00	7.00	55.00	34.00	44.00	7.00	56.00	34.00	45.00	7.00
143	25.00	5.00	27.00	17.00	25.00	5.00	27.00	17.00	25.00	5.00
144	7.00	5.00	6.00	4.00	7.00	5.00	6.00	4.00	7.00	5.00
145	15.00	8.00	32.00	15.00	15.00	9.00	34.00	16.00	16.00	9.00
146	30.00	11.00	72.00	35.00	31.00	11.00	76.00	36.00	33.00	11.00
147	73.00	18.00	87.00	66.00	77.00	18.00	87.00	66.00	80.00	19.00
148	19.00	5.00	33.00	16.00	20.00	5.00	33.00	16.00	20.00	5.00
149	12.00	1.00	14.00	9.00	12.00	1.00	14.00	9.00	12.00	1.00
150	33.00	5.00	29.00	18.00	33.00	5.00	29.00	18.00	33.00	5.00
151	42.00	14.00	53.00	32.00	42.00	14.00	53.00	32.00	42.00	14.00
152	43.00	7.00	48.00	29.00	43.00	7.00	49.00	30.00	43.00	6.00
153	26.00	3.00	27.00	17.00	27.00	3.00	47.00	18.00	27.00	8.00
154	34.00	5.00	23.00	20.00	34.00	5.00	23.00	20.00	34.00	5.00
155	10.00	3.00	16.00	8.00	11.00	3.00	16.00	8.00	11.00	3.00
156	58.00	6.00	46.00	40.00	60.00	6.00	46.00	40.00	61.00	6.00
157	35.00	4.00	31.00	25.00	35.00	4.00	31.00	25.00	36.00	4.00
158	22.00	6.00	27.00	17.00	22.00	6.00	27.00	17.00	22.00	6.00
159	49.00	10.00	77.00	40.00	49.00	10.00	77.00	41.00	50.00	10.00
160	20.00	0.00	20.00	14.00	20.00	0.00	20.00	14.00	20.00	0.00
161	35.00	9.00	55.00	30.00	36.00	12.00	60.00	30.00	36.00	14.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	ESPROJ12	MSPROJ12	HSPROJ12	KSPROJ13	ESPROJ13	MSPROJ13	HSPROJ13	KSPROJ14	ESPROJ14	MSPROJ14	HSPROJ14
130	95.00	47.00	54.00	20.00	94.00	48.00	56.00	19.00	93.00	49.00	58.00
131	69.00	38.00	50.00	13.00	69.00	39.00	51.00	11.00	68.00	40.00	53.00
132	33.00	20.00	28.00	6.00	34.00	20.00	29.00	6.00	33.00	21.00	30.00
133	70.00	48.00	80.00	11.00	71.00	49.00	81.00	10.00	71.00	50.00	82.00
134	29.00	15.00	17.00	5.00	29.00	15.00	18.00	5.00	29.00	15.00	18.00
135	51.00	29.00	40.00	11.00	51.00	30.00	41.00	11.00	52.00	30.00	41.00
136	11.00	5.00	6.00	11.00	12.00	6.00	6.00	11.00	12.00	6.00	6.00
137	3.00	2.00	3.00	2.00	3.00	2.00	3.00	2.00	3.00	2.00	3.00
138	75.00	42.00	52.00	16.00	75.00	43.00	54.00	15.00	77.00	45.00	55.00
139	26.00	16.00	24.00	2.00	26.00	16.00	23.00	2.00	26.00	16.00	24.00
140	15.00	8.00	10.00	1.00	15.00	8.00	11.00	1.00	15.00	8.00	11.00
141	15.00	9.00	13.00	1.00	15.00	9.00	13.00	1.00	15.00	9.00	13.00
142	57.00	34.00	46.00	7.00	58.00	34.00	47.00	7.00	58.00	35.00	47.00
143	27.00	17.00	25.00	5.00	28.00	17.00	26.00	5.00	28.00	17.00	26.00
144	6.00	4.00	7.00	5.00	7.00	4.00	7.00	5.00	7.00	4.00	7.00
145	35.00	17.00	17.00	9.00	36.00	17.00	17.00	9.00	37.00	18.00	18.00
146	79.00	38.00	35.00	12.00	82.00	39.00	37.00	12.00	84.00	41.00	38.00
147	89.00	65.00	83.00	18.00	90.00	66.00	86.00	19.00	91.00	67.00	87.00
148	33.00	17.00	21.00	5.00	33.00	17.00	21.00	5.00	34.00	17.00	22.00
149	14.00	9.00	12.00	1.00	14.00	9.00	13.00	1.00	15.00	9.00	13.00
150	29.00	18.00	33.00	5.00	29.00	18.00	34.00	5.00	29.00	18.00	33.00
151	54.00	32.00	42.00	14.00	55.00	32.00	41.00	15.00	56.00	32.00	42.00
152	48.00	30.00	43.00	7.00	49.00	30.00	44.00	7.00	49.00	30.00	44.00
153	50.00	20.00	28.00	7.00	50.00	21.00	29.00	10.00	50.00	23.00	29.00
154	23.00	20.00	35.00	5.00	23.00	20.00	35.00	5.00	23.00	20.00	35.00
155	16.00	8.00	11.00	3.00	16.00	8.00	12.00	3.00	16.00	9.00	12.00
156	46.00	39.00	62.00	7.00	46.00	39.00	63.00	7.00	47.00	39.00	63.00
157	30.00	25.00	36.00	4.00	29.00	25.00	36.00	3.00	28.00	25.00	36.00
158	27.00	17.00	22.00	6.00	27.00	17.00	23.00	6.00	26.00	17.00	23.00
159	76.00	42.00	50.00	10.00	99.00	42.00	52.00	10.00	111.00	43.00	52.00
160	20.00	14.00	20.00	0.00	20.00	13.00	20.00	0.00	21.00	13.00	20.00
161	64.00	31.00	37.00	14.00	65.00	31.00	37.00	14.00	72.00	32.00	38.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	ES_PASS_RE	ES_TAKE_RE	ES_READ_PC	MS_PASS_RE	MS_TAKE_RE	MS_READ_PC	HS_PASS_RE	HS_TAKE_RE
130	*	*	>=95	*	*	88	*	*
131	*	*	67	*	*	87	*	*
132	*	*	>=95	14	14	>=95	*	*
133	*	*	80	*	*	76	*	*
134	*	*	>=95	*	*	82	*	*
135	*	*	>=95	*	*	71	*	*
136							*	*
137								
138	*	*	>=95	*	*	33	*	*
139	*	*	33	*	*	71	*	*
140	*	*	>=95				*	*
141	*	*	67	*	*	60	*	*
142	*	*	>=95	*	*	>=95	*	*
143	*	*	50	*	*	94	*	*
144	0	0	<=5	*	*	67	*	*
145	*	*	67	*	*	80	0	0
146	*	*	75	*	*	>=95	*	*
147	*	*	83	*	*	>=95	*	*
148	*	*	50	*	*	67	*	*
149	*	*	>=95	*	*	>=95	*	*
150	*	*	>=95	*	*	83	*	*
151	*	*	>=95	*	*	78	*	*
152	13	13	>=95	*	*	92	*	*
153	*	*	>=95	11	11	>=95	*	*
154	*	*	>=95	*	*	84	*	*
155	0	0	<=5					
156	*	*	>=95	*	*	83	*	*
157	*	*	75	*	*	89	*	*
158	*	*	>=95	*	*	40	*	*
159	*	*	>=95	*	*	90	*	*
160	*	*	>=95	*	*	>=95	*	*
161	*	*	>=95	*	*	91	*	*

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HS_READ_PC	ES_PASS_MA	ES_TAKE_MA	ES_MATH_PC	MS_PASS_MA	MS_TAKE_MA	MS_MATH_PC	HS_PASS_MA
130	82	*	*	>=95	*	*	88	*
131	64	*	*	75	*	*	60	*
132	75	*	*	>=95	*	*	86	*
133	76	*	*	>=95	*	*	76	15
134	>=95	*	*	>=95	11	11	>=95	*
135	57	*	*	>=95	*	*	93	*
136	>=95							*
137								
138	83	*	*	>=95	*	*	67	*
139	67	*	*	>=95	*	*	86	*
140	67	*	*	>=95				*
141	50	*	*	>=95	*	*	90	*
142	57	*	*	50	*	*	78	*
143	92	*	*	>=95	*	*	94	*
144	>=95	0	0	<=5	*	*	89	*
145	<=5	*	*	>=95	*	*	80	0
146	80	*	*	50	*	*	50	*
147	63	*	*	>=95	*	*	>=95	*
148	33	*	*	>=95	*	*	50	*
149	67	*	*	>=95	*	*	>=95	*
150	74	*	*	75	*	*	89	*
151	88	*	*	83	*	*	89	*
152	74	*	*	85	*	*	71	*
153	77	*	*	>=95	*	*	73	*
154	71	*	*	>=95	19	19	>=95	*
155		0	0	<=5				
156	85	*	*	>=95	*	*	78	*
157	68	*	*	>=95	*	*	83	*
158	77	*	*	>=95	*	*	80	*
159	71	*	*	>=95	*	*	70	*
160	74	*	*	>=95	*	*	88	*
161	50	*	*	83	11	11	>=95	*

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HS_TAKE_MA	HS_MATH_PC	DONE
130	*	55	
131	*	71	
132	*	67	
133	29	52	
134	*	75	
135	*	86	
136	*	50	
137			
138	*	17	
139	*	33	
140	*	67	
141	*	75	
142	*	43	
143	*	92	
144	*	60	
145	0	<=5	
146	*	20	
147	*	88	
148		>=95	
149	*	67	
150	*	58	
151	*	25	
152	*	78	
153	*	64	
154	*	79	
155			
156	*	85	
157	*	74	
158	*	62	
159	*	68	
160	*	74	
161	*	75	

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

OBJECTID	PLAN_ID	ES_HOME	MS_HOME	HS_HOME	PHASEOUT
	162	Waverly ES	Patapsco MS	Mt Hebron HS	
	163	Waverly ES	Mount View MS	Marriotts Ridge HS	
	164	Manor Woods ES	Burleigh Manor MS	Marriotts Ridge HS	
	165	Waverly ES	Mount View MS	Marriotts Ridge HS	
	166	Waverly ES	Mount View MS	Marriotts Ridge HS	
	167	Manor Woods ES	Burleigh Manor MS	Marriotts Ridge HS	
	168	Manor Woods ES	Mount View MS	Marriotts Ridge HS	
	169	Waverly ES	Mount View MS	Marriotts Ridge HS	
	170	Manor Woods ES	Mount View MS	Marriotts Ridge HS	
	171	Manor Woods ES	Burleigh Manor MS	Marriotts Ridge HS	
	172	Swansfield ES	Harpers Choice MS	Wilde Lake HS	
	173	Centennial Lane ES	Burleigh Manor MS	Centennial HS	
	174	Swansfield ES	Harpers Choice MS	Wilde Lake HS	
	175	Longfellow ES	Harpers Choice MS	Wilde Lake HS	
	176	Triadelphia Ridge ES	Folly Quarter MS	River Hill HS	
	177	Longfellow ES	Harpers Choice MS	Wilde Lake HS	
	178	Manor Woods ES	Mount View MS	Marriotts Ridge HS	
	179	Manor Woods ES	Mount View MS	Marriotts Ridge HS	
	180	Triadelphia Ridge ES	Folly Quarter MS	River Hill HS	
	181	Triadelphia Ridge ES	Folly Quarter MS	River Hill HS	
	182	Triadelphia Ridge ES	Folly Quarter MS	River Hill HS	
	183	Triadelphia Ridge ES	Folly Quarter MS	River Hill HS	
	184	Centennial Lane ES	Burleigh Manor MS	Centennial HS	
	185	Clarksville ES	Clarksville MS	River Hill HS	
	186	Clarksville ES	Clarksville MS	River Hill HS	
	187	Clarksville ES	Clarksville MS	River Hill HS	
	188	Clarksville ES	Clarksville MS	River Hill HS	
	189	Pointers Run ES	Clarksville MS	River Hill HS	
	190	Pointers Run ES	Clarksville MS	Atholton HS	
	191	Veterans ES	Dunloggin MS	Centennial HS	
	193	Dayton Oaks ES	Lime Kiln MS	River Hill HS	
	194	Dayton Oaks ES	Lime Kiln MS	River Hill HS	

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	STUDNT_POP	GR0_POP	GR1_POP	GR2_POP	GR3_POP	GR4_POP	GR5_POP	GR6_POP	GR7_POP	GR8_POP	GR9_POP	GR10_POP	GR11_POP	GR12_POP
162	69	4	2	6	6	4	6	6	7	2	6	6	6	8
163	127	8	11	9	11	4	15	10	6	14	9	10	8	12
164	40	2	2	5	3	2	1	4	2	7	0	4	2	6
165	20	1	2	2	1	2	2	2	0	1	4	0	1	2
166	30	1	2	0	2	0	4	2	0	2	7	3	4	3
167	216	16	17	19	16	21	20	17	19	24	17	16	10	4
168	96	8	7	7	12	8	8	9	6	11	5	6	6	3
169	92	6	4	8	4	5	7	8	6	7	16	7	8	6
170	86	4	4	3	4	6	4	7	7	11	12	8	8	8
171	1	0	0	0	0	1	0	0	0	0	0	0	0	0
172	84	5	4	8	7	7	6	7	6	7	5	6	5	11
173	33	0	2	1	1	1	3	3	1	7	1	3	4	6
174	18	1	0	2	1	2	1	0	0	2	3	1	4	1
175	12	0	0	2	1	1	2	1	0	1	1	0	1	2
176	146	7	15	13	13	12	12	17	13	11	13	10	7	3
177	8	0	0	1	1	0	1	0	1	1	1	1	1	0
178	46	0	4	1	4	4	2	6	3	3	5	2	5	7
179	74	7	4	8	7	6	7	5	6	9	5	2	4	4
180	79	5	6	7	8	3	13	5	9	4	7	4	6	2
181	43	3	2	1	2	6	3	1	6	3	4	5	3	4
182	39	2	3	4	7	6	2	2	2	2	5	2	1	1
183	78	5	5	5	4	8	7	8	2	5	4	5	13	7
184	31	2	3	3	3	2	2	3	4	1	4	1	2	1
185	49	1	3	3	2	5	2	6	4	4	5	5	6	3
186	95	4	2	8	7	10	8	8	5	13	4	8	9	9
187	153	8	8	7	14	13	5	11	16	13	13	11	18	16
188	55	2	3	3	2	3	4	3	7	3	8	2	8	7
189	0	0	0	0	0	0	0	0	0	0	0	0	0	0
190	147	9	12	6	12	7	8	13	8	11	19	14	11	17
191	257	22	28	17	23	20	13	16	21	21	29	19	13	15
193	52	2	0	4	7	2	5	3	6	3	4	2	10	4
194	53	5	4	3	3	5	2	3	8	3	4	4	5	4

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	FARM_POP	ESPROJ1	MSPROJ1	HSPROJ1	ESPROJ2	MSPROJ2	HSPROJ2	ESPROJ3	MSPROJ3
162	*	23	15	24	23	15	22	23	14
163	*	49	34	40	49	34	42	49	35
164	*	14	11	14	14	11	15	14	11
165	*	9	5	6	9	6	6	9	6
166	*	8	5	12	8	5	11	8	6
167	42	98	66	60	109	69	69	119	75
168	*	45	29	26	46	30	31	47	31
169	*	27	21	33	27	20	32	27	20
170	*	23	20	35	24	19	33	24	18
171	*	1	0	0	1	1	0	1	1
172	*	32	19	20	32	19	22	33	19
173	*	8	8	15	8	7	14	22	8
174	*	6	3	7	6	3	6	6	3
175	*	6	3	3	6	3	3	6	3
176	*	76	46	47	86	48	54	96	50
177	*	3	2	2	3	2	3	3	2
178	*	16	11	18	16	11	17	16	12
179	10	34	22	20	35	23	23	35	24
180	*	34	22	23	34	22	25	34	22
181	*	13	9	16	13	9	15	13	9
182	*	20	11	9	20	12	11	20	12
183	*	27	17	27	27	17	26	27	18
184	*	13	9	10	12	9	11	12	9
185	*	14	12	20	13	11	19	13	11
186	*	33	25	34	36	25	35	39	26
187	*	43	35	61	42	34	58	41	34
188	*	14	11	23	13	11	21	13	11
189	*	0	0	0	0	0	0	11	1
190	*	44	32	61	43	31	60	42	33
191	27	111	57	80	130	61	88	134	67
193	*	19	12	20	18	12	19	19	12
194	*	17	12	19	16	12	19	16	12

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HSPROJ3	ESPROJ4	MSPROJ4	HSPROJ4	ESPROJ5	MSPROJ5	HSPROJ5	KSPROJ1	KSPROJ2
162	22	22	14	21	22	15	21	4.00	4.00
163	44	47	36	45	45	36	47	7.00	8.00
164	15	15	11	15	15	11	15	2.00	2.00
165	7	8	6	7	8	6	7	1.00	1.00
166	10	8	6	10	7	6	10	1.00	1.00
167	78	126	80	84	130	83	90	16.00	23.00
168	34	49	32	36	50	34	38	7.00	8.00
169	32	26	20	31	25	20	31	6.00	6.00
170	32	26	18	31	29	19	31	4.00	4.00
171	0	1	1	1	1	1	1	0.00	0.00
172	23	33	19	24	33	20	24	5.00	6.00
173	15	25	10	15	25	12	15	0.00	0.00
174	5	6	3	5	6	3	5	1.00	1.00
175	4	5	3	4	5	3	4	0.00	0.00
176	58	104	53	62	116	57	64	12.00	15.00
177	3	3	2	3	3	2	3	0.00	0.00
178	17	17	12	17	18	12	17	0.00	0.00
179	26	36	24	27	38	25	29	6.00	7.00
180	27	32	22	28	32	22	28	7.00	6.00
181	15	12	9	14	12	9	14	3.00	4.00
182	13	19	12	13	19	12	14	2.00	3.00
183	26	27	18	26	27	18	26	6.00	6.00
184	12	12	10	13	12	9	13	2.00	2.00
185	18	13	11	18	13	10	18	1.00	1.00
186	36	39	27	36	44	26	37	6.00	6.00
187	55	42	33	54	40	31	53	12.00	9.00
188	20	13	11	19	13	10	18	3.00	2.00
189	1	21	4	2	31	6	3	0.00	0.00
190	58	41	32	58	42	30	57	9.00	9.00
191	94	138	69	97	138	75	99	22.00	19.00
193	19	18	12	18	18	12	18	2.00	2.00
194	18	15	11	18	16	11	18	7.00	4.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	KSPROJ3	KSPROJ4	KSPROJ5	KSPROJ6	KSPROJ7	KSPROJ8	KSPROJ9	ESPROJ9	MSPROJ9
162	3.00	4.00	3.00	3.00	4.00	4.00	4.00	20.00	14.00
163	6.00	7.00	7.00	7.00	7.00	7.00	7.00	44.00	35.00
164	2.00	2.00	2.00	2.00	2.00	1.00	1.00	16.00	12.00
165	1.00	1.00	1.00	1.00	1.00	1.00	1.00	8.00	6.00
166	1.00	1.00	1.00	1.00	1.00	1.00	1.00	7.00	6.00
167	24.00	23.00	23.00	23.00	22.00	22.00	20.00	132.00	99.00
168	8.00	7.00	7.00	7.00	7.00	6.00	6.00	52.00	36.00
169	5.00	6.00	5.00	5.00	5.00	6.00	6.00	24.00	20.00
170	4.00	4.00	4.00	4.00	4.00	4.00	3.00	30.00	21.00
171	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	1.00
172	5.00	5.00	6.00	6.00	6.00	6.00	6.00	35.00	20.00
173	0.00	1.00	1.00	1.00	1.00	1.00	1.00	24.00	16.00
174	1.00	1.00	1.00	1.00	1.00	1.00	1.00	6.00	4.00
175	0.00	0.00	0.00	0.00	0.00	0.00	0.00	5.00	3.00
176	17.00	17.00	23.00	23.00	23.00	23.00	22.00	115.00	61.00
177	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.00	2.00
178	0.00	0.00	0.00	0.00	0.00	0.00	0.00	18.00	13.00
179	7.00	6.00	6.00	6.00	6.00	5.00	5.00	39.00	27.00
180	6.00	5.00	5.00	5.00	5.00	5.00	5.00	31.00	21.00
181	3.00	3.00	3.00	3.00	3.00	3.00	4.00	12.00	8.00
182	2.00	2.00	2.00	2.00	2.00	2.00	2.00	18.00	12.00
183	6.00	5.00	5.00	5.00	5.00	6.00	6.00	28.00	17.00
184	2.00	2.00	2.00	2.00	2.00	2.00	2.00	11.00	10.00
185	1.00	1.00	1.00	1.00	1.00	1.00	1.00	13.00	10.00
186	7.00	6.00	6.00	9.00	8.00	9.00	10.00	49.00	28.00
187	10.00	9.00	9.00	8.00	8.00	8.00	9.00	39.00	29.00
188	3.00	2.00	2.00	2.00	2.00	2.00	2.00	13.00	9.00
189	9.00	14.00	20.00	23.00	25.00	22.00	21.00	52.00	17.00
190	8.00	6.00	7.00	7.00	7.00	7.00	7.00	42.00	29.00
191	26.00	25.00	25.00	27.00	27.00	27.00	28.00	126.00	76.00
193	3.00	3.00	4.00	3.00	3.00	3.00	3.00	20.00	13.00
194	4.00	4.00	5.00	4.00	4.00	4.00	4.00	15.00	11.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HSPROJ9	KSPROJ10	ESPROJ10	MSPROJ10	HSPROJ10	KSPROJ11	ESPROJ11	MSPROJ11	HSPROJ11	KSPROJ12
162	22.00	4.00	21.00	15.00	22.00	4.00	21.00	15.00	22.00	4.00
163	50.00	8.00	44.00	36.00	50.00	8.00	45.00	35.00	51.00	8.00
164	16.00	2.00	20.00	13.00	16.00	2.00	20.00	13.00	17.00	2.00
165	8.00	1.00	8.00	6.00	8.00	1.00	9.00	6.00	8.00	1.00
166	10.00	1.00	7.00	6.00	9.00	1.00	7.00	6.00	9.00	1.00
167	108.00	18.00	131.00	100.00	110.00	17.00	131.00	100.00	112.00	16.00
168	44.00	5.00	51.00	37.00	44.00	5.00	51.00	37.00	46.00	5.00
169	31.00	6.00	24.00	20.00	31.00	6.00	24.00	19.00	31.00	6.00
170	31.00	3.00	31.00	22.00	31.00	3.00	31.00	21.00	31.00	3.00
171	1.00	0.00	1.00	1.00	1.00	0.00	1.00	1.00	1.00	0.00
172	25.00	6.00	35.00	20.00	26.00	6.00	35.00	20.00	26.00	6.00
173	18.00	1.00	24.00	16.00	19.00	1.00	24.00	17.00	19.00	1.00
174	5.00	1.00	7.00	4.00	5.00	1.00	7.00	4.00	5.00	1.00
175	4.00	0.00	5.00	3.00	4.00	0.00	6.00	3.00	4.00	0.00
176	72.00	22.00	115.00	62.00	72.00	21.00	114.00	63.00	74.00	21.00
177	3.00	0.00	3.00	2.00	3.00	0.00	3.00	2.00	3.00	0.00
178	18.00	0.00	18.00	13.00	18.00	1.00	19.00	13.00	18.00	1.00
179	33.00	5.00	39.00	28.00	33.00	4.00	39.00	28.00	34.00	4.00
180	29.00	5.00	32.00	20.00	29.00	5.00	31.00	20.00	28.00	5.00
181	13.00	3.00	12.00	8.00	13.00	3.00	12.00	8.00	13.00	3.00
182	15.00	2.00	18.00	12.00	15.00	2.00	18.00	12.00	15.00	2.00
183	25.00	6.00	28.00	17.00	25.00	6.00	28.00	17.00	25.00	6.00
184	14.00	2.00	11.00	10.00	14.00	2.00	11.00	10.00	15.00	2.00
185	16.00	1.00	13.00	9.00	15.00	1.00	13.00	9.00	15.00	1.00
186	36.00	10.00	49.00	28.00	36.00	11.00	54.00	29.00	37.00	11.00
187	48.00	9.00	40.00	28.00	47.00	9.00	40.00	28.00	46.00	9.00
188	16.00	2.00	13.00	9.00	16.00	2.00	13.00	9.00	15.00	2.00
189	9.00	20.00	52.00	18.00	10.00	20.00	50.00	20.00	11.00	20.00
190	55.00	7.00	42.00	28.00	55.00	6.00	40.00	28.00	54.00	6.00
191	113.00	27.00	122.00	75.00	113.00	29.00	126.00	77.00	116.00	28.00
193	18.00	3.00	18.00	13.00	18.00	3.00	18.00	13.00	18.00	3.00
194	17.00	4.00	14.00	11.00	16.00	4.00	13.00	11.00	16.00	4.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	ESPROJ12	MSPROJ12	HSPROJ12	KSPROJ13	ESPROJ13	MSPROJ13	HSPROJ13	KSPROJ14	ESPROJ14	MSPROJ14	HSPROJ14
162	21.00	15.00	22.00	4.00	21.00	14.00	22.00	4.00	21.00	14.00	22.00
163	46.00	35.00	51.00	8.00	47.00	35.00	51.00	8.00	48.00	36.00	51.00
164	20.00	13.00	17.00	1.00	19.00	13.00	17.00	1.00	18.00	13.00	17.00
165	9.00	6.00	8.00	1.00	9.00	6.00	8.00	1.00	9.00	6.00	8.00
166	7.00	6.00	9.00	1.00	7.00	6.00	9.00	1.00	7.00	6.00	9.00
167	127.00	98.00	114.00	15.00	122.00	98.00	117.00	14.00	115.00	99.00	121.00
168	50.00	37.00	46.00	4.00	48.00	37.00	47.00	4.00	45.00	37.00	48.00
169	24.00	19.00	31.00	6.00	25.00	19.00	31.00	6.00	25.00	19.00	31.00
170	30.00	22.00	31.00	3.00	29.00	21.00	31.00	3.00	36.00	22.00	31.00
171	1.00	1.00	1.00	0.00	1.00	1.00	1.00	0.00	1.00	1.00	1.00
172	36.00	20.00	27.00	6.00	36.00	21.00	27.00	6.00	37.00	21.00	28.00
173	24.00	17.00	20.00	1.00	24.00	17.00	21.00	1.00	24.00	17.00	22.00
174	7.00	4.00	5.00	1.00	7.00	4.00	5.00	1.00	7.00	4.00	5.00
175	6.00	3.00	4.00	0.00	6.00	3.00	4.00	0.00	6.00	3.00	4.00
176	112.00	64.00	75.00	22.00	111.00	64.00	77.00	21.00	112.00	66.00	78.00
177	3.00	2.00	3.00	0.00	3.00	2.00	3.00	0.00	3.00	2.00	3.00
178	18.00	13.00	18.00	1.00	18.00	13.00	18.00	1.00	17.00	13.00	19.00
179	38.00	28.00	35.00	4.00	37.00	28.00	35.00	4.00	35.00	28.00	36.00
180	31.00	20.00	29.00	5.00	31.00	20.00	29.00	5.00	32.00	21.00	29.00
181	12.00	8.00	13.00	3.00	12.00	8.00	13.00	3.00	12.00	8.00	13.00
182	18.00	12.00	16.00	2.00	18.00	12.00	16.00	2.00	18.00	12.00	16.00
183	28.00	17.00	25.00	6.00	28.00	17.00	25.00	6.00	27.00	18.00	25.00
184	11.00	10.00	15.00	2.00	11.00	9.00	15.00	2.00	11.00	10.00	15.00
185	13.00	9.00	15.00	1.00	13.00	9.00	15.00	1.00	13.00	9.00	15.00
186	54.00	29.00	38.00	12.00	55.00	30.00	38.00	12.00	55.00	30.00	39.00
187	39.00	28.00	46.00	9.00	40.00	28.00	46.00	9.00	40.00	28.00	46.00
188	13.00	9.00	16.00	2.00	13.00	9.00	16.00	2.00	13.00	9.00	15.00
189	48.00	20.00	13.00	20.00	46.00	22.00	14.00	20.00	44.00	22.00	15.00
190	38.00	28.00	56.00	6.00	37.00	28.00	56.00	6.00	35.00	28.00	56.00
191	128.00	79.00	118.00	27.00	126.00	78.00	120.00	27.00	125.00	78.00	120.00
193	18.00	13.00	18.00	4.00	18.00	13.00	18.00	4.00	20.00	13.00	18.00
194	13.00	11.00	16.00	5.00	14.00	11.00	17.00	5.00	15.00	11.00	17.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	ES_PASS_RE	ES_TAKE_RE	ES_READ_PC	MS_PASS_RE	MS_TAKE_RE	MS_READ_PC	HS_PASS_RE	HS_TAKE_RE
162	*	*	>=95	13	13	>=95	*	*
163	*	*	56	*	*	91	*	*
164	*	*	>=95	10	10	>=95	*	*
165	*	*	>=95				*	*
166	*	*	>=95				*	*
167	*	*	50	*	*	90	*	*
168	*	*	83	15	15	>=95	*	*
169	*	*	75	*	*	91	*	*
170	*	*	75	*	*	>=95	11	23
171								
172	*	*	40	*	*	89	*	*
173	*	*	>=95	*	*	>=95	*	*
174	*	*	>=95				*	*
175	*	*	>=95					
176	*	*	55	*	*	75	*	*
177								
178	*	*	>=95	11	11	>=95	*	*
179	*	*	75	16	16	>=95	*	*
180	*	*	67	*	*	92	*	*
181	*	*	<=5	*	*	75	*	*
182	*	*	50	*	*	75	*	*
183	*	*	67	11	11	>=95	*	*
184	*	*	<=5	*	*	86	*	*
185	*	*	>=95	*	*	92	*	*
186	*	*	>=95	*	*	>=95	*	*
187	*	*	80	*	*	90	*	*
188	*	*	75	*	*	89	*	*
189								
190	*	*	>=95	*	*	77	*	*
191	*	*	>=95	28	39	72	27	42
193	*	*	>=95	*	*	80	*	*
194	*	*	>=95	10	10	>=95	*	*

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HS_READ_PC	ES_PASS_MA	ES_TAKE_MA	ES_MATH_PC	MS_PASS_MA	MS_TAKE_MA	MS_MATH_PC	HS_PASS_MA
162	75	*	*	>=95	*	*	69	*
163	79	*	*	>=95	*	*	91	*
164	>=95	*	*	<=5	*	*	80	*
165	75	*	*	>=95				*
166	75	*	*	>=95				*
167	73	*	*	>=95	*	*	62	*
168	71	*	*	83	*	*	87	*
169	83	*	*	75	*	*	73	*
170	48	*	*	>=95	*	*	90	*
171								
172	71	*	*	>=95	*	*	78	*
173	75	*	*	>=95	*	*	89	*
174	>=95	*	*	>=95				*
175		*	*	>=95				
176	87	*	*	91	28	28	>=95	*
177								
178	85	*	*	>=95	*	*	82	*
179	>=95	*	*	50	*	*	75	*
180	71	*	*	>=95	*	*	85	*
181	90	*	*	>=95	*	*	88	*
182	67	*	*	>=95	*	*	75	*
183	57	*	*	>=95	*	*	91	*
184	83	*	*	>=95	*	*	>=95	*
185	55	*	*	>=95	12	12	>=95	*
186	74	*	*	88	20	20	>=95	*
187	65	*	*	>=95	29	29	>=95	*
188	77	*	*	>=95	*	*	89	*
189								
190	81	*	*	>=95	*	*	88	34
191	64	*	*	>=95	*	*	87	31
193	67	*	*	67	*	*	80	*
194	64	*	*	50	*	*	80	*

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HS_TAKE_MA	HS_MATH_PC	DONE
162	*	75	
163	*	63	
164	*	50	
165	*	75	
166	*	75	
167	*	60	
168	*	82	
169	*	74	
170	*	91	
171			
172	*	57	
173	*	75	
174	*	>=95	
175			
176	*	78	
177			
178	*	69	
179	*	40	
180	*	71	
181	*	60	
182	*	>=95	
183	*	86	
184	*	83	
185	*	82	
186	19	47	
187	*	77	
188	*	69	
189			
190	48	71	
191	42	74	
193	*	75	
194	*	82	

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

OBJECTID	PLAN_ID	ES_HOME	MS_HOME	HS_HOME	PHASEOUT
	195	Dayton Oaks ES	Lime Kiln MS	River Hill HS	
	196	Dayton Oaks ES	Lime Kiln MS	River Hill HS	
	197	Dayton Oaks ES	Lime Kiln MS	River Hill HS	
	198	Dayton Oaks ES	Lime Kiln MS	River Hill HS	
	199	Dayton Oaks ES	Folly Quarter MS	River Hill HS	
	200	Dayton Oaks ES	Folly Quarter MS	River Hill HS	
	201	Dayton Oaks ES	Folly Quarter MS	River Hill HS	
	202	Dayton Oaks ES	Folly Quarter MS	River Hill HS	
	203	Dayton Oaks ES	Folly Quarter MS	River Hill HS	
	204	Running Brook ES	Wilde Lake MS	Wilde Lake HS	
	205	Dayton Oaks ES	Folly Quarter MS	Glenelg HS	
	206	Dayton Oaks ES	Folly Quarter MS	Glenelg HS	
	207	Dayton Oaks ES	Folly Quarter MS	Glenelg HS	
	208	Dayton Oaks ES	Folly Quarter MS	Glenelg HS	
	209	Triadelphia Ridge ES	Folly Quarter MS	Glenelg HS	
	210	Triadelphia Ridge ES	Folly Quarter MS	Glenelg HS	
	211	Bushy Park ES	Folly Quarter MS	Glenelg HS	
	212	Bushy Park ES	Glenwood MS	Glenelg HS	
	213	Bushy Park ES	Glenwood MS	Glenelg HS	
	214	Manor Woods ES	Burleigh Manor MS	Centennial HS	
	215	Bushy Park ES	Glenwood MS	Glenelg HS	
	216	Bushy Park ES	Folly Quarter MS	Glenelg HS	
	217	Veterans ES	Ellicott Mills MS	Mt Hebron HS	
	218	Triadelphia Ridge ES	Folly Quarter MS	Glenelg HS	
	219	Northfield ES	Dunloggin MS	Centennial HS	
	220	Bushy Park ES	Folly Quarter MS	Glenelg HS	
	221	Fulton ES	Hammond MS	Reservoir HS	
	222	Triadelphia Ridge ES	Folly Quarter MS	Glenelg HS	
	223	West Friendship ES	Mount View MS	Marriotts Ridge HS	
	224	West Friendship ES	Mount View MS	Marriotts Ridge HS	
	225	West Friendship ES	Mount View MS	Marriotts Ridge HS	
	226	West Friendship ES	Mount View MS	Marriotts Ridge HS	

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	STUDNT_POP	GR0_POP	GR1_POP	GR2_POP	GR3_POP	GR4_POP	GR5_POP	GR6_POP	GR7_POP	GR8_POP	GR9_POP	GR10_POP	GR11_POP	GR12_POP
195	46	2	1	1	1	4	4	5	7	2	4	3	6	6
196	39	3	2	4	2	3	2	5	2	7	2	4	1	2
197	49	1	2	5	3	6	3	5	4	3	7	3	2	5
198	17	0	1	2	1	1	0	3	0	2	1	1	2	3
199	16	2	3	0	1	0	0	2	0	1	0	2	2	3
200	30	1	0	2	2	0	4	2	9	2	3	3	1	1
201	7	1	0	2	0	1	0	0	0	1	0	2	0	0
202	21	1	2	0	2	3	1	2	3	2	1	0	3	1
203	56	1	2	2	2	11	4	4	2	7	2	6	7	6
204	4	0	1	1	0	0	0	0	0	0	0	1	0	1
205	35	4	1	4	2	3	1	4	3	6	0	1	3	3
206	41	3	1	5	2	7	5	2	1	2	0	7	2	4
207	32	3	0	1	3	3	4	2	2	3	3	2	4	2
208	13	0	1	1	0	1	2	2	0	0	2	1	0	3
209	65	4	6	9	6	5	6	3	7	3	4	4	5	3
210	34	2	2	0	7	1	2	4	2	3	6	1	0	4
211	210	8	16	13	18	17	26	16	26	17	11	15	14	13
212	90	3	3	2	6	9	5	9	8	7	12	11	8	7
213	92	6	10	8	9	5	10	5	9	4	6	4	6	10
214	30	2	3	3	3	3	3	2	3	2	2	1	2	1
215	23	2	2	3	0	3	2	0	1	2	2	2	2	2
216	46	2	2	4	5	1	3	2	3	2	8	2	10	2
217	3	0	0	0	0	1	0	0	0	0	1	1	0	0
218	14	0	0	2	2	0	0	2	3	0	3	0	0	2
219	21	2	4	0	3	1	0	2	3	1	1	2	2	0
220	48	1	2	3	2	4	6	3	3	4	6	7	1	6
221	78	8	6	7	5	4	5	5	6	3	7	6	10	6
222	46	2	0	4	1	5	3	2	9	3	5	2	5	5
223	48	2	3	2	3	6	5	3	2	3	4	8	2	5
224	37	4	2	3	2	1	3	4	2	2	2	7	3	2
225	93	4	6	4	9	8	5	9	3	8	8	7	9	13
226	40	1	1	0	5	2	2	1	6	5	2	4	5	6

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	FARM_POP	ESPROJ1	MSPROJ1	HSPROJ1	ESPROJ2	MSPROJ2	HSPROJ2	ESPROJ3	MSPROJ3
195	*	12	10	20	11	9	19	11	9
196	*	13	11	14	12	10	15	12	9
197	*	20	12	18	19	12	18	19	13
198	*	5	4	7	5	4	7	5	4
199	*	4	3	6	5	3	6	6	3
200	*	8	8	13	8	7	12	8	7
201	*	4	2	2	3	2	2	3	2
202	*	9	6	7	8	6	8	8	6
203	*	21	13	21	20	13	20	20	14
204	*	2	1	1	2	1	1	2	1
205	*	11	9	11	10	8	12	10	8
206	*	20	10	10	19	11	11	19	12
207	*	11	7	10	10	7	10	10	7
208	*	5	3	4	5	3	4	5	3
209	*	31	18	16	31	18	19	31	19
210	*	11	8	11	11	8	11	11	8
211	*	94	61	61	93	60	71	93	60
212	*	23	21	34	22	19	33	21	19
213	*	39	25	24	38	26	28	36	29
214	*	17	9	8	17	11	10	17	11
215	*	9	5	6	9	6	6	8	6
216	*	14	9	16	13	9	15	13	9
217	*	1	0	1	1	1	1	1	1
218	*	4	4	6	4	3	6	4	3
219	*	8	5	7	9	5	7	8	5
220	*	17	11	17	17	11	17	16	11
221	*	28	15	24	34	16	25	34	17
222	*	12	11	17	12	9	17	12	9
223	*	20	11	15	19	12	16	18	13
224	*	12	8	13	11	8	12	11	8
225	*	34	22	33	32	23	32	31	23
226	*	10	9	17	10	9	16	10	8

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HSPROJ3	ESPROJ4	MSPROJ4	HSPROJ4	ESPROJ5	MSPROJ5	HSPROJ5	KSPROJ1	KSPROJ2
195	17	10	8	16	11	8	16	2.00	2.00
196	15	11	9	14	12	9	14	3.00	2.00
197	18	18	13	18	18	12	18	1.00	1.00
198	7	4	4	6	5	3	6	0.00	0.00
199	5	5	3	5	6	3	5	2.00	2.00
200	12	7	6	12	7	6	11	1.00	1.00
201	2	3	2	2	3	2	3	1.00	1.00
202	8	7	6	8	8	5	8	1.00	1.00
203	20	28	14	21	29	15	20	1.00	1.00
204	1	3	1	1	3	1	1	0.00	0.00
205	11	10	8	11	10	7	11	5.00	3.00
206	12	17	12	12	18	11	13	3.00	2.00
207	10	10	7	10	10	7	10	3.00	2.00
208	4	4	3	4	5	3	4	0.00	0.00
209	20	29	19	21	29	19	22	5.00	5.00
210	11	11	8	11	11	7	11	2.00	3.00
211	72	91	60	71	86	60	75	13.00	7.00
212	31	20	18	30	19	18	29	4.00	3.00
213	29	35	28	30	33	27	32	7.00	6.00
214	12	18	12	13	19	12	14	2.00	6.00
215	7	8	6	7	8	6	7	2.00	2.00
216	14	12	9	14	11	9	14	2.00	2.00
217	1	1	1	1	1	1	1	0.00	0.00
218	5	3	3	5	3	3	5	0.00	0.00
219	7	8	5	8	9	5	8	2.00	2.00
220	16	16	11	16	15	11	16	1.00	1.00
221	24	37	19	25	38	19	25	7.00	7.00
222	16	11	9	15	11	9	15	2.00	3.00
223	16	19	13	17	19	14	17	2.00	2.00
224	12	11	8	12	11	8	12	2.00	4.00
225	33	33	23	33	33	24	33	3.00	4.00
226	15	10	8	14	11	8	14	1.00	1.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	KSPROJ3	KSPROJ4	KSPROJ5	KSPROJ6	KSPROJ7	KSPROJ8	KSPROJ9	ESPROJ9	MSPROJ9
195	2.00	2.00	4.00	3.00	3.00	3.00	3.00	11.00	8.00
196	3.00	3.00	3.00	3.00	3.00	3.00	3.00	11.00	8.00
197	1.00	1.00	1.00	1.00	1.00	1.00	1.00	17.00	12.00
198	0.00	0.00	0.00	0.00	0.00	0.00	0.00	4.00	3.00
199	2.00	2.00	3.00	3.00	2.00	2.00	2.00	6.00	3.00
200	1.00	1.00	1.00	1.00	1.00	1.00	1.00	7.00	5.00
201	1.00	1.00	1.00	1.00	1.00	1.00	1.00	3.00	2.00
202	1.00	1.00	1.00	1.00	1.00	1.00	1.00	7.00	5.00
203	1.00	2.00	3.00	2.00	2.00	2.00	2.00	29.00	16.00
204	0.00	0.00	0.00	0.00	0.00	0.00	0.00	4.00	2.00
205	4.00	3.00	4.00	4.00	3.00	4.00	4.00	9.00	7.00
206	3.00	3.00	3.00	3.00	3.00	3.00	3.00	18.00	11.00
207	3.00	3.00	3.00	3.00	3.00	3.00	3.00	11.00	6.00
208	0.00	0.00	0.00	0.00	0.00	0.00	0.00	4.00	3.00
209	5.00	4.00	4.00	4.00	4.00	4.00	5.00	29.00	18.00
210	2.00	2.00	2.00	2.00	2.00	2.00	2.00	10.00	7.00
211	7.00	11.00	9.00	8.00	9.00	9.00	10.00	78.00	54.00
212	3.00	3.00	3.00	3.00	3.00	3.00	3.00	18.00	15.00
213	6.00	6.00	5.00	5.00	5.00	5.00	5.00	30.00	25.00
214	6.00	5.00	5.00	5.00	5.00	5.00	4.00	19.00	14.00
215	2.00	2.00	2.00	2.00	2.00	2.00	2.00	7.00	6.00
216	2.00	2.00	2.00	2.00	2.00	2.00	2.00	11.00	8.00
217	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	1.00
218	0.00	0.00	0.00	0.00	0.00	0.00	1.00	4.00	2.00
219	2.00	2.00	2.00	2.00	2.00	2.00	2.00	8.00	5.00
220	1.00	1.00	1.00	1.00	1.00	1.00	1.00	14.00	10.00
221	9.00	9.00	8.00	8.00	8.00	7.00	7.00	37.00	23.00
222	2.00	2.00	2.00	2.00	2.00	2.00	2.00	15.00	9.00
223	2.00	3.00	2.00	2.00	2.00	3.00	3.00	23.00	15.00
224	4.00	5.00	5.00	6.00	5.00	5.00	5.00	13.00	9.00
225	4.00	5.00	5.00	5.00	5.00	5.00	5.00	36.00	25.00
226	1.00	1.00	1.00	1.00	1.00	1.00	1.00	13.00	9.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HSPROJ9	KSPROJ10	ESPROJ10	MSPROJ10	HSPROJ10	KSPROJ11	ESPROJ11	MSPROJ11	HSPROJ11	KSPROJ12
195	14.00	3.00	14.00	8.00	14.00	3.00	16.00	8.00	13.00	3.00
196	13.00	3.00	11.00	9.00	13.00	3.00	11.00	9.00	13.00	3.00
197	17.00	1.00	16.00	13.00	17.00	1.00	17.00	13.00	17.00	1.00
198	5.00	0.00	4.00	3.00	5.00	0.00	4.00	3.00	5.00	0.00
199	5.00	2.00	5.00	3.00	5.00	2.00	5.00	3.00	5.00	2.00
200	10.00	1.00	8.00	5.00	9.00	1.00	8.00	5.00	9.00	1.00
201	3.00	1.00	3.00	2.00	3.00	1.00	3.00	2.00	3.00	1.00
202	8.00	1.00	7.00	5.00	8.00	1.00	7.00	5.00	7.00	1.00
203	21.00	2.00	28.00	16.00	21.00	2.00	28.00	16.00	21.00	2.00
204	2.00	0.00	4.00	2.00	2.00	0.00	4.00	2.00	2.00	0.00
205	10.00	3.00	9.00	7.00	10.00	3.00	9.00	6.00	10.00	3.00
206	14.00	3.00	17.00	11.00	14.00	3.00	16.00	11.00	14.00	3.00
207	10.00	3.00	11.00	7.00	9.00	3.00	11.00	7.00	9.00	3.00
208	4.00	0.00	4.00	3.00	4.00	0.00	4.00	3.00	4.00	0.00
209	23.00	5.00	29.00	18.00	23.00	5.00	28.00	18.00	23.00	5.00
210	10.00	2.00	10.00	7.00	10.00	2.00	10.00	7.00	10.00	2.00
211	77.00	9.00	77.00	54.00	76.00	10.00	79.00	53.00	74.00	12.00
212	26.00	3.00	18.00	16.00	25.00	3.00	19.00	16.00	25.00	3.00
213	33.00	5.00	30.00	25.00	32.00	6.00	30.00	26.00	33.00	6.00
214	17.00	4.00	19.00	14.00	18.00	4.00	19.00	14.00	18.00	3.00
215	7.00	2.00	7.00	6.00	7.00	2.00	7.00	6.00	8.00	2.00
216	13.00	2.00	11.00	8.00	12.00	2.00	11.00	7.00	12.00	2.00
217	1.00	0.00	1.00	1.00	1.00	0.00	1.00	1.00	1.00	0.00
218	4.00	1.00	4.00	2.00	4.00	1.00	5.00	2.00	4.00	1.00
219	8.00	2.00	8.00	5.00	8.00	2.00	8.00	5.00	8.00	2.00
220	15.00	1.00	14.00	10.00	15.00	1.00	14.00	10.00	15.00	1.00
221	28.00	7.00	35.00	24.00	28.00	7.00	33.00	24.00	28.00	7.00
222	13.00	2.00	15.00	9.00	13.00	2.00	15.00	9.00	13.00	2.00
223	19.00	3.00	22.00	15.00	19.00	3.00	22.00	15.00	20.00	2.00
224	13.00	5.00	13.00	9.00	12.00	5.00	13.00	9.00	13.00	6.00
225	35.00	5.00	35.00	26.00	35.00	5.00	35.00	26.00	36.00	5.00
226	14.00	1.00	13.00	9.00	14.00	1.00	13.00	9.00	14.00	1.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	ESPROJ12	MSPROJ12	HSPROJ12	KSPROJ13	ESPROJ13	MSPROJ13	HSPROJ13	KSPROJ14	ESPROJ14	MSPROJ14	HSPROJ14
195	16.00	9.00	14.00	3.00	18.00	9.00	14.00	3.00	20.00	9.00	14.00
196	11.00	9.00	13.00	3.00	12.00	8.00	13.00	3.00	13.00	8.00	13.00
197	16.00	13.00	18.00	1.00	17.00	12.00	18.00	1.00	18.00	12.00	18.00
198	4.00	3.00	5.00	0.00	4.00	3.00	5.00	0.00	4.00	3.00	5.00
199	5.00	3.00	5.00	3.00	6.00	3.00	5.00	3.00	7.00	3.00	5.00
200	7.00	5.00	9.00	1.00	8.00	5.00	9.00	1.00	9.00	5.00	9.00
201	3.00	2.00	3.00	1.00	3.00	2.00	3.00	1.00	3.00	2.00	3.00
202	7.00	5.00	8.00	1.00	7.00	5.00	8.00	1.00	8.00	5.00	8.00
203	28.00	16.00	21.00	2.00	29.00	16.00	22.00	2.00	30.00	17.00	22.00
204	4.00	2.00	2.00	0.00	5.00	2.00	2.00	0.00	5.00	2.00	2.00
205	9.00	6.00	10.00	4.00	9.00	6.00	10.00	4.00	10.00	7.00	10.00
206	16.00	11.00	14.00	3.00	17.00	11.00	14.00	3.00	18.00	11.00	14.00
207	11.00	7.00	9.00	3.00	11.00	7.00	10.00	3.00	12.00	7.00	10.00
208	4.00	3.00	4.00	0.00	4.00	3.00	4.00	0.00	4.00	3.00	4.00
209	28.00	18.00	23.00	5.00	28.00	18.00	24.00	5.00	28.00	19.00	24.00
210	11.00	7.00	10.00	2.00	11.00	7.00	10.00	2.00	11.00	7.00	10.00
211	84.00	53.00	73.00	12.00	87.00	54.00	74.00	11.00	84.00	54.00	74.00
212	21.00	16.00	25.00	3.00	21.00	16.00	25.00	3.00	21.00	16.00	25.00
213	32.00	27.00	32.00	5.00	32.00	25.00	34.00	5.00	32.00	25.00	34.00
214	18.00	14.00	19.00	3.00	18.00	14.00	19.00	3.00	17.00	15.00	19.00
215	8.00	6.00	7.00	2.00	8.00	6.00	8.00	2.00	8.00	6.00	8.00
216	12.00	7.00	12.00	2.00	12.00	8.00	12.00	2.00	12.00	8.00	12.00
217	1.00	1.00	1.00	0.00	1.00	1.00	1.00	0.00	1.00	1.00	1.00
218	4.00	2.00	4.00	1.00	7.00	3.00	4.00	1.00	7.00	3.00	4.00
219	8.00	5.00	8.00	2.00	8.00	5.00	8.00	2.00	8.00	5.00	8.00
220	15.00	10.00	14.00	3.00	16.00	10.00	15.00	3.00	16.00	10.00	15.00
221	31.00	24.00	29.00	7.00	30.00	24.00	30.00	7.00	29.00	26.00	30.00
222	15.00	9.00	13.00	2.00	15.00	9.00	13.00	2.00	15.00	9.00	13.00
223	22.00	15.00	20.00	2.00	22.00	15.00	20.00	2.00	21.00	16.00	20.00
224	13.00	9.00	13.00	5.00	13.00	9.00	13.00	5.00	13.00	9.00	13.00
225	37.00	26.00	36.00	5.00	37.00	26.00	36.00	5.00	36.00	26.00	36.00
226	13.00	9.00	14.00	1.00	13.00	9.00	14.00	1.00	12.00	9.00	14.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	ES_PASS_RE	ES_TAKE_RE	ES_READ_PC	MS_PASS_RE	MS_TAKE_RE	MS_READ_PC	HS_PASS_RE	HS_TAKE_RE
195	0	0	<=5	*	*	90	*	*
196	*	*	>=95	10	10	>=95	*	*
197	*	*	>=95	*	*	>=95	*	*
198							*	*
199							*	*
200	*	*	>=95	*	*	89	*	*
201								
202	0	0	<=5	*	*	>=95		
203	*	*	>=95	*	*	91	*	*
204								
205	*	*	>=95	*	*	83	*	*
206	*	*	>=95				*	*
207	*	*	>=95	*	*	>=95	*	*
208							*	*
209	*	*	>=95	*	*	67	*	*
210	*	*	>=95	*	*	88	*	*
211	*	*	81	*	*	86	*	*
212	*	*	50	*	*	83	*	*
213	*	*	>=95	15	15	>=95	*	*
214	*	*	>=95	*	*	>=95	*	*
215	*	*	>=95				*	*
216	*	*	<=5	*	*	>=95	*	*
217								
218								
219	0	0	<=5	*	*	83		
220	*	*	>=95	*	*	>=95	*	*
221	*	*	75	*	*	89	*	*
222	*	*	<=5	*	*	>=95	*	*
223	*	*	>=95	*	*	67	*	*
224	*	*	>=95	*	*	>=95	*	*
225	*	*	>=95	*	*	79	*	*
226	*	*	>=95	*	*	>=95	*	*

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HS_READ_PC	ES_PASS_MA	ES_TAKE_MA	ES_MATH_PC	MS_PASS_MA	MS_TAKE_MA	MS_MATH_PC	HS_PASS_MA
195	56	0	0	<=5	*	*	90	*
196	83	*	*	<=5	*	*	80	*
197	88	*	*	>=95	*	*	88	*
198	>=95							*
199	67							*
200	86	*	*	>=95	*	*	78	*
201								
202		0	0	<=5	*	*	50	
203	69	*	*	>=95	*	*	91	*
204								
205	50	*	*	>=95	*	*	83	*
206	86	*	*					*
207	83	*	*					*
208	>=95							*
209	90	*	*	>=95	*	*	89	*
210	>=95	*	*	>=95	*	*	88	*
211	86	16	16	>=95	*	*	88	*
212	59	*	*	>=95	*	*	75	*
213	87	*	*	>=95	*	*	80	*
214	>=95	*	*	>=95	*	*	60	*
215	>=95	*	*	>=95				*
216	77	*	*	>=95	*	*	60	*
217								
218								
219		0	0	<=5	*	*	67	
220	93	*	*	>=95	*	*	>=95	*
221	77	*	*	>=95	*	*	78	*
222	75	*	*	>=95	*	*	86	*
223	77	*	*	>=95	*	*	67	*
224	88	*	*	>=95	*	*	75	*
225	86	*	*	>=95	*	*	86	*
226	89	*	*	<=5	*	*	88	*

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HS_TAKE_MA	HS_MATH_PC	DONE
195	*	78	
196	*	83	
197	*	75	
198	*	50	
199	*	67	
200	*	57	
201			
202			
203	*	69	
204			
205	*	>=95	
206	*	71	
207	*	83	
208	*	75	
209	*	60	
210	*	40	
211	*	76	
212	*	82	
213	*	87	
214	*	75	
215	*	>=95	
216	*	77	
217			
218			
219			
220	*	64	
221	*	69	
222	*	67	
223	*	77	
224	*	>=95	
225	*	67	
226	*	44	

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

OBJECTID	PLAN_ID	ES_HOME	MS_HOME	HS_HOME	PHASEOUT
	228	West Friendship ES	Mount View MS	Marriotts Ridge HS	
	229	West Friendship ES	Mount View MS	Marriotts Ridge HS	
	231	West Friendship ES	Mount View MS	Marriotts Ridge HS	
	232	West Friendship ES	Mount View MS	Marriotts Ridge HS	
	233	Bushy Park ES	Glenwood MS	Glenelg HS	
	234	Bushy Park ES	Glenwood MS	Glenelg HS	
	235	Dayton Oaks ES	Lime Kiln MS	River Hill HS	
	236	Lisbon ES	Glenwood MS	Glenelg HS	
	238	Bushy Park ES	Glenwood MS	Glenelg HS	
	239	Bushy Park ES	Glenwood MS	Glenelg HS	
	240	Lisbon ES	Glenwood MS	Glenelg HS	
	241	Lisbon ES	Glenwood MS	Glenelg HS	
	243	Lisbon ES	Glenwood MS	Glenelg HS	
	244	Lisbon ES	Glenwood MS	Glenelg HS	
	245	Lisbon ES	Glenwood MS	Glenelg HS	
	247	Lisbon ES	Glenwood MS	Glenelg HS	
	248	Lisbon ES	Glenwood MS	Glenelg HS	
	249	Lisbon ES	Glenwood MS	Glenelg HS	
	250	Lisbon ES	Glenwood MS	Glenelg HS	
	256	Fulton ES	Lime Kiln MS	Reservoir HS	
	259	Fulton ES	Lime Kiln MS	Reservoir HS	
	260	Bollman Bridge ES	Patuxent Valley MS	Reservoir HS	
	261	Jeffers Hill ES	Bonnie Branch MS	Howard HS	
	262	Hollifield Station ES	Patapsco MS	Mt Hebron HS	
	263	Fulton ES	Lime Kiln MS	Reservoir HS	
	264	Phelps Luck ES	Bonnie Branch MS	Long Reach HS	
	265	Waterloo ES	Mayfield Woods MS	Long Reach HS	
	266	Ducketts Lane ES	Thomas Viaduct MS	Long Reach HS	
	267	Forest Ridge ES	Patuxent Valley MS	Reservoir HS	
	268	Bryant Woods ES	Wilde Lake MS	Wilde Lake HS	
	269	Bellows Spring ES	Mayfield Woods MS	Long Reach HS	
	270	Hammond ES	Hammond MS	Hammond HS	

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	STUDNT_POP	GR0_POP	GR1_POP	GR2_POP	GR3_POP	GR4_POP	GR5_POP	GR6_POP	GR7_POP	GR8_POP	GR9_POP	GR10_POP	GR11_POP	GR12_POP
228	7	0	0	0	0	1	1	0	2	1	0	1	0	1
229	47	2	3	3	3	5	3	4	5	2	4	3	4	6
231	37	3	1	3	4	3	2	4	3	2	5	3	2	2
232	84	5	8	7	4	8	4	4	8	6	5	11	7	7
233	12	0	1	1	0	0	0	2	3	0	3	0	1	1
234	105	1	9	2	11	10	6	15	7	7	7	9	12	9
235	37	1	2	2	4	3	3	3	4	4	3	3	2	3
236	14	0	0	0	0	0	2	1	1	2	1	3	3	1
238	0	0	0	0	0	0	0	0	0	0	0	0	0	0
239	20	0	1	0	2	2	2	0	4	2	1	2	3	1
240	38	2	1	0	3	3	5	4	2	3	3	3	5	4
241	93	5	5	7	6	7	3	5	15	7	6	4	8	15
243	32	6	3	0	1	5	2	2	2	0	4	3	2	2
244	33	0	0	2	0	1	3	5	2	4	4	6	2	4
245	27	2	2	5	1	1	1	3	1	3	3	1	2	2
247	34	4	3	3	4	4	1	3	0	4	1	2	4	1
248	45	5	3	4	5	3	4	5	1	2	5	2	1	5
249	49	4	2	3	6	3	3	3	10	1	3	4	3	4
250	26	1	2	2	4	4	3	2	2	3	1	2	0	0
256	0	0	0	0	0	0	0	0	0	0	0	0	0	0
259	236	12	15	18	17	24	19	18	24	30	15	17	11	16
260	171	9	16	14	17	14	15	13	9	7	15	13	13	16
261	42	1	2	3	5	4	4	1	4	2	4	3	3	6
262	71	7	7	5	7	7	5	3	4	5	6	4	6	5
263	28	1	0	1	1	2	2	1	3	2	3	4	5	3
264	54	3	1	4	6	8	5	4	4	6	4	3	2	4
265	21	4	1	1	3	1	2	2	1	2	1	2	0	1
266	184	14	17	15	16	19	17	15	15	5	18	15	11	7
267	14	1	1	0	4	1	0	2	1	1	0	1	2	0
268	105	11	6	8	8	6	10	9	8	6	9	8	6	10
269	24	2	2	6	1	3	1	1	3	3	1	1	0	0
270	29	3	5	5	1	1	2	1	4	2	3	1	1	0

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	FARM_POP	ESPROJ1	MSPROJ1	HSPROJ1	ESPROJ2	MSPROJ2	HSPROJ2	ESPROJ3	MSPROJ3
228	*	2	2	3	2	2	3	2	2
229	*	18	12	16	17	12	16	16	12
231	*	14	9	12	13	10	12	13	10
232	*	33	21	27	34	22	28	34	23
233	*	2	3	6	2	2	5	2	2
234	*	36	29	36	35	27	38	33	29
235	*	16	10	14	15	10	14	15	10
236	*	2	3	7	3	2	6	3	2
238	*	0	0	0	0	0	0	0	0
239	*	7	6	7	8	5	8	8	6
240	*	12	9	13	12	9	13	11	9
241	*	27	23	32	27	21	33	25	22
243	*	11	6	8	12	7	9	11	8
244	*	6	7	15	6	6	14	6	6
245	*	10	7	8	10	7	9	9	8
247	*	15	9	8	15	10	10	14	11
248	*	19	11	12	20	12	13	21	14
249	*	17	13	15	16	13	17	15	13
250	*	15	9	6	14	10	8	14	10
256	*	0	0	0	0	0	0	0	0
259	*	98	65	75	100	65	81	100	67
260	68	81	37	49	76	42	50	78	42
261	*	18	10	14	18	11	14	18	11
262	*	33	17	19	33	18	20	31	18
263	*	6	5	12	6	4	11	6	4
264	26	24	15	15	24	16	17	25	16
265	*	8	5	5	8	5	6	8	5
266	44	83	41	46	98	43	50	108	48
267	*	6	4	4	6	4	4	6	4
268	45	43	24	41	43	23	38	43	25
269	*	13	7	5	14	7	6	14	8
270	*	19	8	7	23	9	8	25	11

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HSPROJ3	ESPROJ4	MSPROJ4	HSPROJ4	ESPROJ5	MSPROJ5	HSPROJ5	KSPROJ1	KSPROJ2
228	3	2	2	3	2	2	3	0.00	0.00
229	17	17	12	17	17	13	17	2.00	2.00
231	13	13	10	13	13	10	13	3.00	3.00
232	29	38	24	30	39	25	31	3.00	6.00
233	5	2	2	4	2	2	4	0.00	0.00
234	37	32	28	37	30	27	38	1.00	1.00
235	14	14	10	14	15	10	14	1.00	1.00
236	5	3	2	5	3	2	4	0.00	0.00
238	0	0	0	0	0	0	0	0.00	0.00
239	7	7	6	7	7	6	8	0.00	0.00
240	13	11	9	13	11	9	13	2.00	2.00
241	32	23	21	31	23	21	31	4.00	4.00
243	9	10	8	9	10	8	9	5.00	6.00
244	12	6	6	11	5	5	11	0.00	0.00
245	9	8	7	9	8	7	9	2.00	2.00
247	10	13	11	11	12	10	12	3.00	4.00
248	14	21	15	14	21	15	16	4.00	5.00
249	17	14	13	16	15	12	17	3.00	4.00
250	9	12	10	10	12	10	10	1.00	1.00
256	0	0	0	0	15	0	1	0.00	0.00
259	83	108	65	88	113	67	89	11.00	11.00
260	52	81	45	55	82	42	57	9.00	11.00
261	15	17	11	15	18	11	15	1.00	1.00
262	21	32	18	22	32	19	22	6.00	5.00
263	10	7	4	9	7	4	9	1.00	1.00
264	18	26	15	18	27	15	19	3.00	3.00
265	6	8	5	6	8	5	6	5.00	5.00
266	51	119	54	54	133	57	57	18.00	19.00
267	5	6	4	5	6	3	5	1.00	1.00
268	36	43	25	36	42	26	35	9.00	10.00
269	7	15	8	8	15	9	8	2.00	2.00
270	9	24	12	10	30	13	11	3.00	3.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	KSPROJ3	KSPROJ4	KSPROJ5	KSPROJ6	KSPROJ7	KSPROJ8	KSPROJ9	ESPROJ9	MSPROJ9
228	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.00	2.00
229	2.00	3.00	2.00	2.00	2.00	3.00	3.00	20.00	13.00
231	3.00	4.00	3.00	3.00	4.00	4.00	4.00	15.00	10.00
232	5.00	6.00	7.00	7.00	8.00	7.00	7.00	49.00	29.00
233	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.00	2.00
234	1.00	1.00	1.00	1.00	1.00	1.00	1.00	28.00	24.00
235	1.00	1.00	1.00	1.00	1.00	1.00	1.00	14.00	10.00
236	1.00	1.00	1.00	1.00	1.00	1.00	1.00	3.00	2.00
238	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
239	0.00	0.00	0.00	0.00	0.00	0.00	0.00	9.00	5.00
240	2.00	2.00	2.00	2.00	2.00	2.00	2.00	12.00	8.00
241	4.00	4.00	4.00	4.00	4.00	4.00	4.00	23.00	18.00
243	5.00	5.00	5.00	5.00	5.00	5.00	5.00	10.00	7.00
244	0.00	0.00	0.00	0.00	0.00	0.00	0.00	6.00	5.00
245	1.00	2.00	1.00	1.00	1.00	1.00	1.00	8.00	6.00
247	3.00	3.00	3.00	3.00	3.00	3.00	3.00	12.00	9.00
248	5.00	6.00	6.00	6.00	6.00	6.00	6.00	25.00	15.00
249	3.00	3.00	3.00	3.00	3.00	3.00	3.00	15.00	11.00
250	1.00	1.00	1.00	1.00	1.00	1.00	1.00	13.00	9.00
256	0.00	0.00	1.00	1.00	1.00	1.00	1.00	24.00	5.00
259	13.00	12.00	12.00	12.00	11.00	10.00	10.00	106.00	72.00
260	11.00	11.00	11.00	11.00	10.00	10.00	11.00	84.00	45.00
261	1.00	1.00	1.00	1.00	1.00	1.00	1.00	17.00	11.00
262	6.00	6.00	6.00	6.00	5.00	5.00	5.00	30.00	20.00
263	1.00	1.00	1.00	1.00	1.00	1.00	1.00	7.00	5.00
264	3.00	3.00	3.00	3.00	3.00	3.00	3.00	28.00	16.00
265	5.00	5.00	5.00	5.00	5.00	5.00	5.00	8.00	5.00
266	22.00	22.00	22.00	23.00	22.00	21.00	20.00	148.00	86.00
267	1.00	1.00	1.00	1.00	1.00	1.00	1.00	7.00	4.00
268	9.00	9.00	9.00	10.00	10.00	10.00	10.00	42.00	29.00
269	2.00	2.00	2.00	2.00	2.00	2.00	2.00	17.00	9.00
270	3.00	4.00	4.00	4.00	5.00	6.00	6.00	40.00	18.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HSPROJ9	KSPROJ10	ESPROJ10	MSPROJ10	HSPROJ10	KSPROJ11	ESPROJ11	MSPROJ11	HSPROJ11	KSPROJ12
228	3.00	0.00	3.00	2.00	3.00	0.00	3.00	2.00	3.00	0.00
229	18.00	3.00	19.00	14.00	18.00	3.00	19.00	14.00	19.00	2.00
231	14.00	4.00	15.00	11.00	14.00	4.00	15.00	11.00	15.00	4.00
232	35.00	6.00	47.00	30.00	35.00	7.00	47.00	30.00	37.00	8.00
233	3.00	1.00	4.00	2.00	3.00	1.00	4.00	2.00	3.00	2.00
234	36.00	1.00	28.00	24.00	35.00	1.00	28.00	24.00	35.00	1.00
235	14.00	1.00	13.00	10.00	14.00	1.00	13.00	10.00	14.00	1.00
236	4.00	1.00	3.00	2.00	4.00	1.00	3.00	2.00	4.00	1.00
238	0.00	1.00	2.00	0.00	0.00	1.00	2.00	0.00	0.00	1.00
239	7.00	0.00	9.00	6.00	7.00	0.00	10.00	6.00	7.00	0.00
240	12.00	2.00	12.00	9.00	12.00	2.00	12.00	9.00	12.00	2.00
241	29.00	3.00	23.00	19.00	28.00	3.00	24.00	19.00	28.00	4.00
243	9.00	4.00	11.00	8.00	9.00	4.00	11.00	8.00	9.00	4.00
244	9.00	0.00	7.00	5.00	9.00	0.00	7.00	5.00	9.00	0.00
245	9.00	1.00	8.00	6.00	9.00	1.00	8.00	6.00	9.00	1.00
247	12.00	3.00	13.00	10.00	12.00	3.00	13.00	10.00	12.00	3.00
248	17.00	7.00	25.00	16.00	17.00	6.00	26.00	16.00	17.00	7.00
249	16.00	3.00	15.00	12.00	16.00	4.00	16.00	12.00	16.00	4.00
250	11.00	1.00	13.00	10.00	11.00	1.00	14.00	10.00	11.00	1.00
256	2.00	1.00	23.00	6.00	2.00	1.00	22.00	7.00	3.00	1.00
259	94.00	10.00	101.00	74.00	94.00	10.00	97.00	76.00	95.00	9.00
260	59.00	11.00	83.00	46.00	59.00	11.00	81.00	47.00	59.00	11.00
261	16.00	1.00	18.00	11.00	16.00	1.00	18.00	11.00	16.00	1.00
262	25.00	5.00	29.00	21.00	26.00	5.00	29.00	21.00	26.00	6.00
263	8.00	1.00	6.00	5.00	8.00	1.00	6.00	5.00	8.00	1.00
264	21.00	4.00	29.00	17.00	21.00	4.00	30.00	17.00	22.00	4.00
265	7.00	5.00	8.00	6.00	7.00	5.00	8.00	6.00	7.00	5.00
266	72.00	20.00	147.00	91.00	77.00	20.00	147.00	94.00	83.00	20.00
267	5.00	1.00	8.00	4.00	5.00	1.00	8.00	4.00	5.00	1.00
268	36.00	10.00	42.00	30.00	37.00	10.00	42.00	29.00	38.00	10.00
269	10.00	2.00	17.00	10.00	11.00	2.00	16.00	10.00	11.00	2.00
270	15.00	6.00	40.00	19.00	16.00	5.00	42.00	20.00	17.00	5.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	ESPROJ12	MSPROJ12	HSPROJ12	KSPROJ13	ESPROJ13	MSPROJ13	HSPROJ13	KSPROJ14	ESPROJ14	MSPROJ14	HSPROJ14
228	3.00	2.00	3.00	0.00	3.00	2.00	3.00	0.00	3.00	2.00	3.00
229	20.00	14.00	19.00	2.00	21.00	14.00	19.00	2.00	21.00	14.00	19.00
231	15.00	11.00	15.00	4.00	16.00	11.00	15.00	4.00	15.00	11.00	15.00
232	48.00	31.00	37.00	8.00	49.00	31.00	38.00	8.00	46.00	32.00	38.00
233	5.00	2.00	3.00	1.00	5.00	2.00	3.00	2.00	5.00	2.00	3.00
234	30.00	25.00	34.00	1.00	30.00	24.00	35.00	1.00	30.00	24.00	35.00
235	13.00	10.00	14.00	1.00	13.00	10.00	14.00	1.00	14.00	10.00	14.00
236	3.00	2.00	3.00	1.00	3.00	2.00	4.00	1.00	3.00	2.00	3.00
238	2.00	0.00	0.00	1.00	2.00	0.00	0.00	1.00	2.00	0.00	0.00
239	10.00	6.00	7.00	0.00	10.00	6.00	8.00	0.00	10.00	6.00	8.00
240	14.00	9.00	12.00	2.00	14.00	9.00	12.00	2.00	14.00	9.00	12.00
241	26.00	20.00	27.00	3.00	25.00	19.00	28.00	4.00	25.00	19.00	28.00
243	11.00	8.00	9.00	4.00	11.00	8.00	10.00	4.00	11.00	8.00	10.00
244	7.00	5.00	9.00	0.00	7.00	5.00	9.00	0.00	7.00	5.00	9.00
245	9.00	7.00	9.00	1.00	9.00	6.00	9.00	1.00	8.00	7.00	9.00
247	14.00	10.00	12.00	3.00	14.00	10.00	13.00	3.00	13.00	10.00	13.00
248	26.00	17.00	18.00	7.00	26.00	17.00	18.00	6.00	25.00	17.00	19.00
249	17.00	12.00	16.00	4.00	16.00	12.00	16.00	4.00	16.00	12.00	16.00
250	14.00	10.00	11.00	1.00	14.00	10.00	12.00	1.00	13.00	10.00	12.00
256	20.00	8.00	3.00	1.00	19.00	8.00	4.00	1.00	19.00	9.00	5.00
259	91.00	74.00	98.00	9.00	86.00	72.00	98.00	10.00	85.00	70.00	99.00
260	81.00	46.00	61.00	11.00	82.00	48.00	61.00	11.00	82.00	47.00	62.00
261	18.00	12.00	15.00	1.00	19.00	12.00	16.00	1.00	19.00	12.00	16.00
262	30.00	20.00	26.00	6.00	30.00	20.00	26.00	6.00	31.00	20.00	26.00
263	6.00	5.00	8.00	1.00	6.00	5.00	8.00	1.00	5.00	5.00	8.00
264	30.00	18.00	23.00	4.00	30.00	18.00	24.00	4.00	31.00	19.00	25.00
265	8.00	6.00	7.00	5.00	8.00	6.00	8.00	5.00	8.00	6.00	8.00
266	144.00	97.00	90.00	20.00	140.00	95.00	99.00	21.00	140.00	95.00	103.00
267	8.00	4.00	5.00	1.00	7.00	4.00	5.00	1.00	7.00	4.00	5.00
268	42.00	30.00	38.00	10.00	43.00	30.00	39.00	10.00	43.00	30.00	40.00
269	16.00	11.00	12.00	2.00	15.00	10.00	13.00	2.00	15.00	10.00	13.00
270	45.00	21.00	19.00	5.00	46.00	22.00	20.00	6.00	46.00	24.00	21.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	ES_PASS_RE	ES_TAKE_RE	ES_READ_PC	MS_PASS_RE	MS_TAKE_RE	MS_READ_PC	HS_PASS_RE	HS_TAKE_RE
228								
229	*	*	67	*	*	86	*	*
231	*	*	<=5	*	*	>=95	*	*
232	*	*	>=95	*	*	92	*	*
233								
234	*	*	75	*	*	83	*	*
235	*	*	67	*	*	75	*	*
236							*	*
238								
239	*	*	>=95	*	*	75	*	*
240	*	*	67	*	*	>=95	*	*
241	0	0	<=5	*	*	82	*	*
243	*	*	>=95				*	*
244	*	*	>=95	*	*	>=95	*	*
245	*	*	>=95	*	*	80	*	*
247	*	*	>=95	*	*	>=95	*	*
248	*	*	<=5	*	*	67	*	*
249	0	0	<=5	*	*	88	*	*
250	*	*	>=95	*	*	>=95		
256								
259	*	*	91	*	*	83	*	*
260	*	*	>=95	*	*	71	*	*
261	*	*	>=95	*	*	>=95	*	*
262	*	*	75	*	*	>=95	*	*
263	0	0	<=5	*	*	>=95	*	*
264	*	*	<=5	*	*	88	*	*
265	*	*	>=95					
266	*	*	50	*	*	89	*	*
267	0	0	<=5					
268	*	*	33	*	*	67	*	*
269	*	*	>=95	*	*	>=95		
270	*	*	>=95	*	*	50		

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HS_READ_PC	ES_PASS_MA	ES_TAKE_MA	ES_MATH_PC	MS_PASS_MA	MS_TAKE_MA	MS_MATH_PC	HS_PASS_MA
228								
229	71	*	*	>=95	*	*	>=95	*
231	>=95	*	*	>=95	*	*	83	*
232	73	*	*	>=95	*	*	75	*
233								
234	53	*	*	>=95	18	18	>=95	*
235	75	*	*	>=95	*	*	88	*
236	67							*
238								
239	75	*	*	>=95	*	*	75	*
240	43	*	*	>=95	*	*	75	*
241	56	0	0	<=5	*	*	76	*
243	>=95	*	*	>=95				*
244	50	*	*	<=5	*	*	>=95	*
245	67	*	*	>=95	*	*	80	*
247	67	*	*	>=95	*	*	>=95	*
248	>=95	*	*	>=95	*	*	67	*
249	38	0	0	<=5	*	*	63	*
250		*	*	<=5	*	*	50	
256								
259	85	*	*	82	36	47	77	18
260	50	*	*	50	*	*	71	*
261	33	*	*	>=95	*	*	67	*
262	80	*	*	>=95	*	*	71	*
263	82	0	0	<=5	*	*	67	*
264	>=95	*	*	>=95	*	*	75	*
265		*	*	>=95				
266	94	*	*	80	*	19	47	*
267		0	0	<=5				
268	>=95	*	*	>=95	*	*	50	*
269		*	*	>=95	*	*	75	
270		*	*	>=95	*	*	>=95	

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HS_TAKE_MA	HS_MATH_PC	DONE
228			
229	*	71	
231	*	75	
232	*	82	
233			
234	*	71	
235	*	75	
236	*	67	
238			
239	*	25	
240	*	86	
241	*	83	
243	*	67	
244	*	88	
245	*	>=95	
247	*	67	
248	*	40	
249	*	88	
250			
256			
259	34	53	
260	*	67	
261	*	>=95	
262	*	80	
263	*	64	
264	*	>=95	
265			
266	*	44	
267			
268	*	<=5	
269			
270			

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

OBJECTID	PLAN_ID	ES_HOME	MS_HOME	HS_HOME	PHASEOUT
	271	Northfield ES	Dunloggin MS	Wilde Lake HS	
	272	Forest Ridge ES	Patuxent Valley MS	Hammond HS	
	273	Hammond ES	Hammond MS	Hammond HS	
	274	Triadelphia Ridge ES	Folly Quarter MS	Glenelg HS	
	275	Veterans ES	Ellicott Mills MS	Centennial HS	
	276	Northfield ES	Dunloggin MS	Wilde Lake HS	
	277	Waterloo ES	Mayfield Woods MS	Howard HS	
	279	Talbott Springs ES	Lake Elkhorn MS	Oakland Mills HS	
	280	Bushy Park ES	Glenwood MS	Glenelg HS	
	281	Lisbon ES	Glenwood MS	Glenelg HS	
	282	Bushy Park ES	Glenwood MS	Glenelg HS	
	290	Bushy Park ES	Glenwood MS	Glenelg HS	
	291	Bushy Park ES	Glenwood MS	Glenelg HS	
	293	Bushy Park ES	Glenwood MS	Glenelg HS	
	294	Bushy Park ES	Glenwood MS	Glenelg HS	
	295	Pointers Run ES	Clarksville MS	River Hill HS	
	296	Pointers Run ES	Lime Kiln MS	Atholton HS	
	297	Gorman Crossing ES	Murray Hill MS	Reservoir HS	
	298	Bellows Spring ES	Mayfield Woods MS	Long Reach HS	
	299	Rockburn ES	Elkridge Landing MS	Howard HS	
	300	Elkridge ES	Elkridge Landing MS	Howard HS	
	301	Ilchester ES	Bonnie Branch MS	Howard HS	
	302	Northfield ES	Dunloggin MS	Wilde Lake HS	
	303	Manor Woods ES	Burleigh Manor MS	Marriotts Ridge HS	
	304	Manor Woods ES	Mount View MS	Marriotts Ridge HS	
	305	Manor Woods ES	Mount View MS	Marriotts Ridge HS	
	306	Hollifield Station ES	Patapsco MS	Mt Hebron HS	
	307	Hollifield Station ES	Patapsco MS	Mt Hebron HS	
	308	Veterans ES	Dunloggin MS	Mt Hebron HS	
	309	Worthington ES	Ellicott Mills MS	Mt Hebron HS	
	310	Worthington ES	Ellicott Mills MS	Mt Hebron HS	
	311	Thunder Hill ES	Ellicott Mills MS	Howard HS	

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	STUDNT_POP	GR0_POP	GR1_POP	GR2_POP	GR3_	GR4_	GR5_	GR6_	GR7_	GR8_	GR9_	GR10	GR11_POP	GR12_POP
271	32	2	1	3	2	2	1	4	0	5	1	5	4	2
272	40	3	3	3	3	3	1	4	4	3	1	4	7	1
273	0	0	0	0	0	0	0	0	0	0	0	0	0	0
274	17	0	2	3	0	1	2	1	1	1	0	0	2	4
275	12	1	0	1	0	1	1	2	1	1	2	0	1	1
276	34	6	4	6	2	5	4	0	1	4	0	1	0	1
277	31	4	3	1	2	1	7	1	3	2	5	1	1	0
279	9	0	1	0	1	1	0	1	1	0	2	1	0	1
280	6	0	1	1	0	0	0	0	0	1	1	0	0	2
281	44	2	0	5	4	2	4	1	7	2	3	6	3	5
282	22	2	0	0	0	1	2	3	2	1	4	2	2	3
290	44	1	3	3	1	2	4	1	5	3	5	8	5	3
291	19	2	4	2	1	2	3	0	2	1	0	1	0	1
293	39	2	3	0	2	4	2	0	5	4	7	2	2	6
294	63	0	5	3	3	3	2	8	4	9	5	6	5	10
295	12	3	0	3	0	0	1	0	1	0	0	0	4	0
296	82	5	3	3	7	5	4	5	11	8	5	9	9	8
297	88	4	7	14	7	7	8	10	6	6	2	5	7	5
298	168	9	16	13	12	8	13	9	12	18	14	18	13	13
299	72	4	5	5	4	5	8	8	3	7	7	5	4	7
300	33	3	3	3	1	4	4	1	1	5	3	2	2	1
301	35	1	1	2	1	1	3	4	3	4	5	4	2	4
302	37	3	2	5	2	4	5	1	3	7	1	2	0	2
303	109	5	5	6	11	9	6	15	15	14	6	7	7	3
304	137	20	9	19	11	9	8	14	9	10	13	5	10	0
305	54	5	2	3	3	4	6	4	4	7	5	1	7	3
306	92	5	9	5	4	6	9	9	11	9	13	4	4	4
307	33	1	2	2	4	5	0	4	1	4	4	1	3	2
308	140	20	18	19	13	8	12	8	9	5	9	4	9	6
309	204	7	8	15	11	19	26	16	25	22	14	22	8	11
310	1	0	0	0	1	0	0	0	0	0	0	0	0	0
311	245	14	17	27	16	27	15	23	20	15	22	15	15	19

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	FARM_POP	ESPROJ1	MSPROJ1	HSPROJ1	ESPROJ2	MSPROJ2	HSPROJ2	ESPROJ3	MSPROJ3
271	*	9	6	15	10	6	13	10	6
272	*	14	8	13	14	9	12	14	8
273	*	0	0	0	0	0	0	0	0
274	*	7	4	5	7	4	5	7	5
275	*	3	3	5	3	3	5	3	3
276	*	22	9	5	22	10	8	22	11
277	10	13	7	8	13	7	8	13	8
279	*	3	2	3	3	2	3	3	2
280	*	2	1	2	2	1	2	2	1
281	*	15	11	15	15	11	15	14	11
282	*	3	4	9	3	3	8	3	3
290	*	12	9	17	12	9	16	11	9
291	*	14	7	3	15	8	5	14	9
293	*	10	8	14	10	8	14	9	8
294	*	15	16	26	14	14	25	14	13
295	*	4	2	3	4	2	3	4	3
296	*	22	18	36	22	17	35	21	16
297	21	43	26	23	42	28	27	60	30
298	13	65	37	53	68	38	53	70	41
299	*	28	18	25	28	19	25	29	19
300	*	15	9	9	14	9	10	14	9
301	12	7	8	16	7	7	14	7	6
302	*	19	10	12	19	10	12	19	11
303	*	40	34	38	40	33	41	41	33
304	*	67	39	36	71	43	42	96	48
305	*	19	14	18	20	14	18	29	15
306	*	35	25	31	35	23	31	33	22
307	*	14	9	11	14	8	11	13	8
308	33	72	33	29	73	36	33	71	38
309	*	73	60	69	66	57	72	61	58
310	*	1	0	0	2	1	0	2	1
311	10	103	68	79	101	70	84	96	75

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HSPROJ3	ESPROJ4	MSPROJ4	HSPROJ4	ESPROJ5	MSPROJ5	HSPROJ5	KSPROJ1	KSPROJ2
271	12	9	6	11	10	6	10	2.00	2.00
272	12	15	9	12	16	8	12	3.00	3.00
273	0	0	0	0	12	1	0	0.00	0.00
274	5	7	4	5	7	4	5	0.00	0.00
275	5	4	3	5	4	3	5	1.00	1.00
276	9	22	11	10	23	12	11	7.00	6.00
277	9	13	8	9	13	8	10	5.00	5.00
279	3	3	2	3	3	2	3	0.00	0.00
280	2	2	1	2	2	1	2	0.00	0.00
281	15	13	11	15	12	11	15	2.00	2.00
282	7	3	3	7	3	3	6	2.00	2.00
290	15	11	9	14	10	9	14	1.00	1.00
291	6	14	10	7	14	10	8	3.00	2.00
293	13	9	8	12	8	8	12	2.00	2.00
294	24	13	13	22	12	12	22	0.00	0.00
295	3	4	3	3	4	3	3	3.00	3.00
296	34	20	16	33	21	15	32	5.00	5.00
297	32	60	35	34	68	35	38	4.00	4.00
298	53	73	42	53	76	44	54	12.00	12.00
299	26	30	18	26	30	19	26	4.00	4.00
300	11	13	9	11	12	9	12	3.00	2.00
301	14	6	6	13	6	5	12	1.00	1.00
302	13	19	11	13	19	11	13	3.00	3.00
303	43	43	34	44	44	33	45	4.00	5.00
304	47	123	54	52	148	63	57	23.00	32.00
305	19	47	17	20	66	22	21	5.00	12.00
306	31	35	22	31	34	23	31	4.00	4.00
307	11	14	8	11	13	9	11	1.00	1.00
308	37	72	38	40	72	41	42	18.00	16.00
309	73	56	55	75	55	52	75	8.00	7.00
310	0	1	1	1	1	1	1	0.00	0.00
311	88	92	72	94	93	71	95	15.00	13.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	KSPROJ3	KSPROJ4	KSPROJ5	KSPROJ6	KSPROJ7	KSPROJ8	KSPROJ9	ESPROJ9	MSPROJ9
271	2.00	2.00	2.00	2.00	2.00	2.00	2.00	9.00	6.00
272	3.00	3.00	4.00	4.00	4.00	6.00	6.00	19.00	9.00
273	0.00	0.00	1.00	3.00	6.00	9.00	9.00	112.00	18.00
274	0.00	0.00	0.00	0.00	0.00	0.00	0.00	7.00	5.00
275	1.00	1.00	1.00	1.00	1.00	1.00	1.00	36.00	5.00
276	5.00	6.00	5.00	6.00	6.00	6.00	6.00	22.00	13.00
277	4.00	5.00	5.00	5.00	5.00	5.00	5.00	13.00	8.00
279	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.00	2.00
280	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.00	1.00
281	2.00	2.00	2.00	2.00	2.00	2.00	2.00	13.00	10.00
282	2.00	2.00	2.00	2.00	2.00	2.00	2.00	3.00	2.00
290	1.00	1.00	1.00	1.00	1.00	1.00	1.00	9.00	8.00
291	2.00	3.00	2.00	2.00	2.00	2.00	2.00	15.00	10.00
293	2.00	2.00	2.00	2.00	2.00	2.00	2.00	8.00	7.00
294	0.00	0.00	0.00	0.00	0.00	0.00	0.00	12.00	10.00
295	3.00	2.00	3.00	3.00	2.00	2.00	2.00	4.00	3.00
296	5.00	4.00	4.00	4.00	4.00	4.00	4.00	21.00	15.00
297	6.00	6.00	15.00	15.00	14.00	13.00	15.00	66.00	41.00
298	14.00	20.00	20.00	22.00	22.00	23.00	22.00	88.00	48.00
299	4.00	5.00	4.00	4.00	4.00	4.00	4.00	30.00	20.00
300	2.00	2.00	2.00	2.00	2.00	2.00	2.00	11.00	9.00
301	1.00	1.00	1.00	1.00	1.00	1.00	1.00	8.00	5.00
302	3.00	3.00	3.00	3.00	3.00	3.00	3.00	19.00	11.00
303	5.00	4.00	4.00	4.00	4.00	4.00	4.00	46.00	36.00
304	38.00	37.00	45.00	55.00	58.00	64.00	65.00	226.00	98.00
305	15.00	22.00	28.00	36.00	35.00	36.00	35.00	110.00	42.00
306	4.00	4.00	4.00	4.00	4.00	4.00	4.00	32.00	23.00
307	1.00	1.00	1.00	1.00	1.00	1.00	1.00	13.00	9.00
308	18.00	17.00	17.00	17.00	17.00	17.00	16.00	64.00	41.00
309	6.00	8.00	7.00	6.00	8.00	8.00	8.00	61.00	44.00
310	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.00	1.00
311	13.00	14.00	13.00	13.00	13.00	14.00	14.00	90.00	65.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HSPROJ9	KSPROJ10	ESPROJ10	MSPROJ10	HSPROJ10	KSPROJ11	ESPROJ11	MSPROJ11	HSPROJ11	KSPROJ12
271	10.00	2.00	9.00	6.00	10.00	2.00	9.00	6.00	10.00	2.00
272	12.00	6.00	21.00	9.00	12.00	6.00	21.00	10.00	12.00	5.00
273	5.00	10.00	130.00	24.00	7.00	9.00	145.00	30.00	9.00	8.00
274	6.00	0.00	7.00	5.00	6.00	0.00	7.00	4.00	6.00	0.00
275	7.00	1.00	35.00	6.00	8.00	1.00	42.00	8.00	8.00	2.00
276	14.00	6.00	22.00	13.00	14.00	6.00	22.00	13.00	15.00	6.00
277	11.00	5.00	13.00	9.00	11.00	5.00	13.00	9.00	11.00	5.00
279	3.00	0.00	3.00	2.00	3.00	0.00	3.00	2.00	3.00	0.00
280	2.00	0.00	2.00	1.00	2.00	0.00	2.00	2.00	2.00	0.00
281	14.00	3.00	14.00	10.00	14.00	2.00	15.00	10.00	14.00	2.00
282	5.00	2.00	3.00	3.00	5.00	2.00	3.00	3.00	5.00	3.00
290	13.00	1.00	9.00	8.00	12.00	1.00	9.00	8.00	12.00	1.00
291	10.00	3.00	15.00	10.00	10.00	3.00	16.00	11.00	11.00	3.00
293	11.00	2.00	8.00	7.00	11.00	2.00	9.00	7.00	11.00	2.00
294	19.00	0.00	11.00	11.00	18.00	0.00	12.00	11.00	18.00	0.00
295	3.00	2.00	4.00	3.00	3.00	2.00	4.00	3.00	3.00	2.00
296	30.00	4.00	21.00	16.00	30.00	3.00	20.00	16.00	30.00	3.00
297	44.00	13.00	71.00	41.00	45.00	21.00	72.00	41.00	46.00	21.00
298	59.00	21.00	84.00	52.00	60.00	20.00	84.00	53.00	63.00	20.00
299	27.00	5.00	30.00	20.00	28.00	5.00	31.00	21.00	28.00	5.00
300	12.00	2.00	12.00	9.00	12.00	2.00	12.00	9.00	12.00	2.00
301	10.00	1.00	8.00	5.00	10.00	1.00	8.00	5.00	10.00	1.00
302	15.00	3.00	19.00	11.00	15.00	3.00	19.00	11.00	15.00	3.00
303	48.00	3.00	45.00	37.00	48.00	3.00	45.00	36.00	49.00	3.00
304	82.00	64.00	226.00	105.00	85.00	58.00	224.00	111.00	92.00	53.00
305	30.00	33.00	109.00	47.00	33.00	30.00	108.00	49.00	36.00	27.00
306	33.00	4.00	31.00	23.00	33.00	4.00	31.00	23.00	33.00	4.00
307	12.00	1.00	13.00	9.00	12.00	1.00	13.00	9.00	12.00	1.00
308	50.00	16.00	63.00	40.00	51.00	18.00	65.00	41.00	51.00	17.00
309	75.00	8.00	62.00	43.00	74.00	8.00	64.00	44.00	73.00	8.00
310	1.00	0.00	3.00	1.00	1.00	0.00	3.00	1.00	1.00	0.00
311	97.00	14.00	90.00	64.00	98.00	14.00	91.00	64.00	98.00	14.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	ESPROJ12	MSPROJ12	HSPROJ12	KSPROJ13	ESPROJ13	MSPROJ13	HSPROJ13	KSPROJ14	ESPROJ14	MSPROJ14	HSPROJ14
271	9.00	6.00	10.00	2.00	9.00	6.00	10.00	2.00	9.00	6.00	10.00
272	21.00	10.00	13.00	5.00	21.00	10.00	13.00	5.00	21.00	10.00	14.00
273	153.00	35.00	12.00	9.00	158.00	41.00	15.00	11.00	157.00	49.00	18.00
274	7.00	4.00	6.00	0.00	7.00	5.00	6.00	0.00	7.00	5.00	6.00
275	43.00	10.00	8.00	2.00	43.00	12.00	9.00	2.00	43.00	13.00	10.00
276	22.00	13.00	15.00	6.00	22.00	13.00	16.00	6.00	22.00	13.00	16.00
277	13.00	9.00	11.00	5.00	13.00	9.00	11.00	5.00	13.00	9.00	11.00
279	3.00	2.00	3.00	0.00	3.00	2.00	3.00	0.00	3.00	2.00	3.00
280	3.00	2.00	2.00	0.00	3.00	2.00	2.00	0.00	3.00	2.00	2.00
281	15.00	11.00	14.00	2.00	15.00	10.00	14.00	2.00	15.00	11.00	14.00
282	4.00	3.00	5.00	3.00	4.00	3.00	5.00	3.00	4.00	3.00	5.00
290	9.00	8.00	12.00	1.00	9.00	8.00	12.00	1.00	9.00	8.00	12.00
291	17.00	11.00	11.00	3.00	18.00	11.00	11.00	3.00	17.00	11.00	12.00
293	9.00	7.00	11.00	2.00	9.00	7.00	11.00	2.00	9.00	7.00	11.00
294	12.00	11.00	18.00	0.00	12.00	10.00	18.00	0.00	12.00	10.00	18.00
295	3.00	3.00	4.00	2.00	3.00	3.00	4.00	2.00	3.00	3.00	4.00
296	19.00	15.00	30.00	3.00	18.00	15.00	30.00	3.00	17.00	15.00	30.00
297	73.00	42.00	48.00	21.00	75.00	42.00	49.00	22.00	75.00	42.00	50.00
298	82.00	54.00	66.00	20.00	81.00	53.00	71.00	20.00	79.00	53.00	72.00
299	34.00	22.00	28.00	5.00	34.00	21.00	28.00	5.00	34.00	22.00	28.00
300	12.00	9.00	12.00	2.00	12.00	9.00	12.00	2.00	12.00	9.00	13.00
301	9.00	5.00	10.00	1.00	9.00	5.00	9.00	1.00	9.00	5.00	9.00
302	19.00	11.00	15.00	3.00	19.00	11.00	15.00	3.00	19.00	12.00	16.00
303	44.00	36.00	49.00	3.00	42.00	36.00	49.00	3.00	47.00	36.00	50.00
304	220.00	116.00	96.00	51.00	208.00	119.00	102.00	50.00	198.00	122.00	108.00
305	106.00	52.00	39.00	27.00	102.00	54.00	41.00	25.00	96.00	56.00	44.00
306	31.00	23.00	33.00	4.00	32.00	22.00	33.00	4.00	33.00	22.00	33.00
307	13.00	9.00	12.00	1.00	13.00	9.00	12.00	1.00	15.00	9.00	12.00
308	66.00	41.00	52.00	16.00	65.00	41.00	52.00	16.00	65.00	41.00	53.00
309	71.00	46.00	72.00	7.00	70.00	46.00	71.00	7.00	68.00	48.00	71.00
310	8.00	1.00	1.00	0.00	7.00	2.00	1.00	0.00	8.00	2.00	1.00
311	92.00	67.00	96.00	14.00	93.00	66.00	96.00	15.00	94.00	69.00	96.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	ES_PASS_RE	ES_TAKE_RE	ES_READ_PC	MS_PASS_RE	MS_TAKE_RE	MS_READ_PC	HS_PASS_RE	HS_TAKE_RE
271	*	*	>=95	*	*	83	*	*
272	*	*	<=5	*	*	86	*	*
273								
274	*	*	>=95				*	*
275								
276	*	*	50					
277	*	*	75	*	*	67	*	*
279								
280								
281	*	*	50	*	*	>=95	*	*
282				*	*	>=95	*	*
290	*	*	>=95	*	*	83	*	*
291	*	*	67					
293	*	*	>=95	*	*	83	*	*
294	*	*	>=95	*	*	93	*	*
295								
296	*	*	>=95	*	*	72	*	*
297	*	*	67	*	*	>=95	*	*
298	*	*	70	*	*	88	*	*
299	*	*	>=95	*	*	90	11	11
300	*	*	>=95	*	*	75	*	*
301	*	*	>=95	*	*	>=95	*	*
302	*	*	67	*	*	>=95		
303	*	*	>=95	*	*	94	*	*
304	*	*	50	*	*	90	*	*
305	*	*	>=95	*	*	>=95	*	*
306	*	*	>=95	*	*	87	*	*
307	0	0	<=5	*	*	>=95	*	*
308	*	*	>=95	*	*	67	*	*
309	*	*	74	*	*	90	*	*
310								
311	*	*	67	*	*	77	*	*

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HS_READ_PC	ES_PASS_MA	ES_TAKE_MA	ES_MATH_PC	MS_PASS_MA	MS_TAKE_MA	MS_MATH_PC	HS_PASS_MA
271	67	*	*	<=5	*	*	83	*
272	75	*	*	>=95	*	*	86	*
273								
274	>=95	*	*	<=5				*
275								
276		*	*	>=95				
277	67	*	*	>=95	*	*	33	*
279								
280								
281	>=95	*	*	>=95	*	*	67	*
282	>=95				*	*	80	*
290	73	*	*	50	*	*	>=95	*
291		*	*	>=95				
293	90	*	*	>=95	*	*	67	*
294	89	*	*	>=95	*	*	73	*
295								
296	85	*	*	67	*	*	89	*
297	>=95	*	*	>=95	*	*	57	*
298	79	*	*	90	*	*	77	23
299	>=95	*	*	>=95	10	10	>=95	*
300	>=95	*	*	50	*	*	75	*
301	>=95	*	*	<=5	*	*	>=95	*
302		*	*	67	*	*	75	
303	71	*	*	>=95	*	*	76	*
304	63	*	*	>=95	*	*	90	*
305	57	*	*	80	*	*	75	*
306	93	*	*	>=95	*	*	65	*
307	>=95	0	0	<=5	*	*	57	*
308	73	*	*	>=95	*	*	>=95	*
309	76	19	19	>=95	*	*	85	*
310								
311	>=95	*	*	>=95	*	*	68	*

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HS_TAKE_MA	HS_MATH_PC	DONE
271	*	83	
272	*	75	
273			
274	*	<=5	
275			
276			
277	*	67	
279			
280			
281	*	57	
282	*	>=95	
290	*	82	
291			
293	*	70	
294	*	72	
295			
296	*	80	
297	*	25	
298	33	70	
299	*	36	
300	*	33	
301	*	50	
302			
303	*	76	
304	*	88	
305	*	71	
306	*	80	
307	*	67	
308	*	45	
309	*	82	
310			
311	*	57	

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

OBJECTID	PLAN_ID	ES_HOME	MS_HOME	HS_HOME	PHASEOUT
	1001	Forest Ridge ES	Patuxent Valley MS	Reservoir HS	
	1002	Laurel Woods ES	Murray Hill MS	Reservoir HS	
	1003	Gorman Crossing ES	Murray Hill MS	Reservoir HS	
	1004	Forest Ridge ES	Patuxent Valley MS	Hammond HS	
	1005	Gorman Crossing ES	Murray Hill MS	Atholton HS	
	1006	Gorman Crossing ES	Murray Hill MS	Atholton HS	
	1007	Fulton ES	Hammond MS	Reservoir HS	
	1008	Fulton ES	Lime Kiln MS	Reservoir HS	
	1009	Hammond ES	Hammond MS	Reservoir HS	
	1010	Hammond ES	Hammond MS	Atholton HS	
	1011	Hammond ES	Hammond MS	Atholton HS	
	1012	Laurel Woods ES	Murray Hill MS	Reservoir HS	
	1014	Atholton ES	Hammond MS	Hammond HS	
	1015	Hammond ES	Hammond MS	Hammond HS	
	1016	Atholton ES	Hammond MS	Hammond HS	
	1017	Hammond ES	Hammond MS	Hammond HS	
	1018	Hammond ES	Hammond MS	Hammond HS	
	1019	Centennial Lane ES	Burleigh Manor MS	Centennial HS	
	1020	Bollman Bridge ES	Patuxent Valley MS	Hammond HS	
	1022	Bollman Bridge ES	Patuxent Valley MS	Hammond HS	
	1023	Bollman Bridge ES	Patuxent Valley MS	Hammond HS	
	1025	Bollman Bridge ES	Patuxent Valley MS	Hammond HS	
	1026	Guilford ES	Thomas Viaduct MS	Hammond HS	
	1027	Guilford ES	Thomas Viaduct MS	Hammond HS	
	1028	Clarksville ES	Clarksville MS	River Hill HS	
	1029	Waverly ES	Mount View MS	Marriotts Ridge HS	
	1030	Deep Run ES	Thomas Viaduct MS	Hammond HS	
	1031	Manor Woods ES	Mount View MS	Marriotts Ridge HS	
	1032	Rockburn ES	Thomas Viaduct MS	Hammond HS	
	1033	Ducketts Lane ES	Thomas Viaduct MS	Long Reach HS	
	1034	St Johns Lane ES	Patapsco MS	Mt Hebron HS	
	1035	Ducketts Lane ES	Thomas Viaduct MS	Long Reach HS	

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	STUDNT_POP	GR0_POP	GR1_POP	GR2_POP	GR3_POP	GR4_POP	GR5_POP	GR6_POP	GR7_POP	GR8_POP	GR9_POP	GR10_POP	GR11_POP	GR12_POP
1001	57	6	8	5	7	4	1	3	2	5	3	6	2	5
1002	157	5	4	6	15	12	8	13	13	19	18	15	14	15
1003	213	16	19	25	20	19	23	19	15	5	17	16	8	11
1004	141	11	15	9	10	14	10	10	6	11	6	12	16	11
1005	174	11	6	11	12	12	11	17	17	19	12	20	13	13
1006	65	4	5	7	2	4	6	7	5	5	5	5	5	5
1007	83	7	8	8	4	5	9	3	8	3	7	5	9	7
1008	50	2	2	1	2	2	5	5	3	6	6	5	2	9
1009	61	4	3	1	4	4	3	6	4	11	5	8	4	4
1010	324	25	31	28	30	30	17	30	30	16	27	25	16	19
1011	57	2	5	2	1	4	5	5	7	9	2	6	4	5
1012	115	7	8	5	11	11	10	9	9	10	11	10	4	10
1014	32	1	3	1	3	3	1	1	4	3	4	4	2	2
1015	103	9	5	7	9	7	6	11	11	10	5	7	8	8
1016	36	4	3	2	2	5	2	2	1	6	2	3	0	4
1017	127	6	11	10	12	9	16	8	13	6	13	10	6	7
1018	172	15	11	26	13	19	8	10	13	13	17	7	11	9
1019	86	3	7	7	7	7	4	8	6	4	8	11	5	9
1020	112	9	5	8	7	12	12	9	13	8	7	3	6	13
1022	65	6	8	6	3	4	2	5	4	5	6	7	4	5
1023	218	20	17	20	23	20	17	8	20	14	25	11	11	12
1025	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1026	92	14	6	8	7	7	8	3	7	6	8	4	9	5
1027	63	5	4	10	4	3	5	2	9	9	3	4	3	2
1028	185	3	9	8	8	11	15	10	20	22	17	18	25	19
1029	71	2	7	4	4	3	10	4	8	4	3	8	7	7
1030	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1031	83	7	4	4	3	5	6	5	10	6	7	5	7	14
1032	182	18	20	16	17	14	18	12	15	10	12	10	7	13
1033	129	11	10	12	12	7	8	11	12	10	14	7	7	8
1034	150	10	9	20	9	15	7	12	6	13	14	9	11	15
1035	39	2	4	0	2	3	2	2	2	7	1	3	5	6

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	FARM_POP	ESPROJ1	MSPROJ1	HSPROJ1	ESPROJ2	MSPROJ2	HSPROJ2	ESPROJ3	MSPROJ3
1001	18	25	12	15	24	14	16	24	14
1002	44	46	35	61	44	35	58	45	35
1003	46	104	58	52	126	66	64	141	75
1004	*	59	30	40	57	33	40	57	32
1005	*	51	41	74	51	40	74	51	39
1006	*	24	16	24	23	17	26	24	17
1007	*	35	18	24	36	18	24	41	20
1008	*	12	10	20	13	9	19	13	9
1009	*	15	13	24	15	11	22	15	11
1010	38	139	78	109	135	78	117	138	79
1011	*	17	14	25	17	12	25	17	12
1012	53	46	29	36	44	30	38	42	31
1014	*	13	7	11	12	7	10	12	7
1015	16	34	24	33	34	22	33	34	22
1016	*	16	8	10	16	8	10	16	9
1017	43	60	31	35	58	32	36	58	33
1018	50	79	41	44	77	42	47	79	44
1019	*	31	21	31	31	22	31	29	23
1020	18	47	26	32	44	28	33	45	27
1022	18	24	13	20	23	14	19	24	14
1023	100	104	49	55	100	55	58	100	57
1025	*	0	0	0	0	0	0	0	0
1026	22	34	18	23	33	18	23	33	19
1027	26	24	16	18	24	15	19	24	15
1028	*	46	42	81	46	39	76	45	39
1029	*	27	19	23	27	19	25	27	19
1030	*	0	0	0	0	0	0	0	0
1031	*	23	18	31	24	18	29	24	18
1032	49	86	42	43	89	44	47	92	47
1033	34	48	28	37	57	28	38	63	30
1034	*	58	36	46	60	35	46	63	35
1035	*	11	8	14	13	7	13	20	8

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HSPROJ3	ESPROJ4	MSPROJ4	HSPROJ4	ESPROJ5	MSPROJ5	HSPROJ5	KSPROJ1	KSPROJ2
1001	17	26	14	17	26	13	18	6.00	6.00
1002	57	44	36	57	44	34	56	5.00	4.00
1003	72	144	85	80	150	87	87	17.00	25.00
1004	40	62	34	39	61	32	41	12.00	11.00
1005	72	51	41	71	53	39	71	11.00	12.00
1006	26	24	18	27	25	17	27	4.00	4.00
1007	25	44	22	26	45	23	27	6.00	6.00
1008	17	14	9	17	14	9	16	2.00	2.00
1009	21	15	11	20	15	11	20	4.00	4.00
1010	119	134	83	124	134	83	124	25.00	27.00
1011	24	17	12	23	17	12	23	2.00	2.00
1012	39	41	33	41	39	31	42	7.00	6.00
1014	10	12	7	10	12	7	10	1.00	1.00
1015	32	34	23	30	33	22	30	9.00	9.00
1016	10	16	10	10	15	10	11	3.00	3.00
1017	38	57	35	38	57	35	39	6.00	6.00
1018	49	76	47	49	76	47	51	15.00	17.00
1019	33	29	23	34	29	23	35	4.00	3.00
1020	34	47	28	33	47	26	34	9.00	11.00
1022	19	25	14	18	30	13	18	6.00	7.00
1023	61	105	57	62	106	55	64	21.00	25.00
1025	0	0	0	0	0	0	0	0.00	0.00
1026	23	32	20	23	33	20	24	15.00	16.00
1027	19	23	16	18	22	15	19	5.00	6.00
1028	68	46	37	69	44	35	66	5.00	3.00
1029	25	26	20	26	25	20	26	2.00	2.00
1030	0	0	0	0	0	0	0	0.00	0.00
1031	29	25	18	28	26	18	28	6.00	7.00
1032	49	93	51	50	97	52	53	21.00	17.00
1033	38	69	33	38	79	35	39	14.00	15.00
1034	47	62	36	47	63	38	48	10.00	12.00
1035	13	21	9	12	27	10	12	3.00	3.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	KSPROJ3	KSPROJ4	KSPROJ5	KSPROJ6	KSPROJ7	KSPROJ8	KSPROJ9	ESPROJ9	MSPROJ9
1001	7.00	10.00	13.00	14.00	14.00	15.00	15.00	33.00	15.00
1002	5.00	4.00	4.00	4.00	4.00	4.00	4.00	42.00	33.00
1003	22.00	25.00	26.00	26.00	25.00	23.00	26.00	149.00	96.00
1004	12.00	11.00	13.00	14.00	15.00	15.00	15.00	72.00	35.00
1005	10.00	10.00	9.00	9.00	9.00	8.00	9.00	50.00	38.00
1006	4.00	4.00	3.00	3.00	3.00	3.00	3.00	23.00	17.00
1007	9.00	8.00	8.00	8.00	8.00	7.00	7.00	45.00	28.00
1008	2.00	2.00	2.00	2.00	2.00	2.00	2.00	14.00	9.00
1009	4.00	4.00	4.00	4.00	5.00	6.00	6.00	15.00	11.00
1010	27.00	27.00	27.00	27.00	31.00	38.00	38.00	138.00	95.00
1011	2.00	2.00	2.00	2.00	3.00	3.00	3.00	18.00	13.00
1012	7.00	6.00	6.00	6.00	6.00	6.00	6.00	35.00	29.00
1014	1.00	1.00	1.00	1.00	1.00	1.00	1.00	11.00	8.00
1015	9.00	10.00	9.00	9.00	11.00	14.00	14.00	34.00	24.00
1016	3.00	3.00	3.00	3.00	3.00	3.00	3.00	13.00	10.00
1017	6.00	6.00	6.00	6.00	8.00	9.00	9.00	58.00	39.00
1018	16.00	16.00	16.00	16.00	19.00	23.00	23.00	77.00	53.00
1019	3.00	3.00	3.00	3.00	3.00	3.00	3.00	27.00	24.00
1020	11.00	11.00	11.00	11.00	10.00	10.00	11.00	49.00	27.00
1022	7.00	7.00	8.00	7.00	7.00	7.00	7.00	31.00	15.00
1023	26.00	25.00	25.00	23.00	23.00	23.00	24.00	109.00	58.00
1025	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1026	15.00	14.00	15.00	16.00	15.00	20.00	20.00	44.00	25.00
1027	5.00	5.00	5.00	5.00	5.00	6.00	7.00	30.00	19.00
1028	4.00	3.00	3.00	3.00	3.00	3.00	3.00	43.00	33.00
1029	2.00	2.00	2.00	2.00	2.00	2.00	2.00	24.00	19.00
1030	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1031	7.00	6.00	6.00	6.00	6.00	5.00	5.00	26.00	19.00
1032	17.00	23.00	19.00	20.00	21.00	21.00	25.00	126.00	72.00
1033	17.00	17.00	17.00	18.00	17.00	17.00	16.00	88.00	52.00
1034	10.00	11.00	11.00	11.00	11.00	12.00	12.00	71.00	41.00
1035	3.00	3.00	3.00	4.00	4.00	3.00	3.00	36.00	18.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HSPROJ9	KSPROJ10	ESPROJ10	MSPROJ10	HSPROJ10	KSPROJ11	ESPROJ11	MSPROJ11	HSPROJ11	KSPROJ12
1001	19.00	14.00	35.00	15.00	19.00	14.00	38.00	16.00	19.00	14.00
1002	53.00	5.00	45.00	33.00	53.00	5.00	49.00	32.00	52.00	5.00
1003	105.00	24.00	151.00	95.00	107.00	22.00	148.00	93.00	107.00	22.00
1004	43.00	14.00	75.00	36.00	44.00	14.00	76.00	37.00	46.00	14.00
1005	70.00	8.00	51.00	38.00	70.00	7.00	49.00	37.00	70.00	8.00
1006	28.00	3.00	24.00	17.00	28.00	3.00	23.00	17.00	29.00	3.00
1007	31.00	7.00	44.00	29.00	32.00	7.00	42.00	29.00	33.00	6.00
1008	15.00	2.00	13.00	10.00	15.00	2.00	12.00	10.00	15.00	2.00
1009	19.00	6.00	15.00	11.00	18.00	6.00	16.00	11.00	18.00	5.00
1010	138.00	38.00	138.00	95.00	140.00	37.00	142.00	96.00	142.00	31.00
1011	23.00	3.00	22.00	13.00	23.00	3.00	23.00	13.00	23.00	3.00
1012	43.00	6.00	36.00	29.00	42.00	7.00	35.00	28.00	42.00	7.00
1014	10.00	1.00	10.00	8.00	11.00	1.00	11.00	8.00	11.00	1.00
1015	32.00	13.00	34.00	24.00	33.00	13.00	35.00	24.00	33.00	11.00
1016	12.00	3.00	13.00	10.00	12.00	3.00	13.00	10.00	13.00	3.00
1017	45.00	9.00	58.00	40.00	47.00	9.00	60.00	40.00	48.00	8.00
1018	60.00	22.00	77.00	53.00	62.00	21.00	80.00	53.00	64.00	19.00
1019	36.00	3.00	27.00	24.00	37.00	3.00	27.00	24.00	37.00	3.00
1020	35.00	11.00	48.00	27.00	36.00	11.00	47.00	28.00	37.00	11.00
1022	19.00	7.00	31.00	16.00	20.00	7.00	31.00	16.00	20.00	7.00
1023	71.00	24.00	109.00	60.00	72.00	24.00	105.00	61.00	75.00	25.00
1025	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1026	27.00	20.00	44.00	27.00	28.00	20.00	43.00	28.00	29.00	20.00
1027	21.00	6.00	31.00	20.00	21.00	6.00	30.00	20.00	22.00	6.00
1028	57.00	3.00	44.00	31.00	56.00	3.00	43.00	31.00	55.00	3.00
1029	28.00	2.00	24.00	20.00	28.00	2.00	24.00	19.00	28.00	2.00
1030	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1031	29.00	4.00	26.00	20.00	28.00	4.00	26.00	19.00	29.00	4.00
1032	65.00	29.00	125.00	76.00	69.00	30.00	137.00	79.00	73.00	33.00
1033	47.00	16.00	87.00	55.00	50.00	16.00	88.00	56.00	53.00	16.00
1034	53.00	12.00	70.00	42.00	53.00	12.00	69.00	43.00	54.00	12.00
1035	15.00	3.00	36.00	19.00	16.00	3.00	36.00	20.00	17.00	4.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	ESPROJ12	MSPROJ12	HSPROJ12	KSPROJ13	ESPROJ13	MSPROJ13	HSPROJ13	KSPROJ14	ESPROJ14	MSPROJ14	HSPROJ14
1001	38.00	16.00	20.00	14.00	37.00	17.00	20.00	14.00	37.00	17.00	20.00
1002	51.00	32.00	53.00	5.00	51.00	32.00	52.00	5.00	51.00	32.00	52.00
1003	142.00	93.00	113.00	22.00	139.00	95.00	112.00	21.00	139.00	94.00	116.00
1004	75.00	37.00	48.00	13.00	73.00	38.00	49.00	13.00	72.00	39.00	51.00
1005	48.00	36.00	71.00	8.00	47.00	36.00	71.00	8.00	47.00	35.00	71.00
1006	22.00	17.00	29.00	3.00	22.00	16.00	30.00	3.00	22.00	16.00	30.00
1007	43.00	29.00	34.00	6.00	42.00	30.00	34.00	7.00	42.00	32.00	35.00
1008	12.00	10.00	15.00	2.00	11.00	9.00	15.00	2.00	11.00	9.00	15.00
1009	17.00	11.00	18.00	6.00	18.00	12.00	18.00	7.00	18.00	12.00	18.00
1010	152.00	96.00	148.00	37.00	156.00	98.00	152.00	40.00	159.00	106.00	153.00
1011	25.00	13.00	24.00	3.00	28.00	14.00	24.00	4.00	28.00	15.00	24.00
1012	36.00	27.00	43.00	7.00	36.00	27.00	42.00	7.00	36.00	27.00	42.00
1014	11.00	8.00	11.00	1.00	11.00	8.00	11.00	1.00	11.00	9.00	12.00
1015	38.00	24.00	35.00	13.00	39.00	25.00	35.00	15.00	39.00	27.00	36.00
1016	13.00	10.00	13.00	3.00	14.00	10.00	14.00	3.00	14.00	11.00	14.00
1017	64.00	40.00	51.00	9.00	66.00	41.00	52.00	10.00	66.00	45.00	54.00
1018	85.00	53.00	67.00	21.00	88.00	55.00	69.00	25.00	87.00	59.00	71.00
1019	27.00	23.00	38.00	3.00	27.00	23.00	39.00	3.00	28.00	23.00	38.00
1020	47.00	27.00	38.00	11.00	48.00	28.00	39.00	11.00	47.00	28.00	40.00
1022	31.00	16.00	21.00	7.00	31.00	17.00	22.00	8.00	36.00	17.00	23.00
1023	105.00	60.00	78.00	25.00	108.00	63.00	80.00	24.00	107.00	63.00	83.00
1025	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1026	43.00	29.00	31.00	20.00	44.00	28.00	32.00	20.00	44.00	28.00	34.00
1027	31.00	21.00	24.00	6.00	32.00	21.00	25.00	6.00	32.00	21.00	26.00
1028	43.00	31.00	54.00	3.00	44.00	31.00	55.00	3.00	44.00	31.00	54.00
1029	24.00	19.00	28.00	2.00	25.00	19.00	28.00	2.00	26.00	19.00	29.00
1030	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1031	25.00	19.00	29.00	4.00	24.00	19.00	29.00	3.00	23.00	19.00	29.00
1032	149.00	83.00	80.00	34.00	166.00	83.00	84.00	34.00	180.00	85.00	89.00
1033	86.00	58.00	57.00	16.00	84.00	57.00	62.00	16.00	84.00	57.00	64.00
1034	69.00	43.00	54.00	12.00	68.00	42.00	54.00	12.00	66.00	42.00	55.00
1035	35.00	21.00	19.00	4.00	34.00	21.00	21.00	5.00	34.00	21.00	22.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	ES_PASS_RE	ES_TAKE_RE	ES_READ_PC	MS_PASS_RE	MS_TAKE_RE	MS_READ_PC	HS_PASS_RE	HS_TAKE_RE
1001	0	0	<=5	*	*	>=95	*	*
1002	*	*	>=95	*	*	81	*	*
1003	*	*	90	*	*	87	*	*
1004	*	*	>=95	*	*	73	*	*
1005	*	*	83	*	*	78	28	39
1006	*	*	80	*	*	92	*	*
1007	*	*	67	*	*	>=95	*	*
1008	*	*	>=95	*	*	73	*	*
1009	*	*	67	*	*	83	*	*
1010	*	*	89	*	*	84	*	*
1011	*	*	>=95	15	15	>=95	*	*
1012	*	*	60	*	*	73	*	*
1014	*	*	>=95	*	*	80	*	*
1015	*	*	>=95	*	*	73	*	*
1016	0	0	<=5	*	*	>=95	*	*
1017	*	*	86	*	*	75	*	*
1018	*	*	60	*	*	92	*	*
1019	*	*	75	*	*	87	*	*
1020	*	*	86	*	*	94	*	*
1022	*	*	>=95	*	*	>=95	*	*
1023	*	*	>=95	*	*	75	*	*
1025								
1026	*	*	>=95	*	*	>=95	*	*
1027	*	*	50	*	*	>=95	*	*
1028	*	*	82	*	*	88	39	49
1029	*	*	71	*	*	85	*	*
1030								
1031	*	*	>=95	*	*	93	*	*
1032	*	*	>=95	*	*	89	*	*
1033	*	*	>=95	*	*	91	*	*
1034	*	*	67	*	*	91	*	*
1035	0	0	<=5	*	*	80	*	*

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HS_READ_PC	ES_PASS_MA	ES_TAKE_MA	ES_MATH_PC	MS_PASS_MA	MS_TAKE_MA	MS_MATH_PC	HS_PASS_MA
1001	50	0	0	<=5	*	*	>=95	*
1002	71	*	*	>=95	*	*	81	*
1003	>=95	*	*	90	*	*	87	*
1004	81	*	*	>=95	*	*	87	*
1005	72	*	*	>=95	*	*	>=95	29
1006	89	*	*	>=95	*	*	92	*
1007	58	*	*	>=95	*	*	57	*
1008	93	*	*	>=95	*	*	55	*
1009	83	*	*	67	*	*	83	*
1010	83	*	*	89	*	*	93	31
1011	75	*	*	>=95	*	*	80	*
1012	>=95	*	*	60	*	*	64	*
1014	83	*	*	>=95	*	*	>=95	*
1015	78	*	*	67	*	*	80	*
1016	80	0	0	<=5	*	*	>=95	*
1017	83	*	*	71	*	*	50	*
1018	86	*	*	60	*	*	50	*
1019	85	*	*	75	15	15	>=95	*
1020	>=95	*	*	86	*	*	82	*
1022	>=95	*	*	<=5	*	*	83	*
1023	>=95	*	*	>=95	*	*	50	*
1025								
1026	75	*	*	>=95	*	*	88	*
1027	>=95	*	*	50	*	*	25	*
1028	80	*	*	82	*	*	85	36
1029	80	*	*	>=95	*	*	69	*
1030								
1031	81	*	*	50	15	15	>=95	13
1032	>=95	*	*	38	*	*	33	*
1033	90	*	*	>=95	*	*	64	*
1034	72	*	*	>=95	*	*	70	17
1035	57	0	0	<=5	*	*	80	*

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HS_TAKE_MA	HS_MATH_PC	DONE
1001	*	50	
1002	*	59	
1003	19	47	
1004	*	67	
1005	39	74	
1006	*	78	
1007	*	67	
1008	*	64	
1009	*	92	
1010	47	66	
1011	*	58	
1012	*	>=95	
1014	*	67	
1015	*	78	
1016	*	40	
1017	*	83	
1018	*	43	
1019	*	73	
1020	*	29	
1022	*	33	
1023	*	50	
1025			
1026	*	88	
1027	*	<=5	
1028	49	73	
1029	*	87	
1030			
1031	26	50	
1032	*	60	
1033	*	60	
1034	29	59	
1035	*	57	

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

OBJECTID	PLAN_ID	ES_HOME	MS_HOME	HS_HOME	PHASEOUT
	1036	Ducketts Lane ES	Thomas Viaduct MS	Long Reach HS	
	1037	Ducketts Lane ES	Thomas Viaduct MS	Long Reach HS	
	1038	Elkridge ES	Elkridge Landing MS	Howard HS	
	1039	Elkridge ES	Elkridge Landing MS	Howard HS	
	1040	Elkridge ES	Elkridge Landing MS	Howard HS	
	1041	Elkridge ES	Elkridge Landing MS	Howard HS	
	1042	Elkridge ES	Elkridge Landing MS	Howard HS	
	1043	Elkridge ES	Elkridge Landing MS	Long Reach HS	
	1045	Cradlerock ES	Lake Elkhorn MS	Oakland Mills HS	
	1046	Forest Ridge ES	Patuxent Valley MS	Reservoir HS	
	1047	Forest Ridge ES	Patuxent Valley MS	Hammond HS	
	1048	Guilford ES	Lake Elkhorn MS	Hammond HS	
	1050	Guilford ES	Lake Elkhorn MS	Hammond HS	
	1051	Talbott Springs ES	Lake Elkhorn MS	Oakland Mills HS	
	1053	Swansfield ES	Harpers Choice MS	Wilde Lake HS	
	1054	Cradlerock ES	Lake Elkhorn MS	Oakland Mills HS	
	1056	Atholton ES	Oakland Mills MS	Oakland Mills HS	
	1057	Atholton ES	Hammond MS	Hammond HS	
	1058	Cradlerock ES	Lake Elkhorn MS	Oakland Mills HS	
	1059	Talbott Springs ES	Oakland Mills MS	Oakland Mills HS	
	1060	Jeffers Hill ES	Lake Elkhorn MS	Oakland Mills HS	
	1062	Stevens Forest ES	Oakland Mills MS	Oakland Mills HS	
	1063	Talbott Springs ES	Oakland Mills MS	Oakland Mills HS	
	1064	Pointers Run ES	Clarksville MS	Atholton HS	
	1065	Thunder Hill ES	Ellicott Mills MS	Howard HS	
	1066	Clemens Crossing ES	Harpers Choice MS	Wilde Lake HS	
	1067	Thunder Hill ES	Ellicott Mills MS	Howard HS	
	1068	Phelps Luck ES	Bonnie Branch MS	Howard HS	
	1069	Phelps Luck ES	Bonnie Branch MS	Long Reach HS	
	1070	Phelps Luck ES	Bonnie Branch MS	Long Reach HS	
	1071	Jeffers Hill ES	Mayfield Woods MS	Long Reach HS	
	1073	Waterloo ES	Mayfield Woods MS	Long Reach HS	

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	STUDNT_POP	GR0_POP	GR1_POP	GR2_POP	GR3_POP	GR4_POP	GR5_POP	GR6_POP	GR7_POP	GR8_POP	GR9_POP	GR10_POP	GR11_POP	GR12_POP
1036	222	17	17	22	30	11	30	16	18	15	12	14	8	12
1037	99	11	9	7	6	8	11	9	2	4	9	8	9	6
1038	41	5	0	3	3	0	4	0	2	5	6	2	8	3
1039	31	2	2	2	3	0	2	2	3	3	4	4	2	2
1040	54	6	5	2	5	2	6	5	2	6	5	2	6	2
1041	83	10	12	5	5	4	13	5	4	2	8	9	2	4
1042	128	9	8	16	10	6	10	9	11	13	11	10	6	9
1043	153	13	12	10	12	10	8	13	13	15	10	16	3	18
1045	1	0	0	0	0	0	0	0	0	1	0	0	0	0
1046	78	4	8	6	7	7	6	9	4	4	7	7	6	3
1047	29	2	4	0	5	3	1	3	2	1	3	2	2	1
1048	40	2	3	5	2	1	4	2	1	2	7	3	4	4
1050	86	7	6	9	7	8	5	6	3	7	9	6	6	7
1051	25	2	2	1	2	1	0	1	3	0	2	2	4	5
1053	177	13	13	20	16	12	12	8	17	11	21	11	16	7
1054	171	13	13	13	14	16	12	14	13	14	17	13	6	13
1056	67	4	6	5	4	4	2	3	4	8	10	4	4	9
1057	88	5	9	5	7	7	7	10	3	9	5	7	3	11
1058	69	7	2	4	6	4	7	6	6	5	3	4	9	6
1059	53	2	3	6	1	6	6	5	1	3	5	1	8	6
1060	143	15	6	8	11	15	13	14	16	10	8	11	5	11
1062	20	0	3	0	2	0	2	3	1	3	1	2	2	1
1063	38	1	0	4	0	2	5	3	5	4	5	3	3	3
1064	54	7	3	3	5	4	7	6	1	4	1	4	4	5
1065	63	3	0	4	6	9	4	11	3	2	11	1	6	3
1066	24	2	1	2	2	0	0	0	2	5	3	2	0	5
1067	281	19	21	23	21	25	25	18	25	16	22	22	22	22
1068	217	18	17	13	8	12	19	16	22	15	19	22	23	13
1069	71	7	8	7	4	7	5	7	3	8	6	1	4	4
1070	111	11	7	11	11	11	7	15	7	10	6	5	6	4
1071	101	8	12	9	7	8	9	8	5	5	7	5	7	11
1073	109	7	11	11	9	9	13	3	11	5	11	4	5	10

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	FARM_POP	ESPROJ1	MSPROJ1	HSPROJ1	ESPROJ2	MSPROJ2	HSPROJ2	ESPROJ3	MSPROJ3
1036	41	114	57	52	146	60	61	170	69
1037	12	41	19	26	48	21	26	53	23
1038	*	10	7	16	10	7	14	9	7
1039	*	9	7	12	15	7	12	20	8
1040	*	19	13	17	19	13	17	18	13
1041	*	42	20	22	44	23	24	42	25
1042	46	49	34	42	48	33	43	45	33
1043	11	51	37	48	52	36	49	49	36
1045	*	0	0	1	0	0	0	0	0
1046	33	34	18	23	33	19	24	33	19
1047	*	13	7	8	13	7	8	13	7
1048	*	14	8	13	14	8	12	14	9
1050	31	33	19	24	32	20	24	32	20
1051	*	6	4	10	6	4	8	6	4
1053	69	72	39	40	75	41	45	76	43
1054	84	69	41	53	65	44	51	61	43
1056	10	24	13	24	23	14	21	24	14
1057	*	40	20	26	39	21	26	40	22
1058	15	23	15	23	22	15	21	21	15
1059	*	22	11	17	23	12	16	23	13
1060	23	53	35	44	52	36	43	52	35
1062	14	7	5	8	7	5	7	7	5
1063	*	11	8	15	12	8	13	12	8
1064	*	22	14	16	22	14	19	21	15
1065	*	23	16	22	23	16	22	22	17
1066	*	5	4	7	5	4	7	5	4
1067	118	117	75	89	112	77	95	109	82
1068	76	70	48	78	67	48	76	73	48
1069	43	31	19	18	31	21	20	32	21
1070	76	47	31	29	46	32	33	49	32
1071	15	45	22	26	44	24	28	44	26
1073	45	50	26	27	50	27	30	48	30

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HSPROJ3	ESPROJ4	MSPROJ4	HSPROJ4	ESPROJ5	MSPROJ5	HSPROJ5	KSPROJ1	KSPROJ2
1036	66	199	80	71	235	89	78	28.00	33.00
1037	26	58	26	27	67	28	29	14.00	15.00
1038	13	9	6	13	8	7	12	4.00	4.00
1039	12	24	9	13	23	11	13	2.00	3.00
1040	18	17	12	18	17	13	18	5.00	5.00
1041	27	41	25	28	39	26	30	10.00	9.00
1042	45	43	31	46	42	32	46	8.00	7.00
1043	49	47	34	49	45	35	49	12.00	10.00
1045	0	0	0	0	0	0	0	0.00	0.00
1046	24	36	20	25	35	19	26	4.00	4.00
1047	8	14	8	8	14	7	9	2.00	2.00
1048	12	13	9	11	13	8	12	2.00	2.00
1050	25	31	20	24	29	20	25	8.00	8.00
1051	8	6	4	7	6	4	7	2.00	1.00
1053	48	77	43	51	77	44	50	15.00	14.00
1054	54	59	42	55	57	41	58	14.00	8.00
1056	21	24	14	21	23	14	22	3.00	3.00
1057	27	40	24	26	38	24	27	4.00	4.00
1058	21	20	15	21	19	14	22	7.00	4.00
1059	16	23	13	16	22	13	17	2.00	1.00
1060	45	51	35	46	52	34	48	13.00	14.00
1062	7	7	5	7	7	4	7	0.00	0.00
1063	13	12	8	13	12	7	13	1.00	1.00
1064	20	20	15	21	20	15	21	7.00	7.00
1065	23	21	17	23	21	17	23	3.00	3.00
1066	6	6	3	6	6	4	6	2.00	2.00
1067	99	104	81	105	105	80	105	21.00	16.00
1068	75	76	46	76	76	45	73	16.00	20.00
1069	22	34	20	23	35	20	24	7.00	7.00
1070	36	52	31	37	53	30	38	11.00	11.00
1071	29	43	27	30	44	28	31	7.00	7.00
1073	31	49	31	33	48	31	34	8.00	9.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	KSPROJ3	KSPROJ4	KSPROJ5	KSPROJ6	KSPROJ7	KSPROJ8	KSPROJ9	ESPROJ9	MSPROJ9
1036	40.00	46.00	46.00	51.00	50.00	52.00	55.00	318.00	149.00
1037	17.00	18.00	17.00	18.00	17.00	17.00	16.00	74.00	43.00
1038	4.00	4.00	4.00	4.00	3.00	4.00	4.00	10.00	7.00
1039	4.00	6.00	5.00	5.00	5.00	5.00	6.00	22.00	13.00
1040	4.00	5.00	4.00	4.00	4.00	4.00	5.00	16.00	12.00
1041	9.00	9.00	9.00	9.00	8.00	9.00	9.00	37.00	26.00
1042	6.00	7.00	7.00	6.00	6.00	6.00	7.00	38.00	30.00
1043	10.00	11.00	10.00	10.00	9.00	11.00	10.00	42.00	32.00
1045	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1046	4.00	4.00	5.00	5.00	5.00	5.00	5.00	42.00	20.00
1047	2.00	2.00	2.00	3.00	3.00	3.00	3.00	16.00	8.00
1048	2.00	2.00	2.00	2.00	2.00	2.00	2.00	15.00	8.00
1050	8.00	7.00	7.00	7.00	8.00	8.00	9.00	31.00	18.00
1051	2.00	2.00	2.00	2.00	2.00	2.00	2.00	6.00	4.00
1053	14.00	15.00	14.00	14.00	15.00	14.00	16.00	79.00	45.00
1054	10.00	10.00	10.00	9.00	10.00	10.00	11.00	56.00	36.00
1056	3.00	3.00	3.00	3.00	3.00	3.00	3.00	23.00	14.00
1057	3.00	4.00	3.00	3.00	3.00	3.00	3.00	34.00	25.00
1058	5.00	5.00	5.00	3.00	5.00	5.00	5.00	19.00	12.00
1059	2.00	2.00	2.00	2.00	2.00	2.00	2.00	22.00	13.00
1060	13.00	13.00	13.00	14.00	14.00	14.00	14.00	52.00	31.00
1062	0.00	0.00	0.00	0.00	0.00	0.00	0.00	7.00	4.00
1063	1.00	1.00	1.00	1.00	1.00	1.00	1.00	12.00	7.00
1064	6.00	6.00	6.00	6.00	6.00	6.00	5.00	20.00	14.00
1065	3.00	3.00	3.00	3.00	3.00	3.00	3.00	20.00	15.00
1066	2.00	2.00	2.00	2.00	2.00	3.00	3.00	7.00	4.00
1067	17.00	18.00	17.00	17.00	19.00	18.00	18.00	102.00	71.00
1068	20.00	20.00	20.00	20.00	20.00	19.00	20.00	81.00	49.00
1069	7.00	7.00	8.00	8.00	8.00	8.00	8.00	37.00	21.00
1070	12.00	11.00	12.00	12.00	12.00	13.00	13.00	56.00	33.00
1071	7.00	7.00	7.00	7.00	7.00	7.00	8.00	44.00	28.00
1073	8.00	8.00	8.00	8.00	8.00	8.00	8.00	49.00	31.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HSPROJ9	KSPROJ10	ESPROJ10	MSPROJ10	HSPROJ10	KSPROJ11	ESPROJ11	MSPROJ11	HSPROJ11	KSPROJ12
1036	109.00	57.00	319.00	161.00	119.00	55.00	316.00	173.00	131.00	56.00
1037	36.00	16.00	74.00	45.00	39.00	16.00	73.00	47.00	42.00	16.00
1038	12.00	4.00	10.00	7.00	12.00	4.00	10.00	7.00	11.00	4.00
1039	15.00	6.00	22.00	13.00	15.00	7.00	33.00	14.00	16.00	8.00
1040	18.00	5.00	17.00	12.00	18.00	5.00	17.00	13.00	18.00	5.00
1041	34.00	9.00	38.00	27.00	34.00	9.00	39.00	28.00	35.00	9.00
1042	46.00	7.00	39.00	30.00	46.00	7.00	40.00	31.00	46.00	7.00
1043	50.00	10.00	43.00	33.00	50.00	10.00	44.00	34.00	51.00	10.00
1045	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1046	27.00	5.00	44.00	21.00	27.00	5.00	44.00	22.00	27.00	5.00
1047	9.00	3.00	17.00	8.00	10.00	3.00	17.00	8.00	10.00	2.00
1048	12.00	2.00	15.00	8.00	12.00	2.00	15.00	8.00	12.00	2.00
1050	26.00	8.00	31.00	18.00	26.00	8.00	31.00	19.00	27.00	8.00
1051	7.00	2.00	6.00	4.00	7.00	2.00	6.00	4.00	6.00	2.00
1053	56.00	15.00	81.00	47.00	55.00	16.00	82.00	45.00	59.00	17.00
1054	58.00	10.00	58.00	36.00	57.00	10.00	57.00	37.00	56.00	11.00
1056	21.00	3.00	23.00	14.00	21.00	3.00	23.00	14.00	21.00	3.00
1057	31.00	3.00	33.00	25.00	32.00	4.00	33.00	25.00	33.00	4.00
1058	21.00	6.00	19.00	13.00	21.00	6.00	19.00	13.00	20.00	6.00
1059	18.00	2.00	22.00	13.00	18.00	2.00	22.00	13.00	18.00	2.00
1060	48.00	14.00	53.00	32.00	47.00	14.00	53.00	32.00	47.00	14.00
1062	7.00	0.00	7.00	4.00	7.00	0.00	7.00	4.00	6.00	0.00
1063	12.00	1.00	12.00	7.00	12.00	1.00	12.00	7.00	11.00	1.00
1064	23.00	5.00	20.00	13.00	23.00	5.00	20.00	14.00	23.00	5.00
1065	24.00	3.00	20.00	15.00	24.00	3.00	20.00	15.00	23.00	3.00
1066	6.00	3.00	7.00	4.00	6.00	3.00	7.00	4.00	6.00	3.00
1067	108.00	19.00	102.00	72.00	110.00	20.00	103.00	72.00	110.00	20.00
1068	71.00	21.00	86.00	49.00	72.00	21.00	85.00	51.00	73.00	22.00
1069	27.00	8.00	38.00	22.00	27.00	8.00	38.00	22.00	28.00	8.00
1070	41.00	13.00	58.00	33.00	43.00	13.00	58.00	34.00	44.00	13.00
1071	35.00	8.00	45.00	30.00	36.00	8.00	45.00	30.00	37.00	8.00
1073	39.00	8.00	49.00	33.00	40.00	9.00	48.00	34.00	41.00	9.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	ESPROJ12	MSPROJ12	HSPROJ12	KSPROJ13	ESPROJ13	MSPROJ13	HSPROJ13	KSPROJ14	ESPROJ14	MSPROJ14	HSPROJ14
1036	314.00	179.00	144.00	60.00	333.00	181.00	163.00	62.00	337.00	184.00	170.00
1037	72.00	48.00	45.00	16.00	70.00	47.00	49.00	16.00	70.00	47.00	51.00
1038	10.00	7.00	11.00	4.00	11.00	7.00	11.00	4.00	11.00	7.00	11.00
1039	34.00	15.00	16.00	7.00	34.00	16.00	17.00	7.00	35.00	16.00	17.00
1040	17.00	13.00	18.00	5.00	17.00	13.00	18.00	5.00	17.00	13.00	18.00
1041	38.00	28.00	34.00	9.00	39.00	28.00	35.00	9.00	39.00	28.00	36.00
1042	39.00	32.00	45.00	7.00	40.00	31.00	46.00	7.00	40.00	31.00	46.00
1043	43.00	34.00	53.00	10.00	43.00	33.00	55.00	9.00	44.00	34.00	55.00
1045	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1046	43.00	22.00	28.00	5.00	42.00	22.00	28.00	5.00	42.00	22.00	28.00
1047	17.00	8.00	10.00	2.00	16.00	9.00	11.00	2.00	16.00	9.00	11.00
1048	14.00	8.00	12.00	2.00	15.00	9.00	13.00	2.00	15.00	9.00	13.00
1050	31.00	19.00	28.00	8.00	31.00	19.00	28.00	8.00	31.00	19.00	29.00
1051	6.00	4.00	6.00	2.00	6.00	4.00	6.00	2.00	6.00	4.00	6.00
1053	81.00	48.00	57.00	17.00	82.00	48.00	61.00	17.00	85.00	49.00	62.00
1054	58.00	37.00	55.00	11.00	59.00	37.00	54.00	11.00	60.00	37.00	54.00
1056	23.00	14.00	20.00	3.00	23.00	14.00	20.00	3.00	23.00	14.00	20.00
1057	34.00	25.00	34.00	4.00	34.00	25.00	35.00	4.00	33.00	27.00	36.00
1058	20.00	13.00	20.00	6.00	20.00	13.00	20.00	6.00	20.00	13.00	20.00
1059	23.00	13.00	18.00	2.00	23.00	13.00	17.00	2.00	24.00	13.00	18.00
1060	54.00	32.00	46.00	15.00	55.00	33.00	46.00	15.00	56.00	33.00	46.00
1062	7.00	4.00	6.00	0.00	7.00	4.00	6.00	0.00	7.00	4.00	6.00
1063	12.00	7.00	11.00	1.00	13.00	7.00	11.00	1.00	13.00	7.00	11.00
1064	19.00	13.00	24.00	5.00	18.00	14.00	24.00	5.00	17.00	13.00	24.00
1065	21.00	15.00	23.00	3.00	21.00	15.00	23.00	3.00	21.00	16.00	23.00
1066	7.00	4.00	6.00	2.00	7.00	4.00	6.00	3.00	7.00	4.00	6.00
1067	103.00	76.00	107.00	20.00	107.00	74.00	108.00	19.00	107.00	77.00	109.00
1068	85.00	53.00	71.00	22.00	87.00	53.00	72.00	23.00	87.00	54.00	72.00
1069	39.00	23.00	29.00	8.00	39.00	24.00	31.00	8.00	40.00	24.00	32.00
1070	59.00	35.00	46.00	13.00	60.00	36.00	49.00	13.00	60.00	37.00	49.00
1071	46.00	31.00	39.00	8.00	46.00	30.00	41.00	8.00	47.00	30.00	42.00
1073	50.00	35.00	43.00	9.00	50.00	33.00	46.00	8.00	51.00	34.00	47.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	ES_PASS_RE	ES_TAKE_RE	ES_READ_PC	MS_PASS_RE	MS_TAKE_RE	MS_READ_PC	HS_PASS_RE	HS_TAKE_RE
1036	*	*	67	*	*	83	11	11
1037	*	*	50	*	*	40	*	*
1038	*	*	>=95	*	*	>=95	*	*
1039	*	*	>=95	*	*	>=95	*	*
1040	*	*	>=95	*	*	>=95	*	*
1041	*	*	>=95	*	*	>=95	*	*
1042	*	*	>=95	*	*	80	*	*
1043	*	*	>=95	*	*	92	*	*
1045								
1046	*	*	>=95	10	10	>=95	*	*
1047	0	0	<=5	*	*	75	*	*
1048	*	*	>=95				*	*
1050	*	*	50	*	*	75	*	*
1051	0	0	<=5				*	*
1053	*	*	83	*	*	67	*	*
1054	0	0	<=5	*	*	75	*	*
1056	*	*	>=95	10	10	>=95	*	*
1057	*	*	>=95	*	*	92	*	*
1058	*	*	40	*	*	60	*	*
1059	*	*	>=95	*	*	>=95	*	*
1060	*	*	>=95	*	*	94	*	*
1062	0	0	<=5	*	*	75	0	0
1063	*	*	>=95	*	*	83	*	*
1064	*	*	80	*	*	89	*	*
1065	*	*	>=95	*	*	79	*	*
1066				*	*	>=95	*	*
1067	*	*	75	*	*	81	*	*
1068	*	*	>=95	*	*	84	16	28
1069	*	*	>=95	*	*	>=95	*	*
1070	*	*	>=95	*	*	>=95	0	0
1071	*	*	>=95	*	*	71	*	*
1073	*	*	>=95	*	*	80	*	*

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HS_READ_PC	ES_PASS_MA	ES_TAKE_MA	ES_MATH_PC	MS_PASS_MA	MS_TAKE_MA	MS_MATH_PC	HS_PASS_MA
1036	>=95	*	*	83	*	*	75	*
1037	70	*	*	88	*	*	60	*
1038	>=95	*	*	67	*	*	33	*
1039	>=95	*	*	<=5	*	*	<=5	*
1040	80	*	*	>=95	*	*	33	*
1041	>=95	*	*	80	*	*	50	*
1042	89	*	*	40	*	*	60	*
1043	>=95	*	*	83	*	*	92	*
1045								
1046	75	*	*	>=95	*	*	80	*
1047	50	0	0	<=5	*	*	50	*
1048	75	*	*	>=95				*
1050	83	*	*	50	*	*	75	*
1051	>=95	0	0	<=5				*
1053	67	*	*	50	*	*	67	*
1054	75	0	0	<=5	*	*	50	*
1056	79	*	*	>=95	*	*	50	*
1057	83	*	*	>=95	*	*	92	*
1058	>=95	*	*	>=95	*	*	>=95	*
1059	50	*	*	>=95	*	*	>=95	*
1060	93	*	*	80	*	*	63	*
1062	<=5	0	0	<=5	*	*	50	0
1063	>=95	*	*	67	*	*	83	*
1064	70	*	*	>=95	*	*	78	*
1065	73	*	*	>=95	14	14	>=95	*
1066	83				*	*	67	*
1067	67	*	*	75	*	*	70	*
1068	57	*	*	78	*	*	68	*
1069	<=5	*	*	>=95	*	*	67	*
1070	<=5	*	*	>=95	*	*	50	0
1071	69	*	*	75	*	*	71	*
1073	83	*	*	>=95	*	*	60	*

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HS_TAKE_MA	HS_MATH_PC	DONE
1036	*	36	
1037	*	60	
1038	*	50	
1039	*	<=5	
1040	*	40	
1041	*	43	
1042	*	33	
1043	22	32	
1045			
1046	*	50	
1047	*	>=95	
1048	*	63	
1050	*	33	
1051	*	50	
1053	*	>=95	
1054	*	75	
1056	*	50	
1057	*	67	
1058	*	<=5	
1059	*	75	
1060	*	47	
1062	0	<=5	
1063	*	25	
1064	*	60	
1065	*	82	
1066	*	50	
1067	*	86	
1068	*	75	
1069	*	>=95	
1070	0	<=5	
1071	*	69	
1073	*	50	

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

OBJECTID	PLAN_ID	ES_HOME	MS_HOME	HS_HOME	PHASEOUT
	1074	Waterloo ES	Bonnie Branch MS	Howard HS	
	1075	Jeffers Hill ES	Mayfield Woods MS	Long Reach HS	
	1076	Bellows Spring ES	Mayfield Woods MS	Long Reach HS	
	1077	Bellows Spring ES	Mayfield Woods MS	Long Reach HS	
	1079	Deep Run ES	Mayfield Woods MS	Long Reach HS	
	1080	Deep Run ES	Mayfield Woods MS	Long Reach HS	
	1081	Deep Run ES	Mayfield Woods MS	Long Reach HS	
	1082	Bellows Spring ES	Thomas Viaduct MS	Long Reach HS	
	1083	Bellows Spring ES	Mayfield Woods MS	Long Reach HS	
	1085	Ilchester ES	Bonnie Branch MS	Howard HS	
	1086	Rockburn ES	Elkridge Landing MS	Howard HS	
	1087	Rockburn ES	Elkridge Landing MS	Howard HS	
	1088	Ilchester ES	Bonnie Branch MS	Howard HS	
	1089	Ilchester ES	Bonnie Branch MS	Howard HS	
	1090	Ilchester ES	Bonnie Branch MS	Howard HS	
	1091	Rockburn ES	Elkridge Landing MS	Howard HS	
	1093	Worthington ES	Ellicott Mills MS	Mt Hebron HS	
	1094	Worthington ES	Ellicott Mills MS	Mt Hebron HS	
	1095	Ilchester ES	Bonnie Branch MS	Howard HS	
	1096	Talbott Springs ES	Oakland Mills MS	Oakland Mills HS	
	1098	Waterloo ES	Ellicott Mills MS	Howard HS	
	1100	Waterloo ES	Ellicott Mills MS	Centennial HS	
	1101	Veterans ES	Ellicott Mills MS	Centennial HS	
	1102	Veterans ES	Ellicott Mills MS	Centennial HS	
	1103	Veterans ES	Ellicott Mills MS	Centennial HS	
	1104	Veterans ES	Dunloggin MS	Mt Hebron HS	
	1105	Hollifield Station ES	Dunloggin MS	Mt Hebron HS	
	1106	St Johns Lane ES	Dunloggin MS	Mt Hebron HS	
	1107	Hollifield Station ES	Patapsco MS	Mt Hebron HS	
	1108	Hollifield Station ES	Patapsco MS	Mt Hebron HS	
	1109	Hollifield Station ES	Patapsco MS	Mt Hebron HS	
	1110	Stevens Forest ES	Oakland Mills MS	Oakland Mills HS	

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	STUDNT_POP	GR0_POP	GR1_POP	GR2_POP	GR3_	GR4_	GR5_	GR6_	GR7_	GR8_	GR9_	GR10	GR11_POP	GR12_POP
1074	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1075	60	4	4	6	9	5	5	2	2	2	7	3	7	4
1076	88	14	10	11	9	6	8	7	5	8	3	3	3	1
1077	67	4	5	6	8	3	4	6	7	3	7	5	5	4
1079	84	6	9	7	11	6	4	7	7	4	9	5	6	3
1080	84	5	7	4	8	7	5	3	8	8	5	11	6	7
1081	464	38	36	50	41	47	40	39	33	27	34	37	19	23
1082	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1083	116	11	12	8	12	13	13	7	11	10	6	1	7	5
1085	75	1	2	4	5	6	11	4	12	4	3	6	8	9
1086	39	1	2	4	4	1	2	1	3	2	6	2	3	8
1087	49	6	2	4	4	3	5	3	4	3	6	2	3	4
1088	103	11	4	10	8	6	11	10	13	9	5	6	7	3
1089	116	12	13	7	8	14	13	15	4	8	8	6	6	2
1090	75	5	10	3	1	11	10	9	7	3	5	3	5	3
1091	45	8	4	5	3	4	2	7	2	3	5	0	0	2
1093	141	7	7	12	12	11	13	8	12	10	13	5	20	11
1094	43	0	3	0	2	5	3	1	7	1	5	6	4	6
1095	80	6	8	6	3	8	5	6	7	5	6	1	11	8
1096	105	5	14	11	9	9	13	7	5	5	7	11	6	3
1098	121	5	7	8	9	11	6	11	14	9	12	8	11	10
1100	163	7	7	7	14	10	13	8	11	14	18	16	21	17
1101	122	13	11	8	11	6	11	9	6	9	5	12	8	13
1102	114	6	11	8	11	5	4	10	11	11	5	7	14	11
1103	127	9	8	10	9	10	12	6	11	10	13	8	12	9
1104	34	3	3	3	3	5	2	1	4	2	2	2	2	2
1105	87	5	6	2	5	4	7	8	7	12	8	7	9	7
1106	178	11	11	15	14	4	29	13	13	14	14	14	11	15
1107	68	9	4	4	4	8	3	5	4	3	7	6	5	6
1108	50	3	7	1	3	1	4	4	7	4	7	2	3	4
1109	34	1	2	4	3	0	3	2	0	2	5	3	2	7
1110	148	11	12	11	19	12	11	13	6	13	14	13	3	10

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	FARM_POP	ESPROJ1	MSPROJ1	HSPROJ1	ESPROJ2	MSPROJ2	HSPROJ2	ESPROJ3	MSPROJ3
1074	*	0	0	0	0	0	0	0	0
1075	13	29	12	15	28	14	15	29	16
1076	*	53	25	18	58	28	23	63	32
1077	*	26	15	20	27	15	20	28	16
1079	*	39	20	22	39	21	24	41	23
1080	*	33	18	26	33	19	26	34	20
1081	278	226	109	116	227	121	127	235	130
1082	*	0	0	0	0	0	0	0	0
1083	*	59	31	26	61	32	31	63	36
1085	*	26	19	28	24	19	27	23	18
1086	*	13	8	15	14	8	14	14	8
1087	*	20	12	15	22	12	16	22	13
1088	10	39	29	32	38	29	35	37	28
1089	*	52	33	30	48	35	34	46	34
1090	*	33	22	21	30	23	24	29	22
1091	*	21	13	12	24	13	14	26	14
1093	*	51	36	45	46	36	46	42	37
1094	*	12	9	17	12	9	16	11	10
1095	*	28	19	27	26	20	26	25	19
1096	60	57	26	25	58	30	27	57	32
1098	*	39	32	45	39	31	45	37	32
1100	14	48	36	63	48	35	62	46	37
1101	*	48	30	37	49	32	40	48	35
1102	10	41	30	41	42	30	43	42	32
1103	28	51	33	41	52	34	45	51	37
1104	*	17	8	9	17	9	9	17	9
1105	*	25	18	33	26	16	30	24	16
1106	44	72	39	53	72	40	53	74	40
1107	24	24	14	21	24	14	20	23	14
1108	*	17	12	18	17	11	17	16	11
1109	*	13	6	12	13	7	11	24	8
1110	121	63	35	42	62	37	42	63	38

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HSPROJ3	ESPROJ4	MSPROJ4	HSPROJ4	ESPROJ5	MSPROJ5	HSPROJ5	KSPROJ1	KSPROJ2
1074	0	0	0	0	0	0	0	0.00	0.00
1075	16	28	17	17	28	17	18	4.00	4.00
1076	27	70	35	30	78	37	33	24.00	24.00
1077	20	29	17	21	30	18	21	5.00	5.00
1079	25	41	24	26	44	25	27	6.00	6.00
1080	26	34	21	26	37	21	27	5.00	5.00
1081	135	238	139	140	258	141	151	34.00	41.00
1082	0	0	0	0	0	0	0	0.00	0.00
1083	33	65	37	36	68	39	39	13.00	12.00
1085	28	22	17	28	21	16	27	1.00	1.00
1086	14	14	8	13	15	9	13	1.00	1.00
1087	17	23	13	17	24	14	17	7.00	6.00
1088	37	35	26	38	34	24	38	13.00	13.00
1089	39	51	32	42	56	31	43	12.00	12.00
1090	27	28	20	28	27	19	28	5.00	5.00
1091	16	26	14	17	27	15	17	9.00	8.00
1093	47	39	36	48	38	35	48	8.00	7.00
1094	15	10	9	15	10	9	15	0.00	0.00
1095	28	24	18	28	23	17	27	6.00	6.00
1096	30	58	32	33	57	32	36	4.00	4.00
1098	46	38	30	46	38	30	46	6.00	6.00
1100	62	47	36	62	47	36	62	8.00	9.00
1101	44	49	35	46	48	35	48	12.00	10.00
1102	45	43	31	47	43	31	48	5.00	5.00
1103	48	52	37	51	51	37	52	8.00	7.00
1104	10	18	9	10	17	10	11	3.00	2.00
1105	28	25	16	27	25	16	27	4.00	4.00
1106	53	74	41	54	75	43	55	11.00	13.00
1107	20	24	14	20	24	15	20	8.00	7.00
1108	17	17	11	16	17	11	16	3.00	2.00
1109	12	28	9	12	27	11	12	1.00	1.00
1110	44	64	37	46	65	37	49	14.00	14.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	KSPROJ3	KSPROJ4	KSPROJ5	KSPROJ6	KSPROJ7	KSPROJ8	KSPROJ9	ESPROJ9	MSPROJ9
1074	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1075	3.00	3.00	4.00	4.00	4.00	4.00	4.00	28.00	18.00
1076	23.00	28.00	24.00	25.00	24.00	25.00	24.00	90.00	45.00
1077	4.00	5.00	4.00	4.00	4.00	4.00	4.00	35.00	19.00
1079	6.00	8.00	7.00	7.00	7.00	7.00	7.00	50.00	27.00
1080	5.00	6.00	6.00	6.00	6.00	6.00	6.00	48.00	24.00
1081	40.00	49.00	42.00	45.00	45.00	46.00	46.00	289.00	157.00
1082	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1083	12.00	14.00	12.00	12.00	11.00	12.00	11.00	77.00	42.00
1085	1.00	1.00	1.00	1.00	1.00	1.00	1.00	24.00	16.00
1086	1.00	1.00	1.00	1.00	1.00	1.00	1.00	14.00	9.00
1087	6.00	8.00	7.00	6.00	6.00	7.00	7.00	23.00	15.00
1088	12.00	14.00	13.00	12.00	13.00	14.00	14.00	40.00	24.00
1089	10.00	13.00	18.00	29.00	35.00	40.00	42.00	94.00	37.00
1090	4.00	4.00	4.00	4.00	4.00	4.00	4.00	29.00	19.00
1091	9.00	11.00	10.00	10.00	9.00	10.00	10.00	27.00	16.00
1093	6.00	8.00	7.00	6.00	7.00	8.00	8.00	43.00	30.00
1094	0.00	0.00	0.00	0.00	0.00	0.00	0.00	11.00	8.00
1095	5.00	5.00	5.00	4.00	4.00	5.00	5.00	25.00	16.00
1096	4.00	4.00	4.00	4.00	4.00	4.00	4.00	56.00	32.00
1098	6.00	6.00	6.00	6.00	7.00	7.00	7.00	44.00	28.00
1100	8.00	8.00	8.00	8.00	8.00	9.00	9.00	47.00	33.00
1101	12.00	11.00	11.00	11.00	11.00	11.00	11.00	43.00	32.00
1102	6.00	5.00	5.00	5.00	5.00	5.00	5.00	38.00	29.00
1103	8.00	8.00	8.00	8.00	8.00	8.00	8.00	47.00	34.00
1104	3.00	3.00	3.00	3.00	3.00	3.00	3.00	16.00	10.00
1105	4.00	4.00	4.00	4.00	4.00	4.00	5.00	30.00	16.00
1106	11.00	12.00	12.00	12.00	12.00	13.00	13.00	84.00	44.00
1107	8.00	10.00	11.00	13.00	14.00	15.00	14.00	22.00	15.00
1108	3.00	3.00	2.00	2.00	2.00	2.00	2.00	15.00	11.00
1109	3.00	3.00	3.00	3.00	3.00	3.00	3.00	26.00	14.00
1110	13.00	13.00	13.00	13.00	14.00	14.00	14.00	65.00	38.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HSPROJ9	KSPROJ10	ESPROJ10	MSPROJ10	HSPROJ10	KSPROJ11	ESPROJ11	MSPROJ11	HSPROJ11	KSPROJ12
1074	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1075	21.00	4.00	29.00	19.00	22.00	4.00	29.00	19.00	23.00	4.00
1076	43.00	23.00	91.00	49.00	45.00	21.00	90.00	50.00	48.00	22.00
1077	23.00	4.00	33.00	21.00	24.00	4.00	32.00	21.00	25.00	4.00
1079	31.00	7.00	49.00	29.00	32.00	7.00	50.00	30.00	34.00	8.00
1080	29.00	6.00	49.00	26.00	30.00	6.00	50.00	27.00	31.00	6.00
1081	173.00	48.00	283.00	168.00	182.00	48.00	287.00	172.00	190.00	47.00
1082	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1083	46.00	11.00	74.00	46.00	48.00	11.00	72.00	46.00	50.00	10.00
1085	26.00	1.00	23.00	16.00	26.00	1.00	23.00	16.00	26.00	1.00
1086	13.00	1.00	14.00	10.00	13.00	1.00	14.00	10.00	13.00	1.00
1087	19.00	7.00	23.00	15.00	19.00	7.00	22.00	16.00	20.00	7.00
1088	37.00	14.00	41.00	25.00	37.00	14.00	40.00	25.00	37.00	14.00
1089	47.00	43.00	117.00	40.00	48.00	42.00	133.00	43.00	50.00	42.00
1090	28.00	4.00	29.00	19.00	28.00	4.00	29.00	19.00	28.00	4.00
1091	20.00	10.00	27.00	17.00	20.00	11.00	26.00	18.00	21.00	11.00
1093	49.00	8.00	43.00	29.00	48.00	8.00	44.00	30.00	48.00	8.00
1094	14.00	0.00	11.00	7.00	14.00	0.00	12.00	8.00	13.00	0.00
1095	27.00	5.00	25.00	17.00	26.00	5.00	25.00	17.00	26.00	4.00
1096	41.00	4.00	56.00	32.00	41.00	4.00	57.00	32.00	41.00	5.00
1098	45.00	7.00	45.00	28.00	45.00	7.00	49.00	28.00	44.00	7.00
1100	60.00	9.00	48.00	32.00	60.00	9.00	49.00	33.00	60.00	9.00
1101	52.00	11.00	42.00	31.00	52.00	11.00	44.00	31.00	52.00	11.00
1102	49.00	5.00	37.00	28.00	49.00	6.00	38.00	28.00	49.00	6.00
1103	55.00	8.00	49.00	34.00	56.00	8.00	55.00	34.00	57.00	8.00
1104	13.00	3.00	21.00	10.00	13.00	3.00	25.00	10.00	13.00	10.00
1105	26.00	5.00	29.00	16.00	26.00	5.00	29.00	16.00	26.00	6.00
1106	60.00	13.00	81.00	45.00	60.00	13.00	82.00	46.00	60.00	13.00
1107	21.00	14.00	22.00	15.00	21.00	14.00	22.00	15.00	21.00	15.00
1108	17.00	2.00	15.00	11.00	17.00	2.00	15.00	11.00	16.00	2.00
1109	15.00	3.00	25.00	14.00	15.00	3.00	26.00	15.00	15.00	6.00
1110	51.00	14.00	67.00	37.00	51.00	14.00	67.00	37.00	50.00	14.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	ESPROJ12	MSPROJ12	HSPROJ12	KSPROJ13	ESPROJ13	MSPROJ13	HSPROJ13	KSPROJ14	ESPROJ14	MSPROJ14	HSPROJ14
1074	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1075	30.00	20.00	24.00	4.00	30.00	19.00	25.00	4.00	30.00	19.00	26.00
1076	88.00	53.00	52.00	22.00	87.00	52.00	56.00	21.00	84.00	52.00	59.00
1077	31.00	22.00	26.00	4.00	31.00	21.00	28.00	4.00	30.00	21.00	28.00
1079	50.00	31.00	35.00	8.00	51.00	30.00	38.00	8.00	51.00	31.00	39.00
1080	50.00	28.00	32.00	6.00	51.00	28.00	35.00	6.00	52.00	28.00	36.00
1081	291.00	179.00	200.00	48.00	294.00	175.00	217.00	49.00	297.00	179.00	220.00
1082	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1083	70.00	48.00	53.00	10.00	69.00	46.00	57.00	10.00	67.00	47.00	59.00
1085	27.00	16.00	25.00	1.00	26.00	17.00	25.00	1.00	26.00	17.00	25.00
1086	14.00	10.00	13.00	1.00	14.00	10.00	13.00	1.00	14.00	10.00	13.00
1087	22.00	16.00	19.00	7.00	22.00	16.00	20.00	7.00	23.00	16.00	20.00
1088	44.00	26.00	37.00	14.00	43.00	27.00	37.00	12.00	41.00	27.00	37.00
1089	139.00	48.00	50.00	41.00	151.00	52.00	52.00	43.00	151.00	56.00	54.00
1090	30.00	20.00	28.00	3.00	29.00	20.00	28.00	3.00	28.00	20.00	28.00
1091	27.00	18.00	21.00	11.00	27.00	18.00	21.00	11.00	27.00	18.00	22.00
1093	51.00	31.00	47.00	15.00	54.00	31.00	47.00	15.00	52.00	33.00	47.00
1094	13.00	8.00	13.00	0.00	13.00	8.00	13.00	0.00	12.00	8.00	13.00
1095	26.00	17.00	26.00	4.00	25.00	17.00	26.00	4.00	24.00	18.00	26.00
1096	58.00	32.00	41.00	5.00	59.00	32.00	40.00	5.00	60.00	33.00	41.00
1098	51.00	30.00	44.00	7.00	52.00	30.00	44.00	8.00	52.00	32.00	44.00
1100	50.00	34.00	60.00	9.00	51.00	34.00	61.00	9.00	51.00	35.00	60.00
1101	44.00	33.00	53.00	11.00	44.00	32.00	54.00	11.00	43.00	33.00	53.00
1102	39.00	29.00	50.00	6.00	39.00	29.00	50.00	6.00	39.00	30.00	50.00
1103	56.00	36.00	57.00	7.00	55.00	36.00	58.00	8.00	55.00	37.00	58.00
1104	30.00	11.00	13.00	10.00	30.00	11.00	13.00	10.00	29.00	12.00	14.00
1105	30.00	16.00	25.00	6.00	31.00	16.00	25.00	6.00	32.00	17.00	25.00
1106	82.00	46.00	60.00	13.00	79.00	46.00	61.00	13.00	78.00	47.00	61.00
1107	22.00	15.00	21.00	15.00	22.00	15.00	21.00	15.00	23.00	15.00	21.00
1108	15.00	11.00	16.00	2.00	16.00	11.00	16.00	2.00	16.00	11.00	16.00
1109	28.00	15.00	16.00	7.00	30.00	15.00	16.00	7.00	31.00	15.00	17.00
1110	67.00	37.00	50.00	14.00	68.00	38.00	50.00	14.00	68.00	38.00	50.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	ES_PASS_RE	ES_TAKE_RE	ES_READ_PC	MS_PASS_RE	MS_TAKE_RE	MS_READ_PC	HS_PASS_RE	HS_TAKE_RE
1074								
1075	*	*	50	*	*	40	*	*
1076	*	*	60	11	11	>=95	*	*
1077	*	*	>=95	*	*	71	*	*
1079	*	*	>=95	*	*	92	*	*
1080	*	*	67	*	*	91	*	*
1081	*	*	70	*	*	83	*	*
1082								
1083	*	*	70	*	*	82	*	*
1085	*	*	>=95	*	*	82	*	*
1086	0	0	<=5	*	*	>=95	*	*
1087	*	*	40	*	*	>=95	*	*
1088	*	*	71	*	*	74	*	*
1089	*	*	90	*	*	89	*	*
1090	*	*	71	*	*	78	*	*
1091	*	*	>=95	*	*	>=95	*	*
1093	*	*	64	*	*	89	21	32
1094	*	*	>=95	*	*	>=95	*	*
1095	*	*	80	*	*	>=95	*	*
1096	*	*	33	*	*	>=95	*	*
1098	*	*	>=95	*	*	74	*	*
1100	*	*	80	*	*	70	27	43
1101	*	*	>=95	*	*	93	*	*
1102	*	*	67	*	*	>=95	*	*
1103	*	*	50	*	*	88	*	*
1104	*	*	>=95	*	*	80	*	*
1105	*	*	>=95	*	*	92	*	*
1106	*	*	69	*	*	75	*	*
1107	0	0	<=5	0	0	<=5	*	*
1108	*	*	50	*	*	80	*	*
1109	*	*	>=95				*	*
1110	*	*	50	*	*	44	*	*

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HS_READ_PC	ES_PASS_MA	ES_TAKE_MA	ES_MATH_PC	MS_PASS_MA	MS_TAKE_MA	MS_MATH_PC	HS_PASS_MA
1074								
1075	>=95	*	*	>=95	*	*	>=95	*
1076	50	*	*	>=95	*	*	91	*
1077	50	*	*	75	*	*	86	*
1079	69	*	*	67	*	*	85	*
1080	93	*	*	>=95	*	*	73	*
1081	62	*	*	90	12	24	50	*
1082								
1083	83	*	*	90	*	*	76	*
1085	87	*	*	50	*	*	73	*
1086	>=95	0	0	<=5	*	*	>=95	*
1087	88	*	*	>=95	*	*	80	*
1088	82	*	*	>=95	*	*	83	*
1089	>=95	*	*	80	*	*	84	*
1090	55	*	*	71	*	*	78	*
1091	>=95	*	*	>=95	*	*	83	*
1093	66	*	*	91	*	*	78	22
1094	85	*	*	>=95	*	*	71	*
1095	71	*	*	>=95	*	*	89	*
1096	>=95	*	*	>=95	*	*	25	*
1098	65	*	*	80	*	*	85	*
1100	63	*	*	80	*	*	80	*
1101	80	*	*	>=95	*	*	93	*
1102	63	*	*	>=95	*	*	>=95	*
1103	>=95	*	*	>=95	*	*	75	*
1104	>=95	*	*	50	*	*	>=95	*
1105	62	*	*	>=95	*	*	92	*
1106	78	*	*	85	*	*	82	*
1107	80	0	0	<=5	0	0	<=5	*
1108	78	*	*	>=95	*	*	60	*
1109	79	*	*	>=95	*	*		*
1110	80	*	*	>=95	*	*	67	*

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HS_TAKE_MA	HS_MATH_PC	DONE
1074			
1075	*	75	
1076	*	>=95	
1077	*	88	
1079	*	46	
1080	*	60	
1081	*	62	
1082			
1083	*	83	
1085	*	47	
1086	*	33	
1087	*	63	
1088	*	91	
1089	*	86	
1090	*	82	
1091	*	>=95	
1093	32	69	
1094	*	77	
1095	*	57	
1096	*	60	
1098	*	55	
1100	*	86	
1101	*	73	
1102	*	79	
1103	*	55	
1104	*	33	
1105	*	69	
1106	*	70	
1107	*	60	
1108	*	78	
1109	*	71	
1110	*	40	

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

OBJECTID	PLAN_ID	ES_HOME	MS_HOME	HS_HOME	PHASEOUT
	1111	Thunder Hill ES	Dunloggin MS	Wilde Lake HS	
	1112	Fulton ES	Lime Kiln MS	Reservoir HS	
	1113	Stevens Forest ES	Oakland Mills MS	Oakland Mills HS	
	1114	Pointers Run ES	Lime Kiln MS	Reservoir HS	
	1115	Pointers Run ES	Lime Kiln MS	Reservoir HS	
	1116	Forest Ridge ES	Patuxent Valley MS	Reservoir HS	
	1117	Pointers Run ES	Lime Kiln MS	Atholton HS	
	1119	Dayton Oaks ES	Lime Kiln MS	River Hill HS	
	1120	Pointers Run ES	Lime Kiln MS	Atholton HS	
	1121	Laurel Woods ES	Murray Hill MS	Reservoir HS	
	1123	Pointers Run ES	Lime Kiln MS	Atholton HS	
	1124	Elkridge ES	Elkridge Landing MS	Howard HS	
	1125	Pointers Run ES	Lime Kiln MS	Reservoir HS	
	1128	Pointers Run ES	Clarksville MS	Atholton HS	
	1129	Pointers Run ES	Clarksville MS	Atholton HS	
	1130	Clemens Crossing ES	Wilde Lake MS	Atholton HS	
	1131	Clemens Crossing ES	Wilde Lake MS	Atholton HS	
	1132	Clemens Crossing ES	Wilde Lake MS	Atholton HS	
	1133	Bryant Woods ES	Wilde Lake MS	Atholton HS	
	1134	Clemens Crossing ES	Harpers Choice MS	Wilde Lake HS	
	1135	Swansfield ES	Harpers Choice MS	Wilde Lake HS	
	1136	Running Brook ES	Wilde Lake MS	Wilde Lake HS	
	1137	Bryant Woods ES	Wilde Lake MS	Wilde Lake HS	
	1138	Swansfield ES	Harpers Choice MS	Wilde Lake HS	
	1139	Cradlerock ES	Lake Elkhorn MS	Oakland Mills HS	
	1140	Swansfield ES	Harpers Choice MS	Wilde Lake HS	
	1141	Longfellow ES	Harpers Choice MS	Wilde Lake HS	
	1142	Longfellow ES	Harpers Choice MS	Wilde Lake HS	
	1143	Longfellow ES	Harpers Choice MS	Wilde Lake HS	
	1144	Longfellow ES	Harpers Choice MS	Wilde Lake HS	
	1145	Running Brook ES	Wilde Lake MS	Wilde Lake HS	
	1146	Running Brook ES	Wilde Lake MS	Wilde Lake HS	

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	STUDNT_POP	GR0_POP	GR1_POP	GR2_POP	GR3_	GR4_	GR5_	GR6_	GR7_	GR8_	GR9_	GR10	GR11_POP	GR12_POP
1111	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1112	79	8	5	3	5	8	7	5	8	6	7	7	4	6
1113	59	5	1	4	3	7	3	4	6	3	8	6	5	4
1114	50	2	0	2	4	3	4	3	8	3	3	9	1	8
1115	25	1	1	0	2	2	2	2	3	5	3	1	2	1
1116	44	1	3	4	1	6	4	2	3	4	4	3	3	6
1117	34	2	0	5	1	1	3	1	3	2	3	4	4	5
1119	46	2	4	6	1	6	4	2	5	3	1	7	3	2
1120	36	2	1	3	3	2	3	4	3	4	6	2	1	2
1121	107	10	7	7	6	5	8	9	10	10	13	13	3	6
1123	31	1	1	3	2	1	3	3	0	7	4	1	2	3
1124	59	4	3	5	2	2	6	4	7	3	4	9	4	6
1125	24	2	0	1	2	3	1	1	2	1	4	3	2	2
1128	38	1	1	1	1	3	2	6	3	5	4	5	1	5
1129	60	1	3	4	5	2	7	5	5	7	7	3	4	7
1130	50	2	3	1	3	4	5	3	1	2	6	5	7	8
1131	107	9	10	8	13	9	10	9	8	6	3	9	8	5
1132	42	2	2	2	3	4	2	5	4	5	2	3	3	5
1133	48	0	2	2	2	3	3	2	8	4	6	4	5	7
1134	66	6	6	4	5	10	4	6	3	6	5	5	3	3
1135	44	1	1	1	4	2	3	4	2	7	4	3	8	4
1136	58	6	6	5	6	3	3	1	6	3	4	7	3	5
1137	71	5	10	2	1	9	6	6	4	5	5	8	3	7
1138	51	2	6	4	3	1	9	2	7	6	3	4	1	3
1139	48	4	3	5	4	5	2	3	3	4	4	1	7	3
1140	50	6	8	6	3	1	2	3	3	2	7	4	3	2
1141	17	3	1	1	2	0	4	1	0	2	0	0	1	2
1142	152	7	14	15	15	14	17	9	14	13	9	8	6	11
1143	53	3	3	4	4	3	4	6	3	3	6	5	3	6
1144	21	1	4	4	1	0	0	3	1	0	2	2	1	2
1145	102	5	9	11	9	1	11	12	5	3	10	10	7	9
1146	120	8	6	11	12	13	9	8	14	7	12	7	7	6

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	FARM_POP	ESPROJ1	MSPROJ1	HSPROJ1	ESPROJ2	MSPROJ2	HSPROJ2	ESPROJ3	MSPROJ3
1111	*	0	0	0	0	0	0	0	0
1112	*	29	18	24	30	18	25	30	19
1113	13	18	11	21	17	11	18	17	11
1114	*	13	11	20	13	10	19	12	10
1115	*	7	7	10	8	6	10	8	6
1116	12	18	9	14	17	10	14	18	10
1117	*	10	6	14	10	6	13	9	6
1119	*	24	12	15	23	13	15	23	14
1120	*	12	9	14	12	8	15	12	8
1121	56	34	24	36	32	24	36	31	24
1123	*	10	8	13	10	7	13	9	7
1124	*	18	13	22	17	13	21	16	12
1125	*	7	4	8	7	4	8	7	5
1128	*	8	9	19	8	8	18	12	8
1129	*	21	16	25	21	15	26	20	16
1130	*	17	9	21	18	9	20	19	10
1131	28	49	28	31	53	27	36	55	30
1132	*	13	11	18	13	9	18	14	9
1133	*	14	10	24	13	9	22	14	9
1134	11	29	16	12	30	17	15	32	17
1135	*	11	9	14	11	8	13	11	8
1136	18	24	13	21	26	13	20	28	14
1137	15	32	17	28	31	17	26	32	18
1138	23	23	14	8	23	14	12	23	14
1139	11	19	11	14	18	12	14	17	12
1140	21	20	10	12	20	11	12	20	11
1141	*	8	4	2	7	4	3	7	4
1142	99	70	40	25	70	41	36	69	41
1143	15	17	11	15	17	11	15	17	11
1144	*	8	5	5	8	5	6	8	5
1145	12	42	25	41	47	24	39	50	26
1146	45	52	32	43	58	30	44	63	33

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HSPROJ3	ESPROJ4	MSPROJ4	HSPROJ4	ESPROJ5	MSPROJ5	HSPROJ5	KSPROJ1	KSPROJ2
1111	0	0	0	0	0	0	0	0.00	0.00
1112	25	33	19	26	34	20	26	7.00	7.00
1113	18	18	11	17	18	11	18	7.00	7.00
1114	18	12	9	17	12	9	17	2.00	2.00
1115	10	8	6	10	8	6	10	1.00	1.00
1116	14	19	10	14	19	10	14	1.00	1.00
1117	13	9	6	12	9	6	12	2.00	2.00
1119	16	21	14	17	22	14	17	3.00	2.00
1120	15	11	8	14	11	8	14	2.00	2.00
1121	36	30	25	36	29	24	36	9.00	9.00
1123	13	10	7	13	10	7	13	1.00	1.00
1124	21	16	12	20	15	12	20	4.00	3.00
1125	7	6	5	7	6	4	7	2.00	2.00
1128	18	12	8	17	12	8	16	1.00	1.00
1129	26	19	16	26	19	15	26	1.00	1.00
1130	19	20	10	19	24	11	18	2.00	2.00
1131	38	60	30	41	61	32	42	9.00	10.00
1132	18	15	9	17	16	9	17	2.00	2.00
1133	20	13	9	20	13	9	19	0.00	0.00
1134	17	34	17	19	35	18	19	6.00	7.00
1135	13	11	7	12	11	7	12	1.00	1.00
1136	19	30	15	19	33	16	19	8.00	9.00
1137	25	31	18	25	31	18	25	4.00	5.00
1138	14	24	14	15	24	14	15	2.00	2.00
1139	15	16	12	15	17	11	16	4.00	3.00
1140	13	21	11	14	21	12	14	6.00	7.00
1141	4	7	4	4	7	4	4	3.00	3.00
1142	41	66	42	44	65	42	46	8.00	8.00
1143	15	16	10	15	16	11	15	3.00	3.00
1144	6	8	5	6	8	5	6	1.00	1.00
1145	37	54	27	37	61	28	36	6.00	7.00
1146	43	67	35	43	75	35	44	10.00	12.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	KSPROJ3	KSPROJ4	KSPROJ5	KSPROJ6	KSPROJ7	KSPROJ8	KSPROJ9	ESPROJ9	MSPROJ9
1111	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1112	9.00	8.00	8.00	10.00	9.00	9.00	8.00	68.00	27.00
1113	6.00	6.00	6.00	6.00	6.00	6.00	6.00	25.00	12.00
1114	2.00	2.00	2.00	2.00	2.00	2.00	2.00	13.00	9.00
1115	1.00	1.00	1.00	1.00	1.00	1.00	1.00	8.00	6.00
1116	1.00	1.00	1.00	1.00	1.00	1.00	1.00	22.00	11.00
1117	2.00	2.00	2.00	2.00	2.00	2.00	2.00	10.00	6.00
1119	2.00	2.00	3.00	2.00	2.00	2.00	2.00	21.00	14.00
1120	2.00	2.00	2.00	2.00	2.00	2.00	2.00	12.00	8.00
1121	10.00	8.00	9.00	8.00	9.00	9.00	9.00	26.00	22.00
1123	1.00	1.00	1.00	1.00	1.00	1.00	1.00	10.00	7.00
1124	3.00	3.00	3.00	3.00	3.00	3.00	3.00	14.00	11.00
1125	2.00	2.00	2.00	2.00	2.00	2.00	2.00	7.00	4.00
1128	5.00	5.00	5.00	5.00	5.00	5.00	5.00	12.00	8.00
1129	1.00	1.00	1.00	1.00	1.00	1.00	1.00	19.00	14.00
1130	2.00	3.00	2.00	3.00	3.00	3.00	3.00	28.00	14.00
1131	10.00	11.00	10.00	10.00	11.00	12.00	12.00	67.00	39.00
1132	2.00	2.00	2.00	2.00	2.00	3.00	3.00	18.00	11.00
1133	0.00	0.00	0.00	0.00	0.00	0.00	0.00	13.00	10.00
1134	7.00	7.00	7.00	7.00	7.00	8.00	8.00	38.00	20.00
1135	1.00	1.00	1.00	1.00	1.00	1.00	1.00	12.00	7.00
1136	10.00	10.00	10.00	11.00	11.00	11.00	12.00	45.00	21.00
1137	4.00	4.00	4.00	5.00	4.00	4.00	4.00	31.00	21.00
1138	2.00	2.00	2.00	2.00	2.00	2.00	2.00	25.00	15.00
1139	3.00	3.00	3.00	2.00	3.00	3.00	3.00	16.00	10.00
1140	7.00	6.00	7.00	7.00	7.00	7.00	7.00	22.00	12.00
1141	3.00	3.00	3.00	3.00	3.00	3.00	3.00	7.00	4.00
1142	7.00	8.00	8.00	8.00	8.00	9.00	8.00	66.00	41.00
1143	3.00	3.00	3.00	3.00	3.00	3.00	3.00	16.00	10.00
1144	1.00	1.00	1.00	1.00	1.00	1.00	1.00	8.00	5.00
1145	8.00	8.00	9.00	9.00	9.00	10.00	10.00	81.00	39.00
1146	13.00	13.00	14.00	14.00	15.00	15.00	16.00	99.00	48.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HSPROJ9	KSPROJ10	ESPROJ10	MSPROJ10	HSPROJ10	KSPROJ11	ESPROJ11	MSPROJ11	HSPROJ11	KSPROJ12
1111	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1112	30.00	8.00	65.00	30.00	31.00	8.00	63.00	32.00	32.00	8.00
1113	18.00	6.00	26.00	12.00	17.00	6.00	26.00	12.00	17.00	6.00
1114	15.00	1.00	14.00	9.00	15.00	1.00	13.00	9.00	15.00	1.00
1115	9.00	1.00	8.00	6.00	9.00	1.00	11.00	6.00	9.00	1.00
1116	14.00	1.00	23.00	11.00	15.00	1.00	23.00	11.00	15.00	1.00
1117	12.00	1.00	10.00	7.00	11.00	1.00	10.00	7.00	12.00	1.00
1119	18.00	2.00	20.00	15.00	18.00	2.00	21.00	15.00	19.00	2.00
1120	14.00	2.00	12.00	8.00	14.00	1.00	11.00	9.00	14.00	1.00
1121	35.00	9.00	26.00	22.00	35.00	9.00	26.00	21.00	34.00	9.00
1123	13.00	1.00	10.00	7.00	13.00	1.00	10.00	7.00	13.00	1.00
1124	19.00	3.00	14.00	11.00	19.00	3.00	14.00	11.00	19.00	3.00
1125	7.00	1.00	7.00	5.00	7.00	1.00	7.00	5.00	7.00	1.00
1128	16.00	4.00	12.00	8.00	16.00	4.00	12.00	8.00	15.00	4.00
1129	26.00	1.00	19.00	13.00	26.00	1.00	19.00	13.00	25.00	1.00
1130	20.00	3.00	29.00	15.00	20.00	3.00	30.00	16.00	21.00	3.00
1131	49.00	13.00	69.00	41.00	51.00	13.00	71.00	41.00	52.00	12.00
1132	17.00	3.00	18.00	11.00	17.00	3.00	19.00	11.00	17.00	3.00
1133	18.00	0.00	13.00	10.00	18.00	0.00	13.00	10.00	18.00	0.00
1134	22.00	8.00	39.00	20.00	23.00	8.00	41.00	20.00	23.00	8.00
1135	11.00	1.00	12.00	7.00	11.00	1.00	12.00	7.00	11.00	1.00
1136	22.00	13.00	47.00	23.00	22.00	13.00	50.00	24.00	24.00	14.00
1137	26.00	4.00	31.00	22.00	26.00	4.00	31.00	22.00	27.00	5.00
1138	17.00	2.00	25.00	15.00	18.00	2.00	25.00	15.00	18.00	2.00
1139	16.00	3.00	17.00	10.00	16.00	3.00	17.00	10.00	15.00	3.00
1140	15.00	7.00	22.00	12.00	15.00	7.00	22.00	12.00	16.00	7.00
1141	5.00	3.00	7.00	4.00	5.00	4.00	7.00	4.00	5.00	4.00
1142	51.00	8.00	67.00	41.00	51.00	8.00	69.00	41.00	53.00	8.00
1143	15.00	3.00	16.00	10.00	15.00	4.00	16.00	10.00	15.00	4.00
1144	7.00	1.00	8.00	5.00	7.00	1.00	8.00	5.00	7.00	1.00
1145	40.00	11.00	85.00	41.00	41.00	11.00	90.00	43.00	43.00	11.00
1146	48.00	17.00	105.00	51.00	50.00	17.00	110.00	53.00	53.00	18.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	ESPROJ12	MSPROJ12	HSPROJ12	KSPROJ13	ESPROJ13	MSPROJ13	HSPROJ13	KSPROJ14	ESPROJ14	MSPROJ14	HSPROJ14
1111	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1112	71.00	33.00	34.00	8.00	69.00	34.00	35.00	8.00	68.00	34.00	36.00
1113	26.00	13.00	17.00	7.00	27.00	13.00	17.00	7.00	27.00	13.00	17.00
1114	13.00	9.00	15.00	1.00	12.00	9.00	15.00	1.00	12.00	9.00	15.00
1115	14.00	6.00	9.00	1.00	13.00	6.00	9.00	1.00	13.00	6.00	9.00
1116	23.00	11.00	15.00	1.00	22.00	12.00	15.00	1.00	22.00	12.00	15.00
1117	10.00	7.00	12.00	1.00	9.00	7.00	12.00	1.00	9.00	7.00	12.00
1119	20.00	15.00	19.00	2.00	22.00	15.00	19.00	3.00	24.00	15.00	20.00
1120	11.00	8.00	15.00	1.00	10.00	8.00	15.00	1.00	10.00	8.00	15.00
1121	26.00	20.00	35.00	9.00	26.00	20.00	34.00	10.00	27.00	20.00	34.00
1123	9.00	7.00	13.00	1.00	9.00	7.00	13.00	1.00	8.00	7.00	13.00
1124	14.00	11.00	18.00	3.00	14.00	11.00	18.00	3.00	14.00	11.00	18.00
1125	6.00	5.00	7.00	1.00	6.00	5.00	7.00	1.00	6.00	5.00	7.00
1128	11.00	8.00	16.00	4.00	11.00	8.00	16.00	4.00	10.00	8.00	16.00
1129	18.00	13.00	26.00	1.00	17.00	13.00	26.00	1.00	16.00	13.00	26.00
1130	30.00	16.00	22.00	3.00	30.00	17.00	22.00	3.00	30.00	17.00	23.00
1131	72.00	42.00	55.00	11.00	73.00	43.00	57.00	12.00	72.00	44.00	59.00
1132	19.00	12.00	18.00	3.00	19.00	12.00	18.00	3.00	19.00	12.00	19.00
1133	13.00	10.00	18.00	0.00	13.00	10.00	18.00	0.00	14.00	10.00	19.00
1134	41.00	21.00	24.00	7.00	42.00	21.00	25.00	8.00	41.00	22.00	25.00
1135	12.00	7.00	11.00	1.00	13.00	7.00	11.00	1.00	13.00	8.00	11.00
1136	52.00	25.00	24.00	14.00	54.00	26.00	26.00	14.00	55.00	27.00	27.00
1137	31.00	22.00	27.00	5.00	31.00	22.00	28.00	5.00	32.00	22.00	29.00
1138	26.00	15.00	19.00	2.00	26.00	15.00	19.00	2.00	27.00	15.00	19.00
1139	17.00	10.00	15.00	3.00	17.00	11.00	15.00	3.00	17.00	11.00	15.00
1140	23.00	13.00	16.00	7.00	23.00	13.00	16.00	7.00	23.00	13.00	16.00
1141	7.00	4.00	5.00	4.00	7.00	4.00	5.00	4.00	8.00	4.00	5.00
1142	69.00	41.00	53.00	8.00	70.00	41.00	55.00	9.00	71.00	42.00	55.00
1143	17.00	10.00	15.00	4.00	17.00	10.00	15.00	4.00	17.00	10.00	15.00
1144	8.00	5.00	7.00	1.00	8.00	5.00	7.00	1.00	9.00	5.00	7.00
1145	93.00	45.00	45.00	12.00	97.00	46.00	47.00	12.00	99.00	48.00	49.00
1146	116.00	54.00	55.00	18.00	118.00	57.00	57.00	19.00	121.00	58.00	59.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	ES_PASS_RE	ES_TAKE_RE	ES_READ_PC	MS_PASS_RE	MS_TAKE_RE	MS_READ_PC	HS_PASS_RE	HS_TAKE_RE
1111								
1112	*	*	>=95	*	*	86	*	*
1113	*	*	>=95	*	*	>=95	*	*
1114	*	*	>=95	*	*	88	*	*
1115	*	*	>=95	*	*	>=95	*	*
1116	0	0	<=5	*	*	>=95	*	*
1117	*	*	50	*	*	>=95	*	*
1119	*	*	>=95	*	*	>=95	*	*
1120	*	*	>=95	*	*	>=95	*	*
1121	*	*	>=95	*	*	56	*	*
1123	*	*	>=95	*	*	83	*	*
1124	*	*	67	*	*	78	*	*
1125	0	0	<=5				*	*
1128	*	*	>=95	*	*	91	*	*
1129	*	*	>=95	*	*	86	*	*
1130	*	*	80	*	*	>=95	*	*
1131	*	*	>=95	*	*	78	*	*
1132	*	*	>=95	11	11	>=95	*	*
1133	0	0	<=5	10	10	>=95	*	*
1134	*	*	>=95	*	*	89	*	*
1135	*	*	>=95	*	*	71	*	*
1136	*	*	<=5	*	*	>=95	*	*
1137	*	*	<=5	*	*	>=95	*	*
1138	*	*	<=5	*	*	>=95	*	*
1139	0	0	<=5	*	*	75	*	*
1140	*	*	>=95	*	*	50	0	0
1141	0	0	<=5					
1142	*	*	>=95	*	*	60	*	*
1143	*	*	>=95	*	*	>=95	*	*
1144	0	0	<=5				*	*
1145	*	*	75	*	*	92	*	*
1146	*	*	67	*	*	75	*	*

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HS_READ_PC	ES_PASS_MA	ES_TAKE_MA	ES_MATH_PC	MS_PASS_MA	MS_TAKE_MA	MS_MATH_PC	HS_PASS_MA
1111								
1112	80	*	*	67	*	*	86	*
1113	78	*	*	50	*	*	25	*
1114	>=95	*	*	>=95	*	*	>=95	*
1115	>=95	*	*	>=95	*	*	>=95	*
1116	75	0	0	<=5	*	*	20	*
1117	57	*	*	>=95	*	*	>=95	*
1119	63	*	*	>=95	*	*	>=95	*
1120	86	*	*	>=95	*	*	83	*
1121	78	*	*	>=95	*	*	>=95	*
1123	>=95	*	*	<=5	*	*	>=95	*
1124	>=95	*	*	>=95	*	*	67	*
1125	80	0	0	<=5				*
1128	75	*	*	>=95	11	11	>=95	*
1129	69	*	*	>=95	*	*	64	*
1130	69	*	*	>=95	*	*	50	*
1131	71	*	*	80	*	*	67	*
1132	67	*	*	>=95	*	*	64	*
1133	82	0	0	<=5	*	*	60	*
1134	>=95	*	*	>=95	*	*	89	*
1135	44	*	*	>=95	*	*	71	*
1136	67	*	*	>=95	*	*	50	*
1137	86	*	*	>=95	*	*	25	*
1138	>=95	*	*	>=95	*	*	50	*
1139	>=95	0	0	<=5	*	*	75	*
1140	<=5	*	*	<=5	*	*	50	0
1141		0	0	<=5				
1142	80	*	*	50	*	*	60	*
1143	80	*	*	75	*	*	67	*
1144	>=95	0	0	<=5				*
1145	>=95	*	*	>=95	*	*	83	*
1146	88	*	*	67	*	*	50	*

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HS_TAKE_MA	HS_MATH_PC	DONE
1111			
1112	*	60	
1113	*	89	
1114	*	88	
1115	*	>=95	
1116	*	25	
1117	*	43	
1119	*	>=95	
1120	*	57	
1121	*	44	
1123	*	40	
1124	*	44	
1125	*	60	
1128	*	83	
1129	*	69	
1130	*	62	
1131	*	43	
1132	*	50	
1133	*	55	
1134	*	78	
1135	*	78	
1136	*	33	
1137	*	43	
1138	*	50	
1139	*	50	
1140		0 <=5	
1141			
1142	*	40	
1143	*	40	
1144	*	67	
1145	*	63	
1146	*	38	

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

OBJECTID	PLAN_ID	ES_HOME	MS_HOME	HS_HOME	PHASEOUT
	1147	Centennial Lane ES	Burleigh Manor MS	Centennial HS	
	1148	Northfield ES	Dunloggin MS	Wilde Lake HS	
	1150	Northfield ES	Dunloggin MS	Centennial HS	
	1151	Thunder Hill ES	Oakland Mills MS	Oakland Mills HS	
	1152	Northfield ES	Dunloggin MS	Wilde Lake HS	
	1153	Northfield ES	Burleigh Manor MS	Centennial HS	
	1154	Northfield ES	Burleigh Manor MS	Centennial HS	
	1155	Northfield ES	Dunloggin MS	Centennial HS	
	1156	Centennial Lane ES	Burleigh Manor MS	Centennial HS	
	1157	Manor Woods ES	Burleigh Manor MS	Marriotts Ridge HS	
	1159	St Johns Lane ES	Patapsco MS	Mt Hebron HS	
	1160	Waverly ES	Patapsco MS	Mt Hebron HS	
	1161	St Johns Lane ES	Patapsco MS	Mt Hebron HS	
	1162	Waverly ES	Patapsco MS	Mt Hebron HS	
	1163	Waverly ES	Mount View MS	Marriotts Ridge HS	
	1164	Manor Woods ES	Burleigh Manor MS	Marriotts Ridge HS	
	1165	Waverly ES	Mount View MS	Marriotts Ridge HS	
	1166	Waverly ES	Mount View MS	Marriotts Ridge HS	
	1168	Manor Woods ES	Mount View MS	Marriotts Ridge HS	
	1169	Waverly ES	Mount View MS	Marriotts Ridge HS	
	1170	Manor Woods ES	Mount View MS	Marriotts Ridge HS	
	1171	Manor Woods ES	Burleigh Manor MS	Marriotts Ridge HS	
	1172	Swansfield ES	Harpers Choice MS	Wilde Lake HS	
	1173	Centennial Lane ES	Burleigh Manor MS	Centennial HS	
	1174	Swansfield ES	Harpers Choice MS	Wilde Lake HS	
	1175	Longfellow ES	Harpers Choice MS	Wilde Lake HS	
	1176	Clarksville ES	Folly Quarter MS	River Hill HS	
	1177	Longfellow ES	Harpers Choice MS	Wilde Lake HS	
	1178	Manor Woods ES	Mount View MS	Marriotts Ridge HS	
	1179	Manor Woods ES	Mount View MS	Marriotts Ridge HS	
	1180	Triadelphia Ridge ES	Folly Quarter MS	River Hill HS	
	1181	Triadelphia Ridge ES	Folly Quarter MS	River Hill HS	

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	FARM_POP	ESPROJ1	MSPROJ1	HSPROJ1	ESPROJ2	MSPROJ2	HSPROJ2	ESPROJ3	MSPROJ3
1147	*	0	0	0	0	0	0	0	0
1148	*	72	34	39	75	37	42	74	39
1150	*	70	41	56	73	40	59	77	41
1151	23	103	51	52	102	58	55	97	59
1152	*	24	11	12	25	12	13	24	13
1153	*	16	16	32	17	15	30	17	14
1154	*	13	10	14	14	10	15	14	10
1155	*	7	5	9	7	4	9	7	4
1156	*	22	17	25	22	17	25	21	17
1157	*	25	18	24	26	19	25	26	19
1159	*	42	30	37	42	28	37	44	27
1160	*	5	2	4	5	3	4	5	3
1161	*	58	38	48	61	36	49	64	36
1162	*	27	17	32	27	17	29	27	16
1163	*	22	19	29	21	18	29	21	17
1164	*	25	17	24	26	18	24	26	18
1165	*	13	11	15	13	10	16	13	10
1166	*	12	10	14	12	10	14	12	9
1168	*	36	26	40	37	26	39	37	27
1169	*	21	19	27	20	18	27	20	17
1170	*	42	29	43	43	30	43	44	30
1171	*	0	0	0	0	0	0	19	1
1172	*	9	5	5	9	5	6	9	5
1173	*	21	17	26	21	17	27	20	17
1174	*	4	3	6	4	3	5	4	3
1175	*	7	6	9	6	5	9	6	5
1176	*	1	0	0	1	0	0	1	1
1177	*	8	6	4	8	5	5	8	5
1178	*	0	0	1	0	0	1	0	0
1179	*	16	12	19	16	12	19	16	12
1180	*	4	3	3	4	3	3	4	3
1181	*	1	0	0	1	0	0	1	1

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HSPROJ3	ESPROJ4	MSPROJ4	HSPROJ4	ESPROJ5	MSPROJ5	HSPROJ5	KSPROJ1	KSPROJ2
1147	0	0	0	0	0	0	0	0.00	0.00
1148	44	73	40	47	74	42	47	12.00	12.00
1150	61	77	42	63	77	44	64	16.00	15.00
1151	59	94	59	64	95	57	70	17.00	14.00
1152	14	24	13	15	25	14	15	7.00	6.00
1153	30	17	15	29	17	14	28	2.00	2.00
1154	15	14	11	16	14	11	16	1.00	1.00
1155	8	7	4	8	8	4	8	3.00	3.00
1156	26	21	18	27	21	17	27	6.00	5.00
1157	25	27	20	26	28	20	26	4.00	4.00
1159	38	43	27	38	44	28	38	7.00	8.00
1160	4	5	3	4	4	3	4	0.00	0.00
1161	49	64	37	49	66	39	50	12.00	15.00
1162	27	26	16	27	25	17	26	6.00	6.00
1163	28	21	17	28	20	17	27	2.00	2.00
1164	25	27	19	25	28	19	25	4.00	5.00
1165	15	12	10	15	12	10	15	7.00	8.00
1166	14	11	9	14	11	9	14	1.00	1.00
1168	39	39	27	39	40	28	39	4.00	5.00
1169	27	20	17	27	19	17	26	6.00	6.00
1170	43	46	31	43	47	32	44	4.00	5.00
1171	1	40	5	2	62	11	3	0.00	0.00
1172	6	9	5	6	9	5	6	4.00	5.00
1173	27	20	17	28	20	17	28	7.00	6.00
1174	5	4	2	5	4	3	4	1.00	1.00
1175	8	6	4	8	6	4	8	2.00	2.00
1176	0	1	1	0	1	1	0	0.00	0.00
1177	6	8	5	6	8	5	6	2.00	2.00
1178	1	1	0	1	1	0	0	1.00	1.00
1179	19	17	12	18	18	12	18	0.00	0.00
1180	4	4	3	4	4	3	4	2.00	3.00
1181	0	1	1	0	1	1	0	0.00	0.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	KSPROJ3	KSPROJ4	KSPROJ5	KSPROJ6	KSPROJ7	KSPROJ8	KSPROJ9	ESPROJ9	MSPROJ9
1147	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1148	10.00	10.00	10.00	9.00	11.00	11.00	11.00	73.00	43.00
1150	12.00	13.00	12.00	13.00	14.00	16.00	13.00	76.00	45.00
1151	15.00	15.00	15.00	15.00	15.00	15.00	16.00	92.00	57.00
1152	5.00	6.00	5.00	6.00	6.00	6.00	6.00	24.00	14.00
1153	2.00	2.00	2.00	2.00	2.00	2.00	2.00	17.00	15.00
1154	1.00	1.00	1.00	1.00	1.00	1.00	1.00	14.00	11.00
1155	3.00	3.00	3.00	3.00	3.00	3.00	3.00	7.00	4.00
1156	5.00	6.00	5.00	5.00	5.00	5.00	5.00	20.00	18.00
1157	5.00	4.00	4.00	4.00	4.00	4.00	4.00	29.00	22.00
1159	7.00	8.00	8.00	8.00	8.00	8.00	8.00	52.00	29.00
1160	0.00	0.00	0.00	0.00	0.00	0.00	0.00	7.00	3.00
1161	14.00	16.00	15.00	15.00	16.00	19.00	18.00	77.00	42.00
1162	5.00	6.00	5.00	5.00	5.00	6.00	6.00	25.00	17.00
1163	2.00	2.00	2.00	2.00	2.00	2.00	2.00	19.00	16.00
1164	5.00	4.00	4.00	4.00	4.00	4.00	4.00	29.00	22.00
1165	6.00	7.00	7.00	7.00	7.00	7.00	7.00	11.00	10.00
1166	1.00	1.00	1.00	1.00	1.00	1.00	1.00	11.00	9.00
1168	5.00	4.00	4.00	4.00	4.00	4.00	4.00	43.00	30.00
1169	5.00	6.00	5.00	5.00	5.00	6.00	6.00	18.00	16.00
1170	5.00	4.00	4.00	4.00	4.00	4.00	3.00	48.00	34.00
1171	5.00	7.00	10.00	12.00	15.00	17.00	19.00	148.00	42.00
1172	4.00	4.00	4.00	4.00	4.00	5.00	5.00	10.00	6.00
1173	7.00	7.00	6.00	6.00	6.00	6.00	6.00	19.00	17.00
1174	1.00	1.00	1.00	1.00	1.00	1.00	1.00	4.00	2.00
1175	2.00	2.00	2.00	2.00	2.00	2.00	2.00	6.00	4.00
1176	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	1.00
1177	2.00	2.00	2.00	2.00	2.00	2.00	2.00	8.00	5.00
1178	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.00
1179	0.00	0.00	0.00	0.00	0.00	0.00	0.00	18.00	13.00
1180	2.00	2.00	2.00	2.00	2.00	2.00	2.00	4.00	3.00
1181	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	1.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HSPROJ9	KSPROJ10	ESPROJ10	MSPROJ10	HSPROJ10	KSPROJ11	ESPROJ11	MSPROJ11	HSPROJ11	KSPROJ12
1147	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1148	52.00	11.00	72.00	42.00	52.00	11.00	71.00	43.00	55.00	10.00
1150	69.00	14.00	76.00	45.00	70.00	15.00	75.00	45.00	71.00	12.00
1151	76.00	16.00	92.00	55.00	74.00	16.00	94.00	55.00	75.00	16.00
1152	17.00	6.00	24.00	14.00	17.00	6.00	24.00	14.00	18.00	6.00
1153	26.00	2.00	16.00	15.00	26.00	2.00	17.00	14.00	27.00	2.00
1154	17.00	1.00	13.00	11.00	17.00	1.00	13.00	11.00	17.00	1.00
1155	8.00	3.00	8.00	4.00	8.00	3.00	8.00	4.00	8.00	3.00
1156	28.00	5.00	20.00	18.00	28.00	5.00	20.00	18.00	29.00	5.00
1157	29.00	3.00	28.00	22.00	29.00	3.00	28.00	22.00	29.00	3.00
1159	40.00	8.00	51.00	31.00	40.00	8.00	50.00	31.00	41.00	8.00
1160	5.00	0.00	7.00	4.00	5.00	0.00	7.00	4.00	5.00	0.00
1161	55.00	18.00	76.00	44.00	55.00	20.00	79.00	45.00	56.00	19.00
1162	26.00	6.00	25.00	17.00	26.00	6.00	25.00	17.00	26.00	6.00
1163	27.00	2.00	19.00	16.00	26.00	2.00	19.00	16.00	27.00	2.00
1164	28.00	3.00	29.00	22.00	28.00	3.00	29.00	23.00	29.00	3.00
1165	15.00	8.00	11.00	10.00	15.00	8.00	11.00	9.00	15.00	8.00
1166	14.00	1.00	11.00	9.00	14.00	1.00	12.00	9.00	14.00	1.00
1168	41.00	3.00	42.00	31.00	41.00	3.00	42.00	30.00	42.00	4.00
1169	26.00	6.00	18.00	16.00	26.00	6.00	18.00	15.00	26.00	6.00
1170	47.00	3.00	47.00	35.00	46.00	3.00	47.00	34.00	47.00	3.00
1171	16.00	20.00	170.00	50.00	20.00	18.00	169.00	57.00	24.00	17.00
1172	7.00	5.00	10.00	6.00	7.00	5.00	10.00	6.00	7.00	5.00
1173	28.00	6.00	19.00	17.00	28.00	6.00	19.00	17.00	28.00	6.00
1174	4.00	1.00	4.00	2.00	4.00	1.00	4.00	2.00	4.00	1.00
1175	7.00	2.00	6.00	4.00	7.00	2.00	6.00	4.00	7.00	2.00
1176	1.00	0.00	3.00	1.00	1.00	0.00	3.00	1.00	1.00	0.00
1177	6.00	2.00	8.00	5.00	6.00	2.00	8.00	5.00	7.00	2.00
1178	0.00	1.00	1.00	1.00	0.00	1.00	1.00	1.00	0.00	1.00
1179	19.00	0.00	18.00	13.00	19.00	0.00	18.00	13.00	19.00	0.00
1180	4.00	2.00	4.00	3.00	4.00	2.00	4.00	2.00	4.00	2.00
1181	1.00	0.00	1.00	1.00	1.00	0.00	1.00	1.00	1.00	0.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	ESPROJ12	MSPROJ12	HSPROJ12	KSPROJ13	ESPROJ13	MSPROJ13	HSPROJ13	KSPROJ14	ESPROJ14	MSPROJ14	HSPROJ14
1147	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1148	72.00	43.00	56.00	10.00	71.00	43.00	57.00	9.00	73.00	44.00	58.00
1150	75.00	46.00	72.00	13.00	75.00	45.00	73.00	13.00	76.00	46.00	73.00
1151	95.00	55.00	76.00	17.00	96.00	55.00	75.00	17.00	98.00	56.00	74.00
1152	24.00	14.00	18.00	6.00	24.00	14.00	18.00	6.00	24.00	14.00	19.00
1153	16.00	14.00	27.00	2.00	17.00	14.00	27.00	2.00	17.00	14.00	26.00
1154	13.00	11.00	18.00	1.00	13.00	11.00	18.00	1.00	13.00	11.00	18.00
1155	8.00	4.00	8.00	3.00	8.00	4.00	8.00	3.00	8.00	5.00	8.00
1156	20.00	17.00	29.00	5.00	20.00	17.00	29.00	6.00	20.00	17.00	29.00
1157	28.00	22.00	29.00	3.00	27.00	22.00	30.00	3.00	25.00	22.00	30.00
1159	50.00	31.00	41.00	8.00	49.00	31.00	41.00	8.00	48.00	31.00	41.00
1160	7.00	4.00	5.00	0.00	7.00	4.00	5.00	0.00	7.00	4.00	5.00
1161	78.00	46.00	56.00	18.00	76.00	45.00	57.00	19.00	75.00	45.00	57.00
1162	28.00	17.00	26.00	6.00	30.00	17.00	26.00	6.00	31.00	17.00	26.00
1163	20.00	16.00	26.00	2.00	20.00	16.00	26.00	2.00	21.00	16.00	26.00
1164	28.00	22.00	29.00	3.00	30.00	22.00	29.00	3.00	28.00	23.00	30.00
1165	11.00	9.00	15.00	8.00	12.00	9.00	15.00	8.00	12.00	9.00	15.00
1166	12.00	9.00	14.00	1.00	12.00	9.00	14.00	1.00	13.00	9.00	14.00
1168	41.00	30.00	42.00	3.00	40.00	30.00	42.00	3.00	38.00	31.00	43.00
1169	18.00	15.00	25.00	6.00	18.00	15.00	25.00	6.00	19.00	15.00	25.00
1170	46.00	35.00	47.00	3.00	44.00	34.00	48.00	2.00	42.00	35.00	48.00
1171	165.00	63.00	29.00	16.00	158.00	68.00	33.00	15.00	150.00	73.00	38.00
1172	11.00	6.00	7.00	5.00	11.00	6.00	7.00	5.00	11.00	6.00	8.00
1173	19.00	17.00	29.00	7.00	19.00	16.00	29.00	7.00	19.00	17.00	29.00
1174	5.00	2.00	4.00	1.00	5.00	3.00	4.00	1.00	5.00	3.00	4.00
1175	6.00	4.00	7.00	2.00	7.00	4.00	7.00	2.00	7.00	4.00	7.00
1176	3.00	1.00	1.00	0.00	3.00	1.00	1.00	0.00	3.00	1.00	1.00
1177	8.00	5.00	7.00	2.00	8.00	5.00	7.00	2.00	8.00	5.00	7.00
1178	1.00	1.00	0.00	1.00	0.00	1.00	1.00	1.00	0.00	1.00	1.00
1179	17.00	13.00	19.00	0.00	17.00	13.00	19.00	0.00	16.00	13.00	19.00
1180	4.00	3.00	4.00	2.00	4.00	3.00	4.00	2.00	4.00	3.00	4.00
1181	1.00	1.00	1.00	0.00	1.00	1.00	1.00	0.00	1.00	1.00	1.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HS_TAKE_MA	HS_MATH_PC	DONE
1147			
1148	*	94	
1150	*	72	
1151	*	55	
1152	*	50	
1153	*	76	
1154	*	60	
1155	*	75	
1156	*	67	
1157	19	>=95	
1159	*	55	
1160	*	>=95	
1161	*	80	
1162	*	74	
1163	*	63	
1164	*	78	
1165	*	67	
1166	*	88	
1168	31	58	
1169	*	80	
1170	34	62	
1171			
1172	*	50	
1173	*	76	
1174	*	>=95	
1175	*	67	
1176			
1177			
1178			
1179	*	50	
1180			
1181			

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

OBJECTID	PLAN_ID	ES_HOME	MS_HOME	HS_HOME	PHASEOUT
	1182	Triadelphia Ridge ES	Folly Quarter MS	River Hill HS	
	1183	Triadelphia Ridge ES	Folly Quarter MS	River Hill HS	
	1184	Centennial Lane ES	Burleigh Manor MS	Centennial HS	
	1185	Clarksville ES	Clarksville MS	River Hill HS	
	1186	Clarksville ES	Clarksville MS	River Hill HS	
	1187	Clarksville ES	Clarksville MS	River Hill HS	
	1188	Clarksville ES	Clarksville MS	River Hill HS	
	1189	Pointers Run ES	Clarksville MS	River Hill HS	
	1190	Pointers Run ES	Clarksville MS	Atholton HS	
	1191	Veterans ES	Dunloggin MS	Centennial HS	
	1192	Pointers Run ES	Lime Kiln MS	River Hill HS	
	1193	Dayton Oaks ES	Lime Kiln MS	River Hill HS	
	1194	Dayton Oaks ES	Lime Kiln MS	River Hill HS	
	1195	Dayton Oaks ES	Lime Kiln MS	River Hill HS	
	1196	Dayton Oaks ES	Lime Kiln MS	River Hill HS	
	1198	Dayton Oaks ES	Lime Kiln MS	River Hill HS	
	1199	Dayton Oaks ES	Folly Quarter MS	River Hill HS	
	1200	Dayton Oaks ES	Folly Quarter MS	River Hill HS	
	1201	Dayton Oaks ES	Folly Quarter MS	River Hill HS	
	1202	Dayton Oaks ES	Folly Quarter MS	River Hill HS	
	1204	Running Brook ES	Wilde Lake MS	Wilde Lake HS	
	1205	Dayton Oaks ES	Folly Quarter MS	Glenelg HS	
	1206	Dayton Oaks ES	Folly Quarter MS	Glenelg HS	
	1207	Dayton Oaks ES	Folly Quarter MS	Glenelg HS	
	1208	Dayton Oaks ES	Folly Quarter MS	Glenelg HS	
	1210	Triadelphia Ridge ES	Folly Quarter MS	Glenelg HS	
	1215	Bushy Park ES	Glenwood MS	Glenelg HS	
	1216	Bushy Park ES	Folly Quarter MS	Glenelg HS	
	1218	Triadelphia Ridge ES	Folly Quarter MS	Glenelg HS	
	1220	Bushy Park ES	Folly Quarter MS	Glenelg HS	
	1221	Fulton ES	Hammond MS	Reservoir HS	
	1222	Triadelphia Ridge ES	Folly Quarter MS	Glenelg HS	

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	STUDNT_POP	GR0_POP	GR1_POP	GR2_POP	GR3_	GR4_	GR5_	GR6_	GR7_	GR8_	GR9_	GR10	GR11_POP	GR12_POP
1182	68	2	6	6	4	6	8	3	3	3	8	4	9	6
1183	83	2	4	4	7	8	5	5	11	6	8	9	6	8
1184	84	1	5	8	5	4	10	7	5	8	10	3	8	10
1185	65	1	4	6	3	5	9	5	1	8	4	6	5	8
1186	190	9	13	19	13	13	22	22	12	10	12	14	17	14
1187	158	7	5	6	11	8	14	14	14	18	19	19	15	8
1188	69	4	3	0	4	4	4	2	11	7	10	8	6	6
1189	210	10	10	14	11	13	15	9	26	17	18	25	16	26
1190	88	2	2	4	9	8	5	8	5	11	5	14	8	7
1191	19	1	3	0	1	0	3	1	1	3	0	1	2	3
1192	63	1	2	1	6	3	4	7	8	6	7	2	9	7
1193	31	1	0	4	4	0	2	1	5	1	5	2	5	1
1194	84	4	3	7	7	7	7	9	6	7	4	5	11	7
1195	42	3	4	2	2	4	1	2	8	3	7	4	2	0
1196	24	5	0	2	4	3	0	2	0	1	2	2	1	2
1198	11	0	0	1	1	1	0	1	2	1	0	4	0	0
1199	43	2	6	3	0	3	3	0	7	4	1	5	4	5
1200	66	7	5	3	8	4	5	4	5	4	12	1	4	4
1201	28	1	3	2	1	2	2	1	1	0	5	3	3	4
1202	35	3	3	2	3	2	2	2	1	1	7	1	2	6
1204	27	1	3	2	3	1	1	3	3	3	5	0	1	1
1205	98	2	3	2	7	6	8	6	10	7	10	12	10	15
1206	50	3	1	4	1	3	4	6	4	3	6	4	4	7
1207	79	9	7	4	8	9	3	8	5	6	1	7	4	8
1208	71	4	9	7	7	5	7	6	2	7	6	5	2	4
1210	32	5	0	2	3	1	1	3	2	4	3	1	4	3
1215	40	0	3	4	2	7	0	4	4	3	4	3	2	4
1216	89	2	6	6	4	4	11	8	10	11	5	12	4	6
1218	13	1	1	2	0	1	2	0	1	1	2	0	2	0
1220	48	6	5	3	4	5	0	6	1	5	4	4	1	4
1221	55	7	2	3	3	2	2	5	5	10	2	2	6	6
1222	105	4	5	4	7	4	9	8	6	8	9	14	10	17

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	FARM_POP	ESPROJ1	MSPROJ1	HSPROJ1	ESPROJ2	MSPROJ2	HSPROJ2	ESPROJ3	MSPROJ3
1182	*	27	15	22	27	16	22	27	17
1183	*	27	20	33	27	19	32	27	19
1184	*	31	22	31	31	23	32	29	23
1185	*	26	17	23	26	17	23	25	18
1186	*	80	52	64	81	53	68	78	58
1187	*	40	37	66	39	34	62	38	33
1188	*	14	14	31	13	13	28	13	12
1189	*	61	48	86	61	46	81	59	47
1190	*	28	22	38	27	21	39	26	21
1191	*	7	4	7	7	4	7	7	4
1192	*	16	15	28	16	13	26	15	13
1193	*	10	7	12	9	7	12	9	6
1194	*	31	21	30	29	20	30	29	20
1195	*	13	10	16	13	9	16	13	9
1196	*	9	5	6	9	5	6	8	5
1198	*	3	3	5	3	2	5	3	2
1199	*	16	10	16	16	10	16	16	11
1200	*	25	15	21	24	15	21	23	16
1201	*	10	5	10	9	5	9	9	6
1202	*	12	6	12	12	7	11	12	7
1204	*	10	8	12	11	7	12	12	7
1205	*	27	19	39	25	18	36	25	18
1206	*	13	10	19	12	9	18	12	9
1207	*	31	20	21	29	19	24	29	20
1208	*	35	20	18	35	21	21	34	22
1210	*	6	6	11	6	5	10	6	5
1215	*	15	11	13	14	11	14	14	11
1216	*	29	24	31	28	21	32	26	21
1218	*	5	3	3	5	3	4	5	3
1220	*	18	12	14	19	12	15	19	12
1221	*	13	12	20	13	10	20	13	9
1222	*	27	20	40	26	19	37	27	19

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HSPROJ3	ESPROJ4	MSPROJ4	HSPROJ4	ESPROJ5	MSPROJ5	HSPROJ5	KSPROJ1	KSPROJ2
1182	22	26	17	23	26	17	23	2.00	3.00
1183	31	26	19	30	26	18	29	2.00	3.00
1184	34	29	24	35	29	23	35	1.00	1.00
1185	24	25	18	24	26	18	24	2.00	1.00
1186	69	80	56	73	83	55	74	17.00	13.00
1187	59	39	32	57	38	30	55	10.00	7.00
1188	25	13	12	24	13	11	23	6.00	4.00
1189	76	59	45	76	59	44	74	11.00	11.00
1190	38	26	21	38	26	20	37	2.00	2.00
1191	7	7	4	7	7	4	7	1.00	1.00
1192	24	23	12	24	23	13	23	1.00	1.00
1193	11	9	6	11	9	6	10	1.00	1.00
1194	30	27	20	30	28	20	29	5.00	3.00
1195	15	12	9	15	12	9	14	3.00	2.00
1196	7	8	5	7	8	5	7	6.00	4.00
1198	4	3	2	4	3	2	4	0.00	0.00
1199	15	14	10	15	16	10	15	2.00	2.00
1200	21	34	16	22	35	17	22	9.00	6.00
1201	9	9	6	9	9	6	9	1.00	1.00
1202	11	11	7	11	11	7	11	3.00	2.00
1204	11	13	7	11	14	7	10	1.00	1.00
1205	33	24	18	31	25	17	30	2.00	2.00
1206	16	11	9	15	12	9	15	3.00	2.00
1207	24	27	20	24	28	19	25	11.00	8.00
1208	22	31	22	23	33	21	25	5.00	3.00
1210	10	6	5	9	6	5	9	6.00	6.00
1215	14	13	11	14	12	11	14	0.00	0.00
1216	31	25	20	30	24	19	30	2.00	2.00
1218	4	5	3	4	5	3	4	1.00	1.00
1220	15	19	12	15	19	12	16	8.00	6.00
1221	18	14	10	18	15	9	17	6.00	6.00
1222	34	25	18	32	25	18	31	5.00	5.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	KSPROJ3	KSPROJ4	KSPROJ5	KSPROJ6	KSPROJ7	KSPROJ8	KSPROJ9	ESPROJ9	MSPROJ9
1182	2.00	2.00	2.00	2.00	2.00	2.00	2.00	25.00	16.00
1183	3.00	2.00	3.00	3.00	3.00	3.00	3.00	27.00	17.00
1184	1.00	1.00	1.00	1.00	1.00	1.00	1.00	28.00	25.00
1185	2.00	1.00	2.00	2.00	2.00	2.00	2.00	27.00	18.00
1186	14.00	13.00	13.00	13.00	13.00	13.00	14.00	79.00	56.00
1187	9.00	7.00	8.00	7.00	7.00	7.00	8.00	37.00	28.00
1188	5.00	4.00	4.00	4.00	4.00	4.00	4.00	13.00	10.00
1189	9.00	7.00	8.00	8.00	8.00	8.00	7.00	59.00	42.00
1190	2.00	2.00	2.00	2.00	2.00	2.00	2.00	30.00	19.00
1191	1.00	1.00	1.00	1.00	1.00	1.00	1.00	10.00	4.00
1192	1.00	6.00	6.00	6.00	6.00	6.00	6.00	23.00	14.00
1193	1.00	1.00	1.00	1.00	1.00	1.00	1.00	12.00	7.00
1194	4.00	3.00	4.00	4.00	3.00	4.00	4.00	27.00	19.00
1195	3.00	3.00	3.00	3.00	3.00	3.00	3.00	12.00	9.00
1196	5.00	4.00	5.00	4.00	4.00	4.00	4.00	8.00	5.00
1198	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.00	2.00
1199	2.00	2.00	4.00	3.00	3.00	3.00	3.00	15.00	10.00
1200	5.00	7.00	9.00	5.00	8.00	6.00	6.00	33.00	18.00
1201	1.00	1.00	1.00	1.00	1.00	1.00	1.00	9.00	5.00
1202	3.00	3.00	3.00	3.00	3.00	3.00	3.00	16.00	7.00
1204	2.00	2.00	2.00	2.00	2.00	2.00	2.00	19.00	9.00
1205	2.00	2.00	3.00	2.00	2.00	2.00	2.00	24.00	16.00
1206	3.00	3.00	3.00	3.00	3.00	3.00	3.00	11.00	8.00
1207	7.00	7.00	10.00	8.00	8.00	8.00	8.00	27.00	18.00
1208	4.00	3.00	4.00	4.00	4.00	4.00	4.00	31.00	20.00
1210	5.00	5.00	5.00	5.00	5.00	5.00	5.00	6.00	4.00
1215	0.00	0.00	0.00	0.00	0.00	0.00	0.00	11.00	9.00
1216	2.00	2.00	2.00	2.00	2.00	2.00	2.00	21.00	17.00
1218	1.00	1.00	1.00	1.00	1.00	1.00	1.00	5.00	3.00
1220	6.00	8.00	6.00	6.00	6.00	6.00	6.00	19.00	12.00
1221	8.00	7.00	7.00	7.00	7.00	6.00	6.00	14.00	10.00
1222	4.00	4.00	4.00	4.00	4.00	5.00	4.00	25.00	17.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HSPROJ9	KSPROJ10	ESPROJ10	MSPROJ10	HSPROJ10	KSPROJ11	ESPROJ11	MSPROJ11	HSPROJ11	KSPROJ12
1182	23.00	2.00	25.00	16.00	23.00	2.00	25.00	16.00	22.00	2.00
1183	27.00	3.00	27.00	17.00	27.00	3.00	28.00	17.00	27.00	3.00
1184	37.00	1.00	27.00	24.00	38.00	1.00	28.00	24.00	38.00	1.00
1185	24.00	2.00	27.00	17.00	24.00	2.00	27.00	17.00	24.00	2.00
1186	71.00	14.00	80.00	53.00	74.00	13.00	80.00	52.00	74.00	13.00
1187	49.00	8.00	37.00	27.00	48.00	8.00	37.00	27.00	46.00	8.00
1188	19.00	4.00	13.00	9.00	19.00	4.00	13.00	9.00	18.00	4.00
1189	67.00	7.00	59.00	40.00	66.00	8.00	57.00	41.00	65.00	7.00
1190	36.00	2.00	30.00	19.00	36.00	1.00	29.00	19.00	36.00	1.00
1191	7.00	1.00	10.00	4.00	7.00	1.00	14.00	5.00	7.00	1.00
1192	21.00	6.00	24.00	15.00	21.00	5.00	23.00	15.00	21.00	5.00
1193	10.00	1.00	11.00	7.00	10.00	1.00	11.00	7.00	10.00	1.00
1194	29.00	3.00	28.00	20.00	28.00	3.00	28.00	20.00	28.00	3.00
1195	14.00	3.00	11.00	9.00	13.00	3.00	11.00	9.00	13.00	3.00
1196	7.00	4.00	7.00	6.00	7.00	4.00	7.00	6.00	7.00	4.00
1198	3.00	0.00	2.00	2.00	3.00	0.00	2.00	2.00	3.00	0.00
1199	15.00	3.00	14.00	10.00	15.00	3.00	14.00	9.00	14.00	3.00
1200	23.00	7.00	32.00	19.00	23.00	7.00	30.00	18.00	23.00	7.00
1201	8.00	1.00	8.00	6.00	8.00	1.00	8.00	5.00	8.00	1.00
1202	10.00	3.00	15.00	8.00	10.00	3.00	15.00	8.00	10.00	3.00
1204	11.00	2.00	21.00	10.00	11.00	2.00	22.00	10.00	11.00	2.00
1205	27.00	2.00	22.00	16.00	26.00	2.00	23.00	16.00	26.00	2.00
1206	13.00	3.00	10.00	8.00	13.00	3.00	10.00	7.00	13.00	3.00
1207	25.00	8.00	25.00	18.00	24.00	8.00	25.00	17.00	24.00	7.00
1208	26.00	4.00	30.00	20.00	26.00	3.00	29.00	20.00	26.00	3.00
1210	7.00	5.00	6.00	4.00	7.00	5.00	6.00	4.00	7.00	5.00
1215	14.00	0.00	11.00	10.00	14.00	0.00	11.00	10.00	14.00	0.00
1216	28.00	2.00	21.00	16.00	27.00	2.00	22.00	16.00	26.00	2.00
1218	4.00	1.00	5.00	3.00	4.00	1.00	5.00	3.00	4.00	1.00
1220	16.00	6.00	19.00	12.00	16.00	7.00	19.00	12.00	16.00	6.00
1221	16.00	7.00	20.00	11.00	16.00	6.00	20.00	11.00	16.00	6.00
1222	28.00	4.00	25.00	17.00	27.00	4.00	25.00	16.00	27.00	4.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	ESPROJ12	MSPROJ12	HSPROJ12	KSPROJ13	ESPROJ13	MSPROJ13	HSPROJ13	KSPROJ14	ESPROJ14	MSPROJ14	HSPROJ14
1182	24.00	16.00	23.00	2.00	25.00	16.00	23.00	2.00	25.00	16.00	23.00
1183	27.00	17.00	27.00	3.00	27.00	17.00	27.00	3.00	27.00	18.00	27.00
1184	28.00	24.00	39.00	1.00	28.00	24.00	39.00	1.00	29.00	24.00	39.00
1185	27.00	17.00	24.00	2.00	28.00	18.00	25.00	2.00	28.00	18.00	25.00
1186	81.00	52.00	73.00	13.00	80.00	53.00	74.00	13.00	82.00	54.00	76.00
1187	37.00	26.00	47.00	8.00	37.00	27.00	46.00	8.00	38.00	26.00	46.00
1188	13.00	9.00	18.00	4.00	13.00	9.00	18.00	4.00	13.00	9.00	18.00
1189	55.00	40.00	64.00	7.00	53.00	39.00	65.00	7.00	50.00	40.00	65.00
1190	28.00	19.00	36.00	1.00	27.00	19.00	36.00	1.00	26.00	19.00	37.00
1191	14.00	5.00	7.00	1.00	14.00	5.00	7.00	1.00	16.00	6.00	8.00
1192	22.00	15.00	21.00	5.00	21.00	15.00	22.00	5.00	20.00	15.00	22.00
1193	11.00	7.00	10.00	1.00	12.00	7.00	10.00	1.00	12.00	7.00	10.00
1194	27.00	20.00	29.00	4.00	29.00	20.00	29.00	4.00	31.00	20.00	29.00
1195	11.00	9.00	13.00	3.00	11.00	9.00	14.00	3.00	12.00	9.00	14.00
1196	7.00	6.00	7.00	5.00	7.00	5.00	7.00	5.00	8.00	5.00	7.00
1198	2.00	2.00	3.00	0.00	3.00	2.00	3.00	0.00	3.00	2.00	3.00
1199	14.00	9.00	15.00	3.00	16.00	10.00	15.00	5.00	20.00	10.00	15.00
1200	30.00	19.00	24.00	7.00	31.00	19.00	24.00	8.00	32.00	19.00	25.00
1201	8.00	5.00	8.00	1.00	8.00	5.00	8.00	1.00	9.00	6.00	8.00
1202	15.00	8.00	11.00	3.00	15.00	8.00	11.00	3.00	17.00	8.00	11.00
1204	22.00	11.00	12.00	2.00	23.00	11.00	12.00	2.00	24.00	12.00	12.00
1205	23.00	16.00	25.00	2.00	24.00	16.00	26.00	4.00	28.00	16.00	25.00
1206	11.00	7.00	12.00	3.00	13.00	7.00	13.00	3.00	14.00	8.00	12.00
1207	25.00	17.00	24.00	8.00	25.00	17.00	25.00	9.00	27.00	18.00	25.00
1208	28.00	20.00	26.00	4.00	30.00	20.00	26.00	4.00	31.00	20.00	26.00
1210	6.00	4.00	7.00	5.00	6.00	4.00	7.00	5.00	6.00	4.00	7.00
1215	12.00	10.00	13.00	0.00	12.00	10.00	14.00	0.00	12.00	10.00	14.00
1216	23.00	16.00	26.00	2.00	23.00	16.00	26.00	2.00	23.00	16.00	26.00
1218	5.00	3.00	4.00	1.00	5.00	3.00	4.00	1.00	5.00	3.00	4.00
1220	21.00	12.00	16.00	6.00	21.00	12.00	16.00	6.00	21.00	12.00	16.00
1221	18.00	11.00	16.00	6.00	18.00	11.00	16.00	6.00	17.00	12.00	16.00
1222	24.00	16.00	26.00	4.00	24.00	16.00	27.00	4.00	24.00	17.00	26.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	ES_PASS_RE	ES_TAKE_RE	ES_READ_PC	MS_PASS_RE	MS_TAKE_RE	MS_READ_PC	HS_PASS_RE	HS_TAKE_RE
1182	*	*	50	*	*	>=95	*	*
1183	*	*	50	*	*	89	*	*
1184	*	*	86	*	*	92	*	*
1185	*	*	>=95	*	*	85	*	*
1186	*	*	94	*	*	>=95	*	*
1187	*	*	75	*	*	81	21	33
1188	*	*	>=95	*	*	75	*	*
1189	*	*	86	*	*	82	42	55
1190	*	*	>=95	*	*	72	*	*
1191	*	*	>=95				*	*
1192	*	*	>=95	*	*	92	*	*
1193	*	*	<=5	*	*	83	*	*
1194	*	*	>=95	*	*	93	*	*
1195	0	0	<=5	*	*	83	*	*
1196	0	0	<=5				*	*
1198								
1199	*	*	>=95	*	*	89	*	*
1200	*	*	75	*	*	90	*	*
1201	0	0	<=5				*	*
1202	*	*	>=95				*	*
1204	0	0	<=5	*	*	>=95	*	*
1205	*	*	80	*	*	69	*	*
1206	*	*	67	*	*	91	*	*
1207	*	*	>=95	*	*	87	*	*
1208	*	*	75	*	*	82	*	*
1210	*	*	>=95	*	*	40	*	*
1215	0	0	<=5	*	*	86	*	*
1216	*	*	75	*	*	90	*	*
1218	0	0	<=5					
1220	0	0	<=5	*	*	83	*	*
1221	*	*	<=5	*	*	93	*	*
1222	*	*	80	*	*	88	*	*

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HS_READ_PC	ES_PASS_MA	ES_TAKE_MA	ES_MATH_PC	MS_PASS_MA	MS_TAKE_MA	MS_MATH_PC	HS_PASS_MA
1182	63	*	*	>=95	*	*	>=95	*
1183	68	*	*	50	19	19	>=95	*
1184	63	*	*	>=95	*	*	69	*
1185	77	*	*	>=95	*	*	92	*
1186	72	18	18	>=95	*	*	89	*
1187	64	*	*	88	*	*	86	*
1188	80	*	*	67	12	12	>=95	*
1189	76	*	*	93	*	*	>=95	37
1190	78	*	*	>=95	18	18	>=95	*
1191	67	*	*	>=95				*
1192	64	*	*	>=95	*	*	92	*
1193	80	*	*	>=95	*	*	>=95	*
1194	64	*	*	>=95	*	*	79	*
1195	86	0	0	<=5	*	*	67	*
1196	>=95	0	0	<=5				*
1198								
1199	88	*	*	>=95	*	*	78	*
1200	86	*	*	50	*	*	90	*
1201	80	0	0	<=5				*
1202	>=95	*	*	>=95				*
1204	>=95	0	0	<=5	*	*	60	*
1205	93	*	*	>=95	13	13	>=95	*
1206	77	*	*	67	*	*	82	*
1207	85	*	*	>=95	*	*	87	*
1208	75	*	*	>=95	*	*	82	*
1210	>=95	*	*	>=95	*	*	80	*
1215	78	0	0	<=5	*	*	86	*
1216	94	*	*	>=95	*	*	80	*
1218		0	0	<=5				
1220	>=95	0	0	<=5	*	*	>=95	*
1221	56	*	*	>=95	*	*	93	*
1222	79	*	*	80	*	*	88	*

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HS_TAKE_MA	HS_MATH_PC	DONE
1182	*	88	
1183	*	89	
1184	*	69	
1185	*	92	
1186	*	75	
1187	*	73	
1188	*	90	
1189	55	67	
1190	*	65	
1191	*	33	
1192	*	71	
1193	*	>=95	
1194	*	64	
1195	*	86	
1196	*	>=95	
1198			
1199	*	63	
1200	*	71	
1201	*	80	
1202	*	>=95	
1204	*	<=5	
1205	*	78	
1206	*	77	
1207	*	38	
1208	*	75	
1210	*	67	
1215	*	89	
1216	*	63	
1218			
1220	*	71	
1221	*	67	
1222	*	71	

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

OBJECTID	PLAN_ID	ES_HOME	MS_HOME	HS_HOME	PHASEOUT
	1223	West Friendship ES	Mount View MS	Marriotts Ridge HS	
	1224	West Friendship ES	Mount View MS	Marriotts Ridge HS	
	1226	West Friendship ES	Mount View MS	Marriotts Ridge HS	
	1227	Fulton ES	Lime Kiln MS	Reservoir HS	
	1228	West Friendship ES	Mount View MS	Marriotts Ridge HS	
	1229	West Friendship ES	Mount View MS	Marriotts Ridge HS	
	1231	West Friendship ES	Mount View MS	Marriotts Ridge HS	
	1233	Bushy Park ES	Glenwood MS	Glenelg HS	
	1234	Bushy Park ES	Glenwood MS	Glenelg HS	
	1235	Dayton Oaks ES	Lime Kiln MS	River Hill HS	
	1236	Lisbon ES	Glenwood MS	Glenelg HS	
	1238	Bushy Park ES	Glenwood MS	Glenelg HS	
	1240	Lisbon ES	Glenwood MS	Glenelg HS	
	1243	Lisbon ES	Glenwood MS	Glenelg HS	
	1244	Lisbon ES	Glenwood MS	Glenelg HS	
	1245	Lisbon ES	Glenwood MS	Glenelg HS	
	1247	Lisbon ES	Glenwood MS	Glenelg HS	
	1248	Lisbon ES	Glenwood MS	Glenelg HS	
	1249	Lisbon ES	Glenwood MS	Glenelg HS	
	1250	Lisbon ES	Glenwood MS	Glenelg HS	
	1256	Fulton ES	Lime Kiln MS	Reservoir HS	
	1259	Fulton ES	Lime Kiln MS	Reservoir HS	
	1260	Bollman Bridge ES	Patuxent Valley MS	Reservoir HS	
	1261	Jeffers Hill ES	Bonnie Branch MS	Howard HS	
	1263	Fulton ES	Lime Kiln MS	Reservoir HS	
	1265	Waterloo ES	Mayfield Woods MS	Long Reach HS	
	1266	Ducketts Lane ES	Thomas Viaduct MS	Long Reach HS	
	1268	Bryant Woods ES	Wilde Lake MS	Wilde Lake HS	
	1269	Bellows Spring ES	Mayfield Woods MS	Long Reach HS	
	1272	Forest Ridge ES	Patuxent Valley MS	Hammond HS	
	1280	Bushy Park ES	Glenwood MS	Glenelg HS	
	1293	Bushy Park ES	Glenwood MS	Glenelg HS	

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	STUDNT_POP	GR0_POP	GR1_POP	GR2_POP	GR3_	GR4_	GR5_	GR6_	GR7_	GR8_	GR9_	GR10	GR11_POP	GR12_POP
1223	20	1	2	1	2	0	1	3	1	1	3	2	1	2
1224	21	1	1	0	0	2	2	3	1	1	2	2	5	1
1226	25	0	0	2	0	2	1	4	2	4	1	4	2	3
1227	100	6	5	9	13	3	12	6	5	11	8	8	8	6
1228	18	0	1	2	0	0	3	2	1	0	4	3	1	1
1229	17	2	2	0	0	0	0	0	2	0	2	5	0	4
1231	31	2	4	2	3	3	2	0	1	3	2	3	4	2
1233	51	4	3	4	1	3	5	4	3	1	8	6	5	4
1234	99	4	7	7	4	8	7	7	10	9	11	12	8	5
1235	14	4	0	0	1	1	2	0	0	2	0	1	1	2
1236	27	1	1	1	1	0	2	2	3	3	2	3	2	6
1238	105	8	7	7	10	8	9	9	10	7	7	8	5	10
1240	29	1	1	1	1	5	3	3	2	0	4	2	4	2
1243	26	1	2	3	2	2	4	0	2	4	2	1	2	1
1244	41	2	7	4	0	4	3	2	2	3	1	4	4	5
1245	17	2	2	1	0	3	1	1	1	3	0	1	1	1
1247	38	3	0	5	4	2	3	6	2	5	1	3	4	0
1248	15	0	1	1	2	1	1	1	1	3	3	1	0	0
1249	57	1	5	3	7	4	3	3	4	3	9	4	7	4
1250	8	0	1	1	1	1	1	0	0	0	1	1	1	0
1256	237	29	30	16	22	23	18	16	19	26	2	18	10	8
1259	152	18	20	17	11	17	19	10	8	9	8	2	8	5
1260	9	2	2	0	2	2	1	0	0	0	0	0	0	0
1261	13	0	0	1	0	2	0	1	2	3	0	2	1	1
1263	94	6	9	8	5	7	6	10	10	11	5	3	8	6
1265	24	1	4	2	0	2	0	2	1	2	3	2	4	1
1266	233	17	17	18	15	19	15	18	16	17	20	26	18	17
1268	75	6	5	5	6	4	2	6	11	6	8	5	5	6
1269	16	2	1	1	5	0	3	0	1	2	0	1	0	0
1272	114	8	10	8	13	15	11	7	5	10	11	7	2	7
1280	26	1	0	1	1	2	3	3	2	3	0	6	2	2
1293	60	4	4	1	4	9	3	6	5	6	3	9	1	5

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	FARM_POP	ESPROJ1	MSPROJ1	HSPROJ1	ESPROJ2	MSPROJ2	HSPROJ2	ESPROJ3	MSPROJ3
1223	*	6	5	7	6	5	7	6	5
1224	*	5	4	9	5	4	8	5	4
1226	*	5	6	11	5	5	11	5	5
1227	12	44	25	29	45	26	31	46	28
1228	*	6	4	7	8	4	7	7	5
1229	*	3	2	8	3	2	6	3	2
1231	*	15	8	9	14	9	9	14	9
1233	*	16	10	17	15	11	17	14	11
1234	*	31	25	34	30	24	35	28	25
1235	*	4	2	4	4	2	3	4	3
1236	*	5	5	12	5	5	10	5	5
1238	*	42	30	31	41	29	34	40	32
1240	*	11	7	9	11	7	10	10	8
1243	*	13	8	7	12	8	8	12	9
1244	*	19	11	12	18	12	13	17	13
1245	*	7	5	4	7	5	5	15	6
1247	*	14	11	12	14	11	13	13	11
1248	*	6	5	5	6	4	6	5	5
1249	*	22	13	19	24	14	19	24	16
1250	*	5	2	2	5	3	2	5	3
1256	*	115	67	57	117	70	68	118	74
1259	*	106	46	32	119	56	44	130	64
1260	*	7	2	0	7	3	1	7	3
1261	*	3	4	6	3	3	6	3	3
1263	*	36	26	30	37	25	32	37	25
1265	*	9	5	8	9	5	8	8	5
1266	108	83	47	71	98	47	70	108	50
1268	30	25	18	34	25	16	31	25	16
1269	*	10	5	2	10	5	4	11	6
1272	*	57	28	27	55	31	30	55	31
1280	*	6	6	10	6	6	10	6	5
1293	*	19	16	19	19	15	21	18	15

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HSPROJ3	ESPROJ4	MSPROJ4	HSPROJ4	ESPROJ5	MSPROJ5	HSPROJ5	KSPROJ1	KSPROJ2
1223	7	6	5	7	6	5	7	1.00	1.00
1224	7	5	4	7	5	4	7	1.00	1.00
1226	10	5	5	9	5	5	9	0.00	0.00
1227	33	49	28	35	51	29	36	5.00	5.00
1228	7	8	5	7	8	5	7	0.00	0.00
1229	6	3	2	5	3	2	5	2.00	2.00
1231	10	14	10	11	14	10	11	2.00	2.00
1233	16	14	11	15	13	11	16	5.00	4.00
1234	34	27	24	33	25	23	34	5.00	4.00
1235	3	3	3	4	4	2	4	5.00	3.00
1236	10	4	4	9	4	4	8	1.00	1.00
1238	35	39	31	36	35	31	37	12.00	8.00
1240	10	9	8	10	9	8	10	1.00	1.00
1243	9	11	9	9	11	9	10	1.00	1.00
1244	14	16	13	14	15	13	15	2.00	3.00
1245	6	13	7	6	13	8	7	2.00	2.00
1247	13	12	11	13	13	11	14	2.00	3.00
1248	6	5	4	6	5	4	6	0.00	0.00
1249	19	22	17	19	22	17	20	1.00	2.00
1250	2	4	3	3	5	3	3	0.00	0.00
1256	75	127	75	82	131	76	87	25.00	25.00
1259	53	149	69	62	163	74	69	18.00	19.00
1260	2	7	4	2	8	4	3	2.00	2.00
1261	6	3	3	5	3	2	5	0.00	0.00
1263	33	40	25	34	42	25	35	5.00	5.00
1265	8	9	5	7	9	6	7	2.00	2.00
1266	68	119	56	68	133	59	70	22.00	24.00
1268	29	25	16	27	25	16	26	5.00	5.00
1269	4	11	6	5	12	6	5	2.00	2.00
1272	32	60	32	33	59	31	35	8.00	8.00
1280	9	6	5	9	6	5	8	1.00	1.00
1293	20	17	15	20	16	15	20	5.00	4.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	KSPROJ3	KSPROJ4	KSPROJ5	KSPROJ6	KSPROJ7	KSPROJ8	KSPROJ9	ESPROJ9	MSPROJ9
1223	1.00	1.00	1.00	1.00	1.00	1.00	1.00	7.00	5.00
1224	1.00	1.00	1.00	1.00	1.00	1.00	1.00	6.00	4.00
1226	0.00	0.00	0.00	0.00	0.00	0.00	0.00	6.00	4.00
1227	7.00	6.00	6.00	6.00	6.00	5.00	5.00	48.00	31.00
1228	0.00	0.00	0.00	0.00	0.00	0.00	0.00	10.00	6.00
1229	2.00	3.00	2.00	2.00	2.00	3.00	3.00	4.00	2.00
1231	2.00	3.00	2.00	2.00	2.00	3.00	3.00	16.00	11.00
1233	4.00	4.00	4.00	4.00	4.00	4.00	4.00	13.00	10.00
1234	4.00	4.00	3.00	3.00	3.00	3.00	4.00	23.00	20.00
1235	4.00	3.00	4.00	4.00	3.00	4.00	4.00	3.00	2.00
1236	1.00	1.00	1.00	1.00	1.00	1.00	1.00	4.00	4.00
1238	8.00	10.00	7.00	7.00	7.00	7.00	8.00	32.00	27.00
1240	1.00	1.00	1.00	1.00	1.00	1.00	1.00	9.00	7.00
1243	1.00	1.00	1.00	1.00	1.00	1.00	1.00	12.00	8.00
1244	2.00	2.00	2.00	2.00	2.00	2.00	2.00	16.00	11.00
1245	5.00	6.00	5.00	5.00	5.00	5.00	5.00	13.00	8.00
1247	2.00	3.00	2.00	2.00	2.00	3.00	3.00	14.00	10.00
1248	0.00	0.00	0.00	0.00	0.00	0.00	0.00	5.00	4.00
1249	2.00	3.00	2.00	2.00	3.00	3.00	4.00	36.00	19.00
1250	0.00	0.00	0.00	0.00	0.00	0.00	0.00	5.00	3.00
1256	31.00	31.00	27.00	27.00	26.00	25.00	24.00	124.00	82.00
1259	26.00	27.00	24.00	25.00	23.00	22.00	22.00	154.00	90.00
1260	2.00	2.00	2.00	2.00	2.00	2.00	3.00	8.00	4.00
1261	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.00	2.00
1263	7.00	6.00	6.00	6.00	6.00	5.00	5.00	40.00	27.00
1265	2.00	2.00	2.00	2.00	2.00	2.00	2.00	11.00	6.00
1266	26.00	27.00	27.00	29.00	26.00	26.00	25.00	148.00	87.00
1268	5.00	5.00	5.00	5.00	5.00	5.00	5.00	24.00	17.00
1269	2.00	2.00	2.00	2.00	2.00	2.00	2.00	14.00	7.00
1272	9.00	8.00	10.00	10.00	11.00	11.00	11.00	70.00	33.00
1280	1.00	1.00	1.00	1.00	1.00	1.00	1.00	5.00	4.00
1293	4.00	4.00	3.00	3.00	3.00	3.00	3.00	15.00	13.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HSPROJ9	KSPROJ10	ESPROJ10	MSPROJ10	HSPROJ10	KSPROJ11	ESPROJ11	MSPROJ11	HSPROJ11	KSPROJ12
1223	8.00	1.00	7.00	5.00	7.00	1.00	7.00	5.00	8.00	1.00
1224	7.00	1.00	6.00	4.00	7.00	1.00	5.00	4.00	7.00	1.00
1226	8.00	0.00	6.00	5.00	8.00	0.00	5.00	4.00	8.00	0.00
1227	39.00	5.00	46.00	33.00	39.00	5.00	44.00	33.00	40.00	5.00
1228	7.00	0.00	10.00	6.00	7.00	0.00	10.00	6.00	8.00	0.00
1229	4.00	3.00	3.00	2.00	4.00	3.00	3.00	2.00	4.00	2.00
1231	13.00	3.00	16.00	11.00	13.00	3.00	17.00	11.00	14.00	2.00
1233	15.00	4.00	12.00	10.00	15.00	4.00	14.00	11.00	15.00	4.00
1234	32.00	4.00	24.00	21.00	31.00	4.00	25.00	21.00	31.00	5.00
1235	3.00	3.00	3.00	2.00	3.00	3.00	3.00	3.00	3.00	3.00
1236	7.00	1.00	4.00	4.00	7.00	1.00	4.00	4.00	7.00	1.00
1238	38.00	8.00	32.00	27.00	37.00	8.00	33.00	27.00	37.00	9.00
1240	10.00	1.00	9.00	7.00	10.00	1.00	9.00	7.00	10.00	1.00
1243	10.00	1.00	13.00	9.00	10.00	2.00	13.00	9.00	10.00	2.00
1244	15.00	3.00	17.00	12.00	15.00	4.00	19.00	12.00	15.00	4.00
1245	8.00	5.00	13.00	8.00	8.00	5.00	14.00	9.00	9.00	4.00
1247	14.00	4.00	16.00	10.00	14.00	4.00	17.00	11.00	14.00	4.00
1248	6.00	0.00	5.00	4.00	5.00	0.00	5.00	4.00	5.00	0.00
1249	21.00	6.00	40.00	21.00	22.00	7.00	44.00	22.00	22.00	8.00
1250	3.00	0.00	6.00	3.00	3.00	0.00	6.00	4.00	3.00	0.00
1256	99.00	23.00	118.00	84.00	100.00	22.00	113.00	87.00	100.00	21.00
1259	88.00	20.00	147.00	93.00	91.00	18.00	139.00	98.00	95.00	19.00
1260	4.00	3.00	8.00	4.00	4.00	3.00	7.00	4.00	4.00	3.00
1261	4.00	0.00	3.00	2.00	4.00	0.00	3.00	2.00	4.00	0.00
1263	36.00	5.00	38.00	28.00	36.00	5.00	36.00	28.00	36.00	5.00
1265	8.00	2.00	11.00	7.00	8.00	2.00	11.00	7.00	8.00	2.00
1266	81.00	24.00	147.00	92.00	86.00	24.00	147.00	95.00	92.00	24.00
1268	25.00	5.00	24.00	18.00	25.00	5.00	25.00	18.00	25.00	5.00
1269	7.00	2.00	13.00	8.00	7.00	2.00	13.00	8.00	8.00	2.00
1272	39.00	10.00	74.00	35.00	40.00	10.00	73.00	36.00	41.00	10.00
1280	8.00	1.00	5.00	5.00	7.00	1.00	5.00	5.00	7.00	1.00
1293	19.00	4.00	15.00	13.00	19.00	4.00	15.00	13.00	19.00	4.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	ESPROJ12	MSPROJ12	HSPROJ12	KSPROJ13	ESPROJ13	MSPROJ13	HSPROJ13	KSPROJ14	ESPROJ14	MSPROJ14	HSPROJ14
1223	7.00	5.00	8.00	1.00	7.00	5.00	8.00	1.00	7.00	5.00	8.00
1224	5.00	4.00	7.00	1.00	5.00	4.00	6.00	1.00	5.00	4.00	6.00
1226	6.00	4.00	8.00	0.00	7.00	4.00	8.00	0.00	7.00	5.00	8.00
1227	41.00	33.00	41.00	5.00	39.00	32.00	41.00	5.00	39.00	31.00	42.00
1228	10.00	6.00	8.00	0.00	10.00	6.00	8.00	0.00	10.00	7.00	8.00
1229	3.00	2.00	4.00	2.00	3.00	2.00	4.00	2.00	4.00	2.00	4.00
1231	17.00	11.00	14.00	2.00	17.00	11.00	14.00	2.00	17.00	12.00	14.00
1233	15.00	11.00	14.00	4.00	15.00	11.00	15.00	5.00	17.00	11.00	15.00
1234	27.00	22.00	30.00	5.00	27.00	21.00	31.00	5.00	27.00	21.00	31.00
1235	3.00	2.00	3.00	4.00	3.00	2.00	3.00	4.00	3.00	2.00	3.00
1236	5.00	4.00	7.00	1.00	4.00	4.00	7.00	1.00	4.00	4.00	7.00
1238	35.00	29.00	35.00	9.00	35.00	28.00	37.00	8.00	35.00	27.00	38.00
1240	11.00	7.00	10.00	1.00	10.00	7.00	10.00	1.00	10.00	7.00	10.00
1243	13.00	9.00	10.00	1.00	13.00	9.00	11.00	1.00	13.00	9.00	11.00
1244	19.00	13.00	15.00	4.00	19.00	13.00	16.00	4.00	20.00	13.00	16.00
1245	14.00	9.00	9.00	4.00	14.00	9.00	9.00	4.00	14.00	9.00	9.00
1247	17.00	11.00	14.00	4.00	17.00	11.00	14.00	4.00	17.00	11.00	14.00
1248	5.00	4.00	5.00	0.00	5.00	4.00	6.00	0.00	5.00	4.00	6.00
1249	43.00	24.00	23.00	8.00	43.00	23.00	24.00	8.00	43.00	24.00	24.00
1250	6.00	4.00	4.00	0.00	6.00	4.00	4.00	1.00	7.00	4.00	4.00
1256	107.00	84.00	106.00	22.00	101.00	83.00	104.00	22.00	99.00	81.00	107.00
1259	133.00	95.00	100.00	19.00	127.00	93.00	101.00	18.00	124.00	94.00	104.00
1260	7.00	4.00	4.00	3.00	8.00	4.00	4.00	3.00	8.00	4.00	5.00
1261	3.00	2.00	4.00	0.00	3.00	2.00	4.00	0.00	3.00	2.00	4.00
1263	34.00	28.00	37.00	5.00	32.00	27.00	37.00	5.00	32.00	26.00	37.00
1265	11.00	7.00	9.00	2.00	11.00	7.00	9.00	2.00	11.00	7.00	10.00
1266	144.00	98.00	98.00	25.00	140.00	96.00	107.00	25.00	140.00	96.00	111.00
1268	24.00	18.00	25.00	5.00	25.00	18.00	26.00	6.00	25.00	18.00	26.00
1269	13.00	8.00	8.00	2.00	12.00	8.00	9.00	2.00	12.00	8.00	9.00
1272	72.00	36.00	44.00	10.00	71.00	37.00	45.00	10.00	70.00	37.00	47.00
1280	6.00	5.00	7.00	1.00	6.00	5.00	7.00	1.00	6.00	5.00	7.00
1293	16.00	14.00	19.00	4.00	16.00	13.00	19.00	4.00	17.00	13.00	19.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	ES_PASS_RE	ES_TAKE_RE	ES_READ_PC	MS_PASS_RE	MS_TAKE_RE	MS_READ_PC	HS_PASS_RE	HS_TAKE_RE
1223	*	*	>=95				*	*
1224							*	*
1226				*	*	86	*	*
1227	*	*	56	*	*	70	*	*
1228	*	*	>=95				*	*
1229							*	*
1231	*	*	>=95				*	*
1233	*	*	>=95	*	*	67	*	*
1234	*	*	>=95	17	17	>=95	*	*
1235								
1236				*	*	>=95	*	*
1238	*	*	>=95	*	*	80	*	*
1240	*	*	>=95				*	*
1243	*	*	>=95	*	*	67	*	*
1244	*	*	<=5	*	*	>=95	*	*
1245	*	*	>=95					
1247	*	*	>=95	*	*	82	*	*
1248	*	*	>=95					
1249	*	*	50	*	*	>=95	*	*
1250								
1256	*	*	86	*	*	92	*	*
1259	*	*	>=95	16	16	>=95	*	*
1260	0	0	<=5					
1261				*	*	>=95		
1263	*	*	75	*	*	86	*	*
1265	0	0	<=5				*	*
1266	*	*	83	*	*	83	*	*
1268	*	*	50	*	*	>=95	*	*
1269	*	*	>=95					
1272	*	*	89	*	*	>=95	*	*
1280	0	0	<=5	*	*	>=95	*	*
1293	*	*	>=95	13	13	>=95	*	*

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HS_READ_PC	ES_PASS_MA	ES_TAKE_MA	ES_MATH_PC	MS_PASS_MA	MS_TAKE_MA	MS_MATH_PC	HS_PASS_MA
1223	60	*	*	>=95				*
1224	50							*
1226	67				*	*	71	*
1227	86	*	*	>=95	*	*	90	*
1228	67	*	*	>=95				*
1229	83							*
1231	71	*	*	50				*
1233	71	*	*	50	*	*	67	*
1234	67	*	*	>=95	*	*	76	*
1235								
1236	71				*	*	60	*
1238	61	*	*	75	*	*	>=95	*
1240	80	*	*	>=95				*
1243	75	*	*	>=95	*	*	67	*
1244	67	*	*	>=95	*	*	>=95	*
1245		*	*	>=95				
1247	67	*	*	>=95	*	*	64	*
1248		*	*	>=95				
1249	64	*	*	>=95	*	*	33	*
1250								
1256	69	*	*	79	*	*	75	*
1259	55	*	*	>=95	*	*	81	*
1260		0	0	<=5				
1261					*	*	>=95	
1263	73	*	*	>=95	*	*	86	*
1265	67	0	0	<=5				*
1266	69	*	*	67	*	*	33	*
1268	75	*	*	>=95	*	*	75	*
1269		*	*	>=95				
1272	79	*	*	89	*	*	63	*
1280	83	0	0	<=5	*	*	60	*
1293	73	*	*	50	*	*	69	*

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HS_TAKE_MA	HS_MATH_PC	DONE
1223	*	80	
1224	*	75	
1226	*	>=95	
1227	*	71	
1228	*	83	
1229	*	83	
1231	*	71	
1233	*	86	
1234	*	94	
1235			
1236	*	71	
1238	*	74	
1240	*	80	
1243	*	50	
1244	*	78	
1245			
1247	*	83	
1248			
1249	*	91	
1250			
1256	*	50	
1259	*	82	
1260			
1261			
1263	*	60	
1265	*	>=95	
1266	*	69	
1268	*	50	
1269			
1272	*	43	
1280	*	83	
1293	*	82	

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

OBJECTID	PLAN_ID	ES_HOME	MS_HOME	HS_HOME	PHASEOUT
	1296	Pointers Run ES	Lime Kiln MS	Atholton HS	
	1297	Gorman Crossing ES	Murray Hill MS	Reservoir HS	
	1298	Bellows Spring ES	Mayfield Woods MS	Long Reach HS	
	1299	Rockburn ES	Elkridge Landing MS	Howard HS	
	1300	Elkridge ES	Elkridge Landing MS	Howard HS	
	1301	Ilchester ES	Bonnie Branch MS	Howard HS	
	1303	Manor Woods ES	Burleigh Manor MS	Marriotts Ridge HS	
	1304	Manor Woods ES	Mount View MS	Marriotts Ridge HS	
	1305	Manor Woods ES	Mount View MS	Marriotts Ridge HS	
	1306	Hollifield Station ES	Patapsco MS	Mt Hebron HS	
	1308	Hollifield Station ES	Dunloggin MS	Mt Hebron HS	
	1309	Worthington ES	Ellicott Mills MS	Mt Hebron HS	
	1310	Worthington ES	Ellicott Mills MS	Mt Hebron HS	
	2002	Laurel Woods ES	Murray Hill MS	Reservoir HS	
	2005	Gorman Crossing ES	Murray Hill MS	Atholton HS	
	2010	Hammond ES	Hammond MS	Atholton HS	
	2011	Hammond ES	Hammond MS	Atholton HS	
	2012	Laurel Woods ES	Murray Hill MS	Reservoir HS	
	2022	Bollman Bridge ES	Patuxent Valley MS	Hammond HS	
	2023	Bollman Bridge ES	Patuxent Valley MS	Hammond HS	
	2028	Clarksville ES	Clarksville MS	River Hill HS	
	2030	Deep Run ES	Thomas Viaduct MS	Hammond HS	
	2034	St Johns Lane ES	Patapsco MS	Mt Hebron HS	
	2035	Ducketts Lane ES	Thomas Viaduct MS	Long Reach HS	
	2037	Ducketts Lane ES	Thomas Viaduct MS	Long Reach HS	
	2038	Elkridge ES	Elkridge Landing MS	Howard HS	
	2040	Elkridge ES	Elkridge Landing MS	Howard HS	
	2041	Elkridge ES	Elkridge Landing MS	Howard HS	
	2042	Elkridge ES	Elkridge Landing MS	Howard HS	
	2043	Ducketts Lane ES	Thomas Viaduct MS	Long Reach HS	
	2046	Forest Ridge ES	Patuxent Valley MS	Reservoir HS	
	2047	Forest Ridge ES	Patuxent Valley MS	Hammond HS	

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	STUDNT_POP	GR0_POP	GR1_POP	GR2_POP	GR3_POP	GR4_POP	GR5_POP	GR6_POP	GR7_POP	GR8_POP	GR9_POP	GR10_POP	GR11_POP	GR12_POP
1296	60	5	4	4	6	5	4	5	1	6	4	4	8	4
1297	122	13	6	12	17	11	8	8	8	6	9	12	5	7
1298	124	13	4	7	7	14	7	16	11	11	8	9	8	9
1299	72	3	7	2	5	7	4	6	4	8	5	11	5	5
1300	64	2	1	0	5	2	8	6	4	3	6	7	15	5
1301	39	1	3	2	2	2	1	1	2	3	5	2	8	7
1303	102	7	9	3	11	12	10	10	9	8	5	3	10	5
1304	6	1	0	0	0	0	0	2	0	0	2	0	0	1
1305	6	0	0	0	0	2	0	0	0	1	0	2	0	1
1306	52	5	7	2	4	4	3	8	5	5	1	4	2	2
1308	96	11	7	8	8	5	8	9	5	5	10	7	9	4
1309	189	11	15	10	24	17	18	24	14	10	6	22	7	11
1310	25	1	4	4	2	2	1	0	5	2	1	0	2	1
2002	147	10	7	17	12	7	6	11	16	5	9	23	7	17
2005	256	22	18	23	25	20	16	18	16	25	20	23	16	14
2010	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2011	61	5	1	2	1	3	7	5	6	4	8	6	3	10
2012	151	13	10	14	14	12	7	11	11	14	13	14	10	8
2022	46	4	5	3	5	2	3	3	1	4	7	2	2	5
2023	43	6	3	2	3	1	0	5	2	4	5	5	5	2
2028	66	1	1	6	2	5	4	2	7	6	8	8	9	7
2030	150	13	11	13	13	10	13	17	10	6	12	15	11	6
2034	186	13	11	15	16	10	14	16	19	9	25	9	14	15
2035	103	4	11	8	13	11	8	12	12	10	5	3	3	3
2037	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2038	111	7	10	4	6	12	9	8	7	10	9	13	5	11
2040	126	8	8	8	10	6	15	15	12	15	10	7	8	4
2041	17	0	1	1	2	1	1	2	0	4	1	1	3	0
2042	56	2	10	2	5	3	5	4	4	3	5	7	4	2
2043	141	16	11	15	14	7	10	8	12	14	15	10	4	5
2046	70	8	4	6	3	6	7	7	6	6	4	5	5	3
2047	105	10	5	8	10	7	5	10	5	14	10	8	5	8

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	FARM_POP	ESPROJ1	MSPROJ1	HSPROJ1	ESPROJ2	MSPROJ2	HSPROJ2	ESPROJ3	MSPROJ3
1296	*	23	14	21	23	14	22	21	15
1297	36	53	30	31	53	33	35	53	35
1298	14	39	27	39	41	26	39	42	27
1299	*	26	18	27	37	18	27	39	20
1300	*	16	12	28	16	11	24	15	11
1301	*	9	6	17	9	6	14	8	6
1303	*	48	31	29	49	33	33	51	34
1304	*	0	1	3	0	1	2	0	0
1305	*	2	1	2	2	1	2	2	1
1306	*	24	15	16	24	15	17	23	15
1308	28	38	19	28	38	20	27	37	20
1309	*	77	56	55	70	56	61	64	57
1310	*	12	8	6	11	9	8	10	9
2002	38	53	32	50	52	34	50	50	36
2005	*	100	64	88	100	66	95	100	69
2010	*	0	0	0	0	0	0	0	0
2011	*	14	10	28	14	9	25	14	9
2012	63	58	37	46	56	38	49	53	39
2022	*	19	9	13	18	10	13	18	10
2023	*	10	7	15	9	7	14	9	6
2028	*	16	13	29	16	13	26	16	13
2030	102	63	32	42	64	33	42	66	35
2034	*	64	43	61	64	41	60	68	40
2035	31	50	29	26	60	29	30	66	31
2037	*	0	0	0	0	0	0	0	0
2038	*	43	27	39	43	28	38	41	28
2040	*	46	36	44	46	34	45	43	33
2041	*	6	5	7	6	5	7	5	4
2042	28	24	14	18	24	15	18	23	15
2043	93	56	32	37	67	31	39	73	34
2046	*	26	16	20	26	16	21	26	16
2047	25	35	22	33	34	23	32	34	22

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HSPROJ3	ESPROJ4	MSPROJ4	HSPROJ4	ESPROJ5	MSPROJ5	HSPROJ5	KSPROJ1	KSPROJ2
1296	22	21	14	23	21	14	23	5.00	5.00
1297	37	53	37	41	55	36	43	13.00	14.00
1298	38	44	28	38	46	28	38	16.00	15.00
1299	28	39	20	28	40	22	28	3.00	4.00
1300	23	14	11	22	15	11	21	2.00	2.00
1301	13	8	6	12	8	6	12	1.00	1.00
1303	37	54	37	39	55	37	41	6.00	7.00
1304	2	0	0	2	0	0	2	1.00	1.00
1305	2	2	1	2	2	1	2	0.00	0.00
1306	18	24	14	18	24	15	19	7.00	6.00
1308	27	38	21	27	37	22	28	10.00	8.00
1309	64	60	55	67	59	53	69	12.00	11.00
1310	9	9	8	9	9	8	10	1.00	1.00
2002	49	49	38	51	49	36	52	9.00	9.00
2005	98	100	73	102	104	72	104	24.00	23.00
2010	0	0	0	0	0	0	0	0.00	0.00
2011	23	14	10	22	14	9	21	5.00	5.00
2012	50	52	41	52	49	39	53	12.00	12.00
2022	13	19	11	13	22	10	13	4.00	5.00
2023	13	10	6	11	10	6	11	6.00	7.00
2028	24	16	13	23	15	12	22	1.00	1.00
2030	42	66	38	42	72	38	43	12.00	14.00
2034	59	66	40	58	67	42	58	11.00	15.00
2035	32	72	35	34	83	36	36	5.00	6.00
2037	0	0	0	0	0	0	0	0.00	0.00
2038	40	40	27	40	38	28	40	7.00	6.00
2040	47	41	31	48	40	32	47	7.00	6.00
2041	7	5	4	7	5	4	7	0.00	0.00
2042	19	22	15	20	21	15	20	2.00	2.00
2043	39	81	38	41	91	40	43	21.00	22.00
2046	22	28	16	22	28	15	23	8.00	8.00
2047	31	37	22	30	36	21	30	10.00	10.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	KSPROJ3	KSPROJ4	KSPROJ5	KSPROJ6	KSPROJ7	KSPROJ8	KSPROJ9	ESPROJ9	MSPROJ9
1296	5.00	4.00	4.00	4.00	4.00	4.00	4.00	21.00	14.00
1297	12.00	12.00	11.00	11.00	10.00	10.00	11.00	52.00	37.00
1298	14.00	16.00	14.00	14.00	14.00	14.00	13.00	52.00	30.00
1299	4.00	5.00	4.00	4.00	4.00	5.00	5.00	42.00	25.00
1300	1.00	2.00	2.00	2.00	2.00	2.00	2.00	19.00	11.00
1301	1.00	1.00	1.00	1.00	1.00	1.00	1.00	8.00	5.00
1303	7.00	6.00	6.00	6.00	6.00	6.00	5.00	57.00	43.00
1304	1.00	1.00	1.00	3.00	5.00	7.00	9.00	36.00	5.00
1305	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.00	1.00
1306	7.00	7.00	7.00	6.00	6.00	6.00	6.00	23.00	15.00
1308	9.00	9.00	9.00	9.00	8.00	9.00	8.00	35.00	22.00
1309	8.00	12.00	9.00	10.00	12.00	14.00	13.00	65.00	45.00
1310	1.00	1.00	1.00	1.00	1.00	1.00	1.00	15.00	7.00
2002	10.00	8.00	9.00	9.00	9.00	9.00	9.00	48.00	36.00
2005	20.00	20.00	19.00	18.00	18.00	17.00	18.00	98.00	73.00
2010	0.00	0.00	0.00	0.00	0.00	0.00	1.00	32.00	1.00
2011	5.00	5.00	5.00	5.00	6.00	8.00	8.00	14.00	10.00
2012	12.00	10.00	11.00	11.00	11.00	11.00	11.00	44.00	37.00
2022	5.00	5.00	5.00	5.00	5.00	5.00	5.00	23.00	11.00
2023	7.00	7.00	7.00	7.00	7.00	7.00	7.00	12.00	6.00
2028	1.00	1.00	1.00	1.00	1.00	1.00	1.00	15.00	11.00
2030	13.00	17.00	15.00	15.00	15.00	16.00	16.00	81.00	51.00
2034	13.00	15.00	14.00	14.00	14.00	15.00	15.00	75.00	44.00
2035	6.00	6.00	6.00	7.00	7.00	6.00	6.00	105.00	57.00
2037	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2038	6.00	6.00	6.00	6.00	6.00	6.00	7.00	39.00	27.00
2040	6.00	6.00	6.00	6.00	6.00	6.00	6.00	37.00	29.00
2041	0.00	0.00	0.00	0.00	0.00	0.00	0.00	5.00	4.00
2042	1.00	2.00	1.00	1.00	1.00	1.00	2.00	19.00	14.00
2043	25.00	25.00	25.00	27.00	25.00	24.00	23.00	101.00	59.00
2046	9.00	8.00	10.00	10.00	14.00	14.00	14.00	35.00	16.00
2047	11.00	10.00	12.00	13.00	13.00	14.00	14.00	43.00	21.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HSPROJ9	KSPROJ10	ESPROJ10	MSPROJ10	HSPROJ10	KSPROJ11	ESPROJ11	MSPROJ11	HSPROJ11	KSPROJ12
1296	24.00	4.00	21.00	15.00	24.00	3.00	21.00	15.00	25.00	3.00
1297	47.00	10.00	53.00	37.00	47.00	9.00	51.00	36.00	47.00	9.00
1298	39.00	13.00	50.00	32.00	40.00	13.00	48.00	32.00	42.00	12.00
1299	31.00	5.00	41.00	26.00	32.00	5.00	40.00	27.00	32.00	5.00
1300	19.00	3.00	22.00	12.00	19.00	3.00	22.00	12.00	19.00	4.00
1301	11.00	1.00	8.00	6.00	10.00	1.00	8.00	6.00	10.00	1.00
1303	49.00	5.00	56.00	43.00	49.00	5.00	56.00	43.00	51.00	4.00
1304	2.00	9.00	40.00	8.00	2.00	9.00	40.00	10.00	3.00	9.00
1305	2.00	0.00	2.00	2.00	2.00	0.00	2.00	1.00	2.00	0.00
1306	21.00	6.00	22.00	16.00	21.00	7.00	24.00	16.00	21.00	8.00
1308	30.00	12.00	34.00	21.00	30.00	12.00	34.00	22.00	30.00	13.00
1309	72.00	13.00	66.00	45.00	71.00	12.00	68.00	45.00	70.00	12.00
1310	11.00	1.00	15.00	7.00	11.00	1.00	16.00	8.00	11.00	1.00
2002	52.00	9.00	53.00	36.00	52.00	10.00	54.00	35.00	52.00	10.00
2005	113.00	16.00	100.00	72.00	114.00	15.00	97.00	69.00	115.00	15.00
2010	2.00	3.00	60.00	4.00	3.00	2.00	80.00	7.00	4.00	3.00
2011	20.00	7.00	14.00	10.00	19.00	7.00	15.00	10.00	19.00	6.00
2012	54.00	11.00	46.00	37.00	54.00	12.00	46.00	35.00	53.00	12.00
2022	14.00	5.00	22.00	12.00	14.00	5.00	22.00	12.00	15.00	5.00
2023	10.00	7.00	11.00	6.00	10.00	8.00	11.00	6.00	10.00	8.00
2028	20.00	1.00	15.00	11.00	19.00	1.00	15.00	11.00	19.00	1.00
2030	50.00	16.00	80.00	54.00	52.00	16.00	81.00	55.00	55.00	16.00
2034	62.00	16.00	74.00	46.00	61.00	15.00	73.00	46.00	62.00	15.00
2035	46.00	6.00	106.00	61.00	50.00	10.00	106.00	63.00	54.00	11.00
2037	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2038	41.00	7.00	40.00	28.00	41.00	7.00	41.00	28.00	41.00	7.00
2040	47.00	11.00	39.00	30.00	47.00	12.00	40.00	30.00	46.00	12.00
2041	6.00	0.00	5.00	4.00	6.00	0.00	5.00	4.00	6.00	0.00
2042	21.00	2.00	20.00	15.00	21.00	2.00	20.00	15.00	21.00	2.00
2043	52.00	23.00	100.00	63.00	56.00	23.00	100.00	65.00	60.00	23.00
2046	23.00	13.00	36.00	17.00	22.00	13.00	37.00	17.00	23.00	13.00
2047	30.00	13.00	45.00	22.00	30.00	13.00	45.00	23.00	31.00	12.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	ESPROJ12	MSPROJ12	HSPROJ12	KSPROJ13	ESPROJ13	MSPROJ13	HSPROJ13	KSPROJ14	ESPROJ14	MSPROJ14	HSPROJ14
1296	20.00	15.00	25.00	3.00	19.00	15.00	26.00	3.00	18.00	15.00	26.00
1297	50.00	36.00	49.00	9.00	49.00	36.00	48.00	9.00	48.00	35.00	49.00
1298	47.00	33.00	43.00	12.00	46.00	32.00	46.00	12.00	45.00	32.00	47.00
1299	40.00	28.00	32.00	5.00	41.00	27.00	33.00	5.00	41.00	28.00	33.00
1300	25.00	13.00	19.00	4.00	25.00	13.00	19.00	4.00	25.00	14.00	19.00
1301	9.00	6.00	10.00	1.00	8.00	6.00	10.00	1.00	8.00	6.00	10.00
1303	55.00	43.00	52.00	4.00	52.00	43.00	53.00	4.00	50.00	43.00	54.00
1304	40.00	11.00	4.00	9.00	38.00	13.00	5.00	8.00	36.00	14.00	6.00
1305	2.00	2.00	2.00	0.00	2.00	1.00	2.00	0.00	2.00	2.00	2.00
1306	24.00	16.00	21.00	8.00	25.00	15.00	21.00	8.00	26.00	15.00	21.00
1308	34.00	22.00	30.00	13.00	35.00	22.00	30.00	13.00	37.00	22.00	30.00
1309	76.00	47.00	70.00	11.00	75.00	48.00	69.00	12.00	72.00	50.00	69.00
1310	17.00	8.00	11.00	1.00	17.00	9.00	11.00	1.00	18.00	9.00	11.00
2002	55.00	35.00	52.00	10.00	58.00	35.00	52.00	10.00	59.00	35.00	52.00
2005	94.00	69.00	119.00	15.00	92.00	70.00	120.00	16.00	91.00	67.00	120.00
2010	113.00	12.00	6.00	4.00	138.00	17.00	7.00	6.00	158.00	25.00	9.00
2011	19.00	10.00	20.00	7.00	19.00	11.00	20.00	8.00	19.00	12.00	20.00
2012	46.00	35.00	54.00	12.00	47.00	35.00	54.00	12.00	47.00	34.00	54.00
2022	22.00	12.00	15.00	5.00	22.00	12.00	16.00	5.00	22.00	12.00	16.00
2023	11.00	6.00	10.00	8.00	11.00	6.00	11.00	8.00	12.00	6.00	11.00
2028	15.00	10.00	19.00	1.00	15.00	11.00	19.00	1.00	15.00	11.00	19.00
2030	81.00	56.00	59.00	17.00	82.00	55.00	61.00	17.00	83.00	55.00	64.00
2034	74.00	47.00	62.00	16.00	72.00	46.00	62.00	16.00	72.00	46.00	62.00
2035	107.00	66.00	58.00	12.00	104.00	65.00	65.00	13.00	104.00	65.00	68.00
2037	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2038	40.00	29.00	40.00	7.00	41.00	29.00	40.00	7.00	41.00	29.00	41.00
2040	42.00	31.00	46.00	11.00	42.00	30.00	46.00	10.00	43.00	31.00	46.00
2041	6.00	4.00	6.00	0.00	6.00	4.00	6.00	0.00	6.00	4.00	6.00
2042	20.00	15.00	21.00	2.00	20.00	15.00	21.00	2.00	20.00	15.00	21.00
2043	98.00	67.00	64.00	23.00	95.00	66.00	70.00	24.00	96.00	65.00	73.00
2046	39.00	18.00	23.00	12.00	38.00	18.00	23.00	12.00	38.00	19.00	24.00
2047	44.00	23.00	32.00	12.00	44.00	24.00	33.00	12.00	43.00	24.00	34.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	ES_PASS_RE	ES_TAKE_RE	ES_READ_PC	MS_PASS_RE	MS_TAKE_RE	MS_READ_PC	HS_PASS_RE	HS_TAKE_RE
1296	*	*	50	*	*	82	*	*
1297	*	*	67	*	*	77	*	*
1298	*	*	60	*	*	92	*	*
1299	*	*	>=95	*	*	89	*	*
1300	*	*	60	*	*	>=95	*	*
1301	*	*	>=95	*	*	>=95	*	*
1303	*	*	63	*	*	89	*	*
1304								
1305								
1306	*	*	50	*	*	85	*	*
1308	*	*	75	*	*	67	*	*
1309	*	*	80	*	*	82	*	*
1310	*	*	>=95	*	*	67		
2002	*	*	50	*	*	86	*	*
2005	*	*	67	*	*	83	*	*
2010								
2011	*	*	>=95	14	14	>=95	*	*
2012	*	*	67	*	*	88	*	*
2022	*	*	>=95	*	*	>=95	*	*
2023	0	0	<=5	*	*	67	*	*
2028	*	*	>=95	*	*	83	*	*
2030	*	*	>=95	*	*	82	*	*
2034	*	*	89	30	30	>=95	*	*
2035	*	*	<=5	*	*	88	*	*
2037								
2038	*	*	83	10	10	>=95	*	*
2040	10	10	>=95	*	*	79	*	*
2041	*	*	>=95	*	*	>=95		
2042	*	*	>=95	*	*	<=5	*	*
2043	*	*	>=95	*	*	>=95	*	*
2046	*	*	75	*	*	44	*	*
2047	*	*	>=95	*	*	67	*	*

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HS_READ_PC	ES_PASS_MA	ES_TAKE_MA	ES_MATH_PC	MS_PASS_MA	MS_TAKE_MA	MS_MATH_PC	HS_PASS_MA
1296	50	*	*	75	*	*	91	*
1297	91	*	*	67	*	*	69	*
1298	88	*	*	>=95	*	*	75	*
1299	82	*	*	>=95	*	*	78	*
1300	67	*	*	80	*	*	17	*
1301	63	*	*	>=95	*	*	>=95	*
1303	75	*	*	>=95	*	*	89	*
1304								
1305								
1306	86	*	*	>=95	*	*	85	*
1308	75	*	*	>=95	*	*	67	*
1309	83	10	10	>=95	*	*	85	*
1310		*	*	>=95	*	*	>=95	
2002	86	*	*	>=95	*	*	93	11
2005	80	*	*	>=95	*	*	78	18
2010								
2011	88	*	*	83	*	*	93	*
2012	86	*	*	>=95	*	*	88	*
2022	>=95	*	*	>=95	*	*	60	*
2023	50	0	0	<=5	*	*	33	*
2028	75	*	*	>=95	12	12	>=95	*
2030	>=95	*	*	67	*	*	73	*
2034	89	*	*	89	*	*	87	21
2035	88	*	*	>=95	*	*	63	*
2037								
2038	94	*	*	50	*	*	90	*
2040	89	*	*	90	*	*	83	*
2041		*	*	>=95	*	*	>=95	
2042	>=95	*	*	>=95	*	*	>=95	*
2043	>=95	*	*	>=95	*	*	40	*
2046	75	*	*	75	*	*	67	*
2047	75	*	*	>=95	*	*	>=95	*

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HS_TAKE_MA	HS_MATH_PC	DONE
1296	*	75	
1297	*	36	
1298	*	63	
1299	*	82	
1300	*	58	
1301	*	63	
1303	*	50	
1304			
1305			
1306	*	71	
1308	*	75	
1309	*	77	
1310			
2002	22	50	
2005	30	60	
2010			
2011	*	47	
2012	*	29	
2022	*	80	
2023	*	75	
2028	*	85	
2030	*	33	
2034	37	57	
2035	*	50	
2037			
2038	*	59	
2040	*	68	
2041			
2042	*	<=5	
2043	*	67	
2046	*	63	
2047	*	50	

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

OBJECTID	PLAN_ID	ES_HOME	MS_HOME	HS_HOME	PHASEOUT
	2048	Guilford ES	Hammond MS	Hammond HS	
	2050	Guilford ES	Lake Elkhorn MS	Hammond HS	
	2051	Talbott Springs ES	Lake Elkhorn MS	Oakland Mills HS	
	2053	Swansfield ES	Harpers Choice MS	Wilde Lake HS	
	2054	Cradlerock ES	Lake Elkhorn MS	Oakland Mills HS	
	2056	Atholton ES	Oakland Mills MS	Oakland Mills HS	
	2057	Atholton ES	Hammond MS	Hammond HS	
	2058	Cradlerock ES	Lake Elkhorn MS	Oakland Mills HS	
	2059	Talbott Springs ES	Oakland Mills MS	Oakland Mills HS	
	2060	Jeffers Hill ES	Lake Elkhorn MS	Oakland Mills HS	
	2062	Stevens Forest ES	Oakland Mills MS	Oakland Mills HS	
	2063	Talbott Springs ES	Oakland Mills MS	Oakland Mills HS	
	2065	Thunder Hill ES	Ellicott Mills MS	Howard HS	
	2068	Phelps Luck ES	Bonnie Branch MS	Howard HS	
	2069	Phelps Luck ES	Bonnie Branch MS	Long Reach HS	
	2070	Phelps Luck ES	Bonnie Branch MS	Long Reach HS	
	2071	Jeffers Hill ES	Mayfield Woods MS	Long Reach HS	
	2074	Waterloo ES	Ellicott Mills MS	Howard HS	
	2075	Waterloo ES	Mayfield Woods MS	Long Reach HS	
	2077	Bellows Spring ES	Mayfield Woods MS	Long Reach HS	
	2081	Deep Run ES	Mayfield Woods MS	Long Reach HS	
	2082	Bellows Spring ES	Thomas Viaduct MS	Long Reach HS	
	2085	Ilchester ES	Bonnie Branch MS	Howard HS	
	2087	Rockburn ES	Elkridge Landing MS	Howard HS	
	2088	Ilchester ES	Bonnie Branch MS	Howard HS	
	2091	Rockburn ES	Elkridge Landing MS	Howard HS	
	2093	Worthington ES	Ellicott Mills MS	Mt Hebron HS	
	2095	Ilchester ES	Bonnie Branch MS	Howard HS	
	2099	Worthington ES	Ellicott Mills MS	Mt Hebron HS	
	2101	Veterans ES	Ellicott Mills MS	Centennial HS	
	2107	Hollifield Station ES	Patapsco MS	Mt Hebron HS	
	2111	Thunder Hill ES	Dunloggin MS	Wilde Lake HS	

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	STUDNT_POP	GR0_POP	GR1_POP	GR2_POP	GR3_	GR4_	GR5_	GR6_	GR7_	GR8_	GR9_	GR10	GR11_POP	GR12_POP
2048	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2050	2	0	0	0	0	0	1	0	0	1	0	0	0	0
2051	48	4	8	3	6	4	2	5	3	5	1	1	3	3
2053	18	1	0	0	3	3	2	2	2	0	1	2	0	2
2054	53	3	4	3	3	1	5	4	6	2	7	3	8	4
2056	61	4	0	6	2	6	4	9	6	4	6	4	3	7
2057	66	6	6	4	6	6	2	5	8	2	6	4	5	6
2058	94	8	6	9	7	5	8	10	2	9	7	9	4	10
2059	44	4	5	0	3	4	2	5	6	3	3	2	4	3
2060	299	28	28	28	23	28	30	28	17	9	22	16	25	17
2062	131	9	13	7	12	14	9	11	8	11	11	10	9	7
2063	212	26	11	19	13	14	19	15	15	20	20	17	13	10
2065	50	2	1	4	5	3	1	6	6	2	10	3	3	4
2068	100	5	7	9	12	5	15	5	7	8	13	3	7	4
2069	74	4	6	6	7	5	8	5	3	4	10	9	4	3
2070	61	11	3	4	5	7	3	4	5	1	8	5	3	2
2071	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2074	118	5	9	9	11	4	9	6	12	9	12	7	8	17
2075	1	0	0	0	0	0	0	0	0	0	0	0	1	0
2077	217	15	23	18	24	23	17	23	15	17	15	11	10	6
2081	66	5	4	9	7	5	2	6	5	6	3	8	2	4
2082	124	7	6	7	10	10	10	10	10	13	13	8	9	11
2085	25	1	1	4	2	2	1	1	1	3	3	3	3	0
2087	111	14	10	8	9	12	8	6	4	12	5	5	10	8
2088	64	2	5	2	5	4	7	3	6	11	2	7	7	3
2091	148	8	10	8	6	14	7	14	16	12	18	8	16	11
2093	78	4	5	4	8	7	7	5	8	3	6	7	12	2
2095	75	2	3	10	1	5	5	5	9	10	7	7	6	5
2099	3	0	1	0	1	0	1	0	0	0	0	0	0	0
2101	119	7	6	11	8	5	8	15	17	11	7	4	13	7
2107	24	1	3	2	1	3	3	1	2	1	2	3	1	1
2111	47	6	3	3	2	4	7	1	3	2	6	1	4	5

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	FARM_POP	ESPROJ1	MSPROJ1	HSPROJ1	ESPROJ2	MSPROJ2	HSPROJ2	ESPROJ3	MSPROJ3
2048	*	0	0	0	0	0	0	0	0
2050	*	1	1	1	1	1	1	1	1
2051	12	23	14	12	24	15	14	24	15
2053	*	8	4	4	8	5	4	8	5
2054	32	16	11	20	15	11	18	14	10
2056	*	21	13	23	20	13	20	20	13
2057	*	27	14	20	27	14	19	27	15
2058	48	36	21	30	33	23	28	32	22
2059	11	14	10	15	14	10	14	14	10
2060	124	135	71	78	132	81	80	136	81
2062	78	54	31	39	52	32	38	53	33
2063	110	78	45	63	79	47	60	78	47
2065	*	14	12	21	14	11	19	13	11
2068	27	49	27	29	47	30	31	50	30
2069	49	32	17	21	32	20	22	33	20
2070	31	22	13	15	22	14	16	23	14
2071	*	0	0	0	0	0	0	0	0
2074	12	40	29	43	42	29	42	40	31
2075	*	0	0	1	1	0	0	1	0
2077	30	106	58	53	109	60	61	114	65
2081	49	29	16	19	29	16	20	30	18
2082	15	44	26	40	45	26	39	46	26
2085	*	9	6	8	9	6	8	8	6
2087	11	48	28	30	49	29	33	51	30
2088	*	21	17	24	20	16	24	20	16
2091	*	46	35	58	47	34	54	48	33
2093	*	28	20	25	26	20	25	24	21
2095	*	22	19	30	21	18	28	20	17
2099	*	3	1	0	2	2	0	2	2
2101	*	39	34	44	40	32	47	39	33
2107	*	13	6	6	13	7	7	12	7
2111	*	19	9	16	19	9	15	18	10

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HSPROJ3	ESPROJ4	MSPROJ4	HSPROJ4	ESPROJ5	MSPROJ5	HSPROJ5	KSPROJ1	KSPROJ2
2048	0	0	0	0	0	0	0	0.00	0.00
2050	1	1	1	1	1	1	1	0.00	0.00
2051	15	24	15	16	23	15	18	3.00	3.00
2053	5	8	5	5	8	5	6	1.00	1.00
2054	17	14	10	17	13	10	17	3.00	2.00
2056	20	20	13	20	20	12	20	3.00	3.00
2057	19	27	16	19	26	16	19	4.00	4.00
2058	29	30	22	29	29	21	31	8.00	5.00
2059	14	15	9	14	14	9	14	3.00	3.00
2060	87	133	83	92	132	80	101	24.00	25.00
2062	40	54	32	41	55	31	43	12.00	12.00
2063	61	80	47	61	79	46	65	22.00	20.00
2065	19	13	11	18	13	11	18	2.00	2.00
2068	35	53	30	36	54	30	37	5.00	5.00
2069	23	35	20	24	36	19	24	4.00	4.00
2070	17	24	14	17	25	14	18	11.00	11.00
2071	0	0	0	0	0	0	0	0.00	0.00
2074	43	41	31	44	41	31	44	6.00	6.00
2075	0	1	0	0	1	0	0	0.00	0.00
2077	65	116	68	69	123	70	73	18.00	17.00
2081	20	30	18	21	32	19	22	5.00	5.00
2082	38	48	28	37	50	28	38	9.00	8.00
2085	9	8	6	9	8	5	9	1.00	1.00
2087	36	52	30	37	53	32	38	17.00	14.00
2088	24	19	14	24	18	14	23	2.00	2.00
2091	54	49	32	53	51	33	52	9.00	8.00
2093	26	22	20	26	22	19	27	4.00	4.00
2095	29	19	16	28	18	14	27	2.00	2.00
2099	1	2	2	1	2	2	2	0.00	0.00
2101	49	39	32	50	39	31	51	6.00	6.00
2107	7	13	7	8	12	8	8	1.00	1.00
2111	14	17	10	14	17	10	14	6.00	5.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	KSPROJ3	KSPROJ4	KSPROJ5	KSPROJ6	KSPROJ7	KSPROJ8	KSPROJ9	ESPROJ9	MSPROJ9
2048	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2050	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.00	1.00
2051	4.00	3.00	3.00	3.00	3.00	3.00	3.00	23.00	14.00
2053	1.00	1.00	1.00	1.00	1.00	1.00	1.00	9.00	5.00
2054	2.00	2.00	2.00	1.00	2.00	2.00	2.00	13.00	8.00
2056	3.00	3.00	3.00	3.00	3.00	3.00	3.00	19.00	12.00
2057	4.00	4.00	4.00	4.00	4.00	4.00	4.00	23.00	17.00
2058	6.00	6.00	6.00	7.00	6.00	6.00	7.00	29.00	18.00
2059	4.00	3.00	3.00	3.00	3.00	3.00	3.00	14.00	9.00
2060	24.00	23.00	25.00	25.00	25.00	26.00	25.00	133.00	76.00
2062	10.00	11.00	11.00	11.00	11.00	11.00	11.00	55.00	32.00
2063	22.00	22.00	22.00	21.00	22.00	22.00	23.00	76.00	46.00
2065	2.00	2.00	2.00	2.00	2.00	2.00	2.00	12.00	9.00
2068	5.00	5.00	5.00	6.00	6.00	6.00	6.00	57.00	33.00
2069	4.00	4.00	4.00	4.00	4.00	5.00	5.00	38.00	21.00
2070	12.00	11.00	12.00	12.00	12.00	13.00	13.00	26.00	15.00
2071	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2074	6.00	6.00	6.00	6.00	6.00	6.00	6.00	41.00	28.00
2075	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00
2077	16.00	19.00	16.00	16.00	16.00	16.00	15.00	140.00	77.00
2081	5.00	6.00	6.00	6.00	6.00	6.00	6.00	37.00	20.00
2082	7.00	9.00	7.00	7.00	7.00	7.00	7.00	57.00	37.00
2085	1.00	1.00	1.00	1.00	1.00	1.00	1.00	8.00	5.00
2087	13.00	18.00	15.00	15.00	15.00	15.00	15.00	51.00	33.00
2088	2.00	3.00	2.00	2.00	2.00	2.00	3.00	21.00	13.00
2091	8.00	10.00	8.00	8.00	8.00	8.00	9.00	49.00	33.00
2093	3.00	4.00	4.00	4.00	4.00	5.00	5.00	24.00	17.00
2095	2.00	2.00	2.00	1.00	1.00	2.00	2.00	20.00	14.00
2099	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.00	1.00
2101	6.00	6.00	6.00	6.00	6.00	6.00	6.00	35.00	27.00
2107	1.00	1.00	1.00	1.00	1.00	1.00	1.00	12.00	8.00
2111	6.00	6.00	6.00	6.00	6.00	6.00	6.00	20.00	11.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HSPROJ9	KSPROJ10	ESPROJ10	MSPROJ10	HSPROJ10	KSPROJ11	ESPROJ11	MSPROJ11	HSPROJ11	KSPROJ12
2048	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2050	1.00	0.00	3.00	1.00	1.00	0.00	3.00	1.00	1.00	0.00
2051	19.00	4.00	23.00	14.00	19.00	4.00	23.00	14.00	19.00	4.00
2053	6.00	1.00	9.00	5.00	6.00	1.00	9.00	5.00	6.00	1.00
2054	16.00	2.00	13.00	9.00	15.00	2.00	13.00	9.00	15.00	2.00
2056	19.00	3.00	18.00	12.00	19.00	3.00	19.00	12.00	19.00	3.00
2057	21.00	4.00	23.00	17.00	22.00	4.00	23.00	17.00	23.00	4.00
2058	30.00	6.00	29.00	19.00	30.00	6.00	29.00	19.00	29.00	6.00
2059	14.00	4.00	14.00	9.00	14.00	4.00	14.00	9.00	14.00	4.00
2060	108.00	26.00	135.00	78.00	105.00	27.00	139.00	81.00	106.00	27.00
2062	45.00	11.00	57.00	32.00	44.00	12.00	57.00	32.00	44.00	12.00
2063	66.00	22.00	78.00	45.00	65.00	22.00	78.00	45.00	65.00	22.00
2065	17.00	2.00	12.00	9.00	17.00	2.00	12.00	9.00	16.00	2.00
2068	41.00	6.00	59.00	33.00	42.00	6.00	59.00	34.00	42.00	6.00
2069	27.00	5.00	39.00	22.00	27.00	5.00	40.00	22.00	28.00	5.00
2070	19.00	13.00	27.00	15.00	20.00	13.00	27.00	16.00	20.00	13.00
2071	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2074	44.00	6.00	41.00	28.00	44.00	6.00	43.00	28.00	44.00	6.00
2075	0.00	0.00	1.00	1.00	0.00	0.00	1.00	1.00	0.00	0.00
2077	85.00	15.00	133.00	82.00	89.00	15.00	130.00	84.00	93.00	14.00
2081	24.00	6.00	36.00	22.00	25.00	6.00	36.00	22.00	26.00	6.00
2082	40.00	7.00	55.00	39.00	42.00	7.00	53.00	39.00	44.00	7.00
2085	8.00	1.00	8.00	5.00	8.00	1.00	8.00	5.00	8.00	1.00
2087	42.00	16.00	50.00	35.00	43.00	16.00	49.00	36.00	44.00	16.00
2088	22.00	3.00	21.00	13.00	22.00	3.00	21.00	14.00	22.00	2.00
2091	52.00	9.00	48.00	34.00	52.00	9.00	47.00	35.00	51.00	9.00
2093	27.00	5.00	24.00	16.00	27.00	4.00	25.00	17.00	27.00	4.00
2095	25.00	2.00	20.00	14.00	24.00	2.00	20.00	14.00	24.00	1.00
2099	2.00	0.00	2.00	1.00	2.00	0.00	2.00	1.00	2.00	0.00
2101	51.00	6.00	34.00	27.00	50.00	6.00	35.00	27.00	50.00	6.00
2107	10.00	1.00	12.00	8.00	10.00	3.00	15.00	8.00	10.00	3.00
2111	15.00	6.00	20.00	11.00	15.00	6.00	20.00	11.00	15.00	6.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	ESPROJ12	MSPROJ12	HSPROJ12	KSPROJ13	ESPROJ13	MSPROJ13	HSPROJ13	KSPROJ14	ESPROJ14	MSPROJ14	HSPROJ14
2048	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2050	3.00	1.00	1.00	0.00	3.00	1.00	1.00	0.00	3.00	1.00	1.00
2051	24.00	14.00	19.00	4.00	24.00	14.00	19.00	4.00	25.00	15.00	19.00
2053	9.00	5.00	6.00	1.00	9.00	5.00	7.00	1.00	9.00	5.00	7.00
2054	14.00	9.00	15.00	2.00	14.00	9.00	14.00	2.00	14.00	9.00	14.00
2056	19.00	12.00	18.00	3.00	19.00	12.00	18.00	3.00	19.00	12.00	18.00
2057	23.00	17.00	23.00	4.00	23.00	17.00	24.00	4.00	23.00	19.00	25.00
2058	30.00	19.00	29.00	7.00	30.00	19.00	28.00	7.00	31.00	19.00	28.00
2059	14.00	8.00	13.00	4.00	15.00	8.00	13.00	4.00	15.00	9.00	13.00
2060	139.00	82.00	106.00	27.00	142.00	82.00	105.00	28.00	144.00	82.00	105.00
2062	57.00	32.00	44.00	12.00	57.00	32.00	43.00	12.00	57.00	32.00	44.00
2063	79.00	45.00	64.00	22.00	79.00	45.00	63.00	23.00	83.00	46.00	64.00
2065	13.00	9.00	16.00	2.00	13.00	9.00	16.00	2.00	13.00	10.00	16.00
2068	60.00	35.00	42.00	6.00	61.00	36.00	43.00	6.00	61.00	37.00	44.00
2069	40.00	23.00	29.00	5.00	41.00	24.00	31.00	5.00	41.00	25.00	32.00
2070	28.00	16.00	21.00	13.00	28.00	17.00	22.00	13.00	28.00	17.00	23.00
2071	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2074	45.00	30.00	43.00	6.00	45.00	30.00	43.00	9.00	47.00	31.00	43.00
2075	1.00	1.00	0.00	0.00	1.00	1.00	0.00	0.00	1.00	1.00	1.00
2077	127.00	87.00	98.00	14.00	125.00	84.00	106.00	14.00	121.00	85.00	108.00
2081	37.00	23.00	27.00	6.00	37.00	22.00	29.00	6.00	38.00	23.00	30.00
2082	52.00	40.00	46.00	7.00	51.00	39.00	50.00	7.00	50.00	38.00	51.00
2085	9.00	6.00	8.00	1.00	8.00	6.00	8.00	1.00	8.00	6.00	8.00
2087	49.00	37.00	44.00	16.00	50.00	36.00	45.00	16.00	50.00	36.00	45.00
2088	22.00	14.00	21.00	2.00	21.00	14.00	21.00	2.00	20.00	14.00	21.00
2091	47.00	36.00	51.00	9.00	48.00	35.00	51.00	9.00	48.00	35.00	51.00
2093	28.00	17.00	26.00	4.00	28.00	17.00	26.00	4.00	27.00	18.00	26.00
2095	21.00	14.00	23.00	1.00	20.00	14.00	23.00	1.00	19.00	15.00	23.00
2099	3.00	1.00	2.00	0.00	3.00	2.00	2.00	0.00	3.00	2.00	2.00
2101	36.00	28.00	50.00	6.00	35.00	27.00	51.00	6.00	35.00	28.00	50.00
2107	15.00	8.00	10.00	3.00	16.00	8.00	10.00	3.00	17.00	8.00	10.00
2111	20.00	11.00	15.00	6.00	21.00	11.00	15.00	6.00	21.00	11.00	15.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	ES_PASS_RE	ES_TAKE_RE	ES_READ_PC	MS_PASS_RE	MS_TAKE_RE	MS_READ_PC	HS_PASS_RE	HS_TAKE_RE
2048								
2050								
2051	*	*	>=95	*	*	60	*	*
2053	*	*	>=95					
2054	*	*	>=95	*	*	>=95	*	*
2056	*	*	>=95	*	*	93	*	*
2057	*	*	>=95	10	10	>=95	*	*
2058	*	*	<=5	*	*	>=95	*	*
2059	0	0	<=5	*	*	>=95	*	*
2060	*	*	89	*	*	>=95	*	*
2062	*	*	33	*	*	50	*	*
2063	*	*	57	*	*	89	*	*
2065	0	0	<=5	*	*	92	*	*
2068	*	*	71	*	*	88	*	*
2069	*	*	67	*	*	>=95	*	*
2070	*	*	>=95	*	*	>=95	*	*
2071								
2074	*	*	>=95	*	*	94	*	*
2075								
2077	*	*	80	*	*	80	*	*
2081	*	*	50	*	*	>=95	*	*
2082	*	*	40	*	*	78	*	*
2085	*	*	<=5				*	*
2087	*	*	>=95	*	*	86	*	*
2088	*	*	>=95	*	*	79	*	*
2091	*	*	>=95	*	*	80	*	*
2093	*	*	75	*	*	78	*	*
2095	*	*	>=95	*	*	84	*	*
2099								
2101	*	*	>=95	*	*	81	*	*
2107	*	*	>=95				*	*
2111	*	*	67	*	*	>=95	*	*

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HS_READ_PC	ES_PASS_MA	ES_TAKE_MA	ES_MATH_PC	MS_PASS_MA	MS_TAKE_MA	MS_MATH_PC	HS_PASS_MA
2048								
2050								
2051	>=95	*	*	>=95	*	*	80	*
2053		*	*	>=95				
2054	>=95	*	*	>=95	*	*	>=95	*
2056	82	*	*	75	*	*	79	*
2057	82	*	*	>=95	*	*	80	*
2058	83	*	*	>=95	*	*	67	*
2059	80	0	0	<=5	*	*	43	*
2060	92	*	*	89	*	*	50	*
2062	>=95	*	*	67	*	*	>=95	*
2063	92	*	*	>=95	*	*	50	*
2065	88	0	0	<=5	*	*	75	*
2068	70	*	*	71	*	*	88	*
2069	>=95	*	*	67	*	*	>=95	*
2070	<=5	*	*	50	*	*	>=95	*
2071								
2074	79	*	*	71	*	*	81	14
2075								
2077	75	*	*	80	19	30	63	*
2081	>=95	*	*	50	*	*	33	*
2082	85	*	*	>=95	*	*	67	*
2085	75	*	*	>=95				*
2087	40	*	*	80	*	*	71	*
2088	73	*	*	60	*	*	93	*
2091	68	*	*	>=95	*	*	80	18
2093	67	*	*	75	*	*	89	*
2095	69	*	*	>=95	*	*	84	*
2099								
2101	65	*	*	>=95	*	*	84	*
2107	>=95	*	*	>=95				*
2111	>=95	*	*	>=95	*	*	75	*

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HS_TAKE_MA	HS_MATH_PC	DONE
2048			
2050			
2051	*	33	
2053			
2054	*	<=5	
2056	*	45	
2057	*	64	
2058	*	17	
2059	*	80	
2060	13	23	
2062	*	25	
2063	*	31	
2065	*	81	
2068	*	70	
2069	*	<=5	
2070	*	>=95	
2071			
2074	24	58	
2075			
2077	*	75	
2081	*	50	
2082	*	54	
2085	*	75	
2087	*	80	
2088	*	55	
2091	28	64	
2093	*	89	
2095	*	77	
2099			
2101	*	85	
2107	*	67	
2111	*	80	

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

OBJECTID	PLAN_ID	ES_HOME	MS_HOME	HS_HOME	PHASEOUT
	2112	Fulton ES	Lime Kiln MS	Reservoir HS	
	2113	Stevens Forest ES	Oakland Mills MS	Oakland Mills HS	
	2114	Pointers Run ES	Lime Kiln MS	Reservoir HS	
	2115	Pointers Run ES	Lime Kiln MS	Reservoir HS	
	2131	Clemens Crossing ES	Wilde Lake MS	Atholton HS	
	2132	Clemens Crossing ES	Wilde Lake MS	Atholton HS	
	2133	Running Brook ES	Wilde Lake MS	Atholton HS	
	2134	Clemens Crossing ES	Harpers Choice MS	Wilde Lake HS	
	2135	Swansfield ES	Harpers Choice MS	Wilde Lake HS	
	2136	Running Brook ES	Wilde Lake MS	Wilde Lake HS	
	2137	Bryant Woods ES	Wilde Lake MS	Wilde Lake HS	
	2138	Swansfield ES	Harpers Choice MS	Wilde Lake HS	
	2139	Cradlerock ES	Lake Elkhorn MS	Oakland Mills HS	
	2143	Longfellow ES	Harpers Choice MS	Wilde Lake HS	
	2145	Running Brook ES	Wilde Lake MS	Wilde Lake HS	
	2146	Running Brook ES	Wilde Lake MS	Wilde Lake HS	
	2147	Centennial Lane ES	Burleigh Manor MS	Centennial HS	
	2148	Northfield ES	Dunloggin MS	Wilde Lake HS	
	2150	Northfield ES	Dunloggin MS	Centennial HS	
	2151	Thunder Hill ES	Oakland Mills MS	Oakland Mills HS	
	2154	Northfield ES	Burleigh Manor MS	Centennial HS	
	2156	Centennial Lane ES	Burleigh Manor MS	Centennial HS	
	2161	Waverly ES	Patapsco MS	Mt Hebron HS	
	2163	Waverly ES	Mount View MS	Marriotts Ridge HS	
	2166	Waverly ES	Mount View MS	Marriotts Ridge HS	
	2169	Waverly ES	Mount View MS	Marriotts Ridge HS	
	2170	Manor Woods ES	Mount View MS	Marriotts Ridge HS	
	2173	Centennial Lane ES	Burleigh Manor MS	Centennial HS	
	2174	Swansfield ES	Harpers Choice MS	Wilde Lake HS	
	2175	Longfellow ES	Harpers Choice MS	Wilde Lake HS	
	2176	Triadelphia Ridge ES	Folly Quarter MS	River Hill HS	
	2182	Triadelphia Ridge ES	Folly Quarter MS	River Hill HS	

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	STUDNT_POP	GR0_POP	GR1_POP	GR2_POP	GR3_POP	GR4_POP	GR5_POP	GR6_POP	GR7_POP	GR8_POP	GR9_POP	GR10_POP	GR11_POP	GR12_POP
2112	67	7	4	5	6	3	7	6	7	4	6	6	4	2
2113	55	3	4	3	2	8	2	5	7	6	4	4	1	6
2114	51	5	4	10	1	5	3	3	4	1	5	1	3	6
2115	34	1	1	1	2	1	2	4	3	3	6	3	3	4
2131	123	6	14	8	5	7	13	4	11	8	10	9	20	8
2132	35	4	0	9	1	4	4	1	2	0	3	2	2	3
2133	29	2	1	1	3	1	4	0	2	2	3	6	0	4
2134	19	2	1	2	1	3	0	1	2	0	2	1	3	1
2135	74	6	8	7	9	9	7	4	4	5	4	3	3	5
2136	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2137	86	9	2	7	10	9	5	9	6	6	7	7	3	6
2138	121	9	14	11	14	7	8	6	10	14	8	10	3	7
2139	27	5	2	1	3	2	1	1	0	1	0	3	6	2
2143	113	7	5	8	10	11	7	5	9	7	12	9	13	10
2145	190	13	13	9	16	16	14	12	21	14	18	16	15	13
2146	87	9	7	7	5	6	7	4	5	4	13	5	6	9
2147	236	9	8	12	9	22	18	17	16	25	22	28	17	33
2148	40	4	6	8	4	5	3	3	1	1	2	1	2	0
2150	85	5	5	4	9	7	7	9	8	5	7	8	4	7
2151	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2154	234	8	11	12	13	18	13	21	21	21	25	18	27	26
2156	47	5	3	6	3	1	6	1	4	5	5	5	2	1
2161	150	7	6	4	9	8	13	12	15	10	12	15	15	24
2163	8	0	0	1	0	0	0	1	0	3	0	1	1	1
2166	31	1	1	1	2	1	4	5	3	3	5	3	0	2
2169	158	14	21	13	11	13	11	13	7	13	12	11	13	6
2170	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2173	65	5	4	5	6	3	4	5	8	8	3	5	8	1
2174	117	7	11	9	3	12	12	12	9	7	9	12	6	8
2175	8	0	0	0	1	2	1	0	1	1	0	0	1	1
2176	37	1	2	2	3	2	3	6	2	5	0	4	4	3
2182	29	3	2	1	2	3	2	1	1	6	1	3	1	3

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	FARM_POP	ESPROJ1	MSPROJ1	HSPROJ1	ESPROJ2	MSPROJ2	HSPROJ2	ESPROJ3	MSPROJ3
2112	*	26	16	20	27	16	21	27	17
2113	14	18	13	19	18	13	18	18	12
2114	*	23	13	13	23	13	15	22	14
2115	*	7	7	15	7	6	13	7	6
2131	*	46	27	46	48	26	47	51	28
2132	*	18	8	9	19	9	10	20	10
2133	*	10	6	11	11	5	11	12	6
2134	*	7	4	5	7	4	5	8	4
2135	34	40	19	11	41	21	16	41	22
2136	*	0	0	0	0	0	0	0	0
2137	32	37	21	32	37	20	31	38	22
2138	83	54	31	20	55	32	28	55	32
2139	*	9	4	8	9	5	7	8	5
2143	15	39	22	32	38	23	32	37	23
2145	102	70	46	78	77	42	75	84	44
2146	26	33	18	33	36	18	31	39	19
2147	*	67	54	95	67	53	93	63	53
2148	*	27	11	7	28	12	10	28	14
2150	*	33	19	29	35	19	29	34	19
2151	*	0	0	0	0	0	0	0	0
2154	42	69	57	94	72	55	94	71	55
2156	*	19	12	14	18	13	15	17	13
2161	*	39	31	59	39	27	53	39	26
2163	*	1	2	4	1	2	4	1	1
2166	*	9	8	12	9	8	12	10	8
2169	*	67	44	44	67	45	49	67	47
2170	*	0	0	0	0	0	0	0	0
2173	*	21	18	23	21	18	24	20	17
2174	53	47	27	25	48	28	30	48	28
2175	*	4	2	2	4	2	2	4	3
2176	*	11	10	15	12	9	15	13	9
2182	*	9	7	10	9	6	10	9	6

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HSPROJ3	ESPROJ4	MSPROJ4	HSPROJ4	ESPROJ5	MSPROJ5	HSPROJ5	KSPROJ1	KSPROJ2
2112	21	29	17	22	30	17	23	6.00	6.00
2113	18	19	12	18	19	12	18	4.00	4.00
2114	16	21	14	17	22	14	17	5.00	5.00
2115	12	10	5	12	10	6	11	1.00	1.00
2131	46	55	29	46	57	30	47	6.00	7.00
2132	11	21	10	12	22	11	13	4.00	4.00
2133	10	13	6	10	14	7	10	3.00	3.00
2134	5	8	4	5	8	4	5	2.00	2.00
2135	19	42	22	22	41	24	23	6.00	7.00
2136	0	0	0	0	0	0	0	0.00	0.00
2137	30	37	22	30	37	22	30	8.00	8.00
2138	32	56	33	35	56	33	36	9.00	10.00
2139	7	8	5	7	8	5	7	5.00	3.00
2143	31	36	23	32	35	23	31	8.00	8.00
2145	69	91	47	69	100	48	65	18.00	20.00
2146	29	42	20	28	46	21	28	12.00	14.00
2147	94	62	54	93	63	52	91	11.00	10.00
2148	12	27	14	13	28	15	14	4.00	4.00
2150	30	34	19	31	35	20	31	7.00	6.00
2151	0	0	0	0	0	0	0	0.00	0.00
2154	96	70	57	95	72	56	94	9.00	8.00
2156	17	17	14	18	17	14	19	6.00	5.00
2161	50	37	26	47	36	26	46	7.00	7.00
2163	4	1	1	3	1	1	3	0.00	0.00
2166	12	10	8	12	10	8	12	1.00	1.00
2169	53	64	48	56	62	48	58	12.00	14.00
2170	0	0	0	0	0	0	0	0.00	0.00
2173	26	20	17	27	20	17	27	6.00	5.00
2174	32	49	28	33	49	29	34	7.00	8.00
2175	2	4	2	3	4	3	3	0.00	0.00
2176	14	12	9	14	12	8	14	1.00	2.00
2182	10	9	6	9	9	6	9	3.00	4.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	KSPROJ3	KSPROJ4	KSPROJ5	KSPROJ6	KSPROJ7	KSPROJ8	KSPROJ9	ESPROJ9	MSPROJ9
2112	8.00	7.00	7.00	7.00	7.00	6.00	6.00	31.00	19.00
2113	3.00	4.00	4.00	4.00	4.00	4.00	4.00	19.00	11.00
2114	5.00	4.00	4.00	4.00	4.00	4.00	4.00	22.00	14.00
2115	1.00	3.00	3.00	3.00	3.00	3.00	3.00	10.00	6.00
2131	7.00	7.00	7.00	7.00	7.00	8.00	8.00	63.00	37.00
2132	4.00	5.00	4.00	5.00	5.00	5.00	5.00	28.00	14.00
2133	3.00	3.00	3.00	4.00	4.00	4.00	4.00	19.00	9.00
2134	2.00	2.00	2.00	2.00	2.00	3.00	3.00	9.00	5.00
2135	7.00	6.00	7.00	7.00	7.00	7.00	7.00	43.00	25.00
2136	0.00	1.00	2.00	4.00	5.00	7.00	8.00	0.00	0.00
2137	7.00	8.00	8.00	8.00	8.00	8.00	8.00	36.00	25.00
2138	10.00	10.00	10.00	10.00	10.00	10.00	10.00	58.00	34.00
2139	4.00	4.00	4.00	5.00	4.00	4.00	4.00	7.00	5.00
2143	7.00	8.00	8.00	8.00	8.00	8.00	8.00	36.00	22.00
2145	21.00	20.00	22.00	24.00	23.00	25.00	26.00	133.00	66.00
2146	14.00	15.00	15.00	17.00	17.00	17.00	18.00	63.00	30.00
2147	10.00	10.00	9.00	9.00	9.00	10.00	10.00	60.00	54.00
2148	4.00	4.00	4.00	4.00	4.00	4.00	4.00	27.00	16.00
2150	5.00	6.00	6.00	6.00	6.00	6.00	7.00	35.00	21.00
2151	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2154	7.00	8.00	7.00	6.00	8.00	8.00	8.00	70.00	60.00
2156	5.00	6.00	5.00	5.00	5.00	5.00	5.00	16.00	14.00
2161	6.00	7.00	6.00	6.00	6.00	7.00	7.00	34.00	25.00
2163	0.00	0.00	0.00	0.00	0.00	0.00	0.00	4.00	2.00
2166	1.00	1.00	1.00	1.00	1.00	2.00	2.00	10.00	8.00
2169	11.00	12.00	13.00	13.00	12.00	12.00	12.00	59.00	47.00
2170	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00
2173	5.00	6.00	5.00	5.00	5.00	5.00	5.00	19.00	17.00
2174	8.00	8.00	8.00	8.00	8.00	8.00	8.00	51.00	30.00
2175	0.00	0.00	0.00	0.00	0.00	0.00	0.00	5.00	3.00
2176	2.00	1.00	1.00	1.00	1.00	1.00	1.00	12.00	8.00
2182	3.00	3.00	3.00	3.00	3.00	3.00	3.00	8.00	6.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HSPROJ9	KSPROJ10	ESPROJ10	MSPROJ10	HSPROJ10	KSPROJ11	ESPROJ11	MSPROJ11	HSPROJ11	KSPROJ12
2112	24.00	6.00	29.00	20.00	24.00	6.00	28.00	21.00	25.00	6.00
2113	18.00	4.00	20.00	11.00	18.00	4.00	20.00	11.00	17.00	4.00
2114	19.00	4.00	22.00	15.00	19.00	3.00	21.00	15.00	19.00	3.00
2115	10.00	3.00	10.00	6.00	10.00	2.00	9.00	7.00	10.00	2.00
2131	51.00	8.00	65.00	38.00	52.00	8.00	67.00	39.00	53.00	8.00
2132	16.00	6.00	29.00	15.00	17.00	6.00	30.00	16.00	18.00	5.00
2133	12.00	4.00	21.00	10.00	12.00	4.00	22.00	10.00	12.00	5.00
2134	6.00	3.00	10.00	5.00	6.00	3.00	10.00	5.00	6.00	3.00
2135	27.00	7.00	44.00	25.00	28.00	7.00	44.00	25.00	29.00	7.00
2136	0.00	10.00	0.00	0.00	0.00	11.00	0.00	0.00	0.00	11.00
2137	31.00	8.00	36.00	26.00	31.00	8.00	37.00	26.00	32.00	8.00
2138	40.00	11.00	59.00	34.00	41.00	11.00	60.00	34.00	42.00	11.00
2139	7.00	4.00	7.00	5.00	7.00	4.00	8.00	5.00	7.00	4.00
2143	31.00	8.00	37.00	23.00	31.00	8.00	37.00	22.00	32.00	8.00
2145	69.00	26.00	139.00	68.00	71.00	29.00	146.00	71.00	76.00	29.00
2146	30.00	19.00	67.00	32.00	31.00	20.00	70.00	33.00	33.00	20.00
2147	91.00	10.00	60.00	54.00	92.00	10.00	64.00	53.00	92.00	10.00
2148	17.00	4.00	27.00	16.00	18.00	4.00	27.00	16.00	19.00	4.00
2150	32.00	7.00	34.00	20.00	33.00	7.00	36.00	21.00	33.00	7.00
2151	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2154	96.00	8.00	69.00	59.00	95.00	8.00	69.00	59.00	97.00	7.00
2156	20.00	5.00	16.00	14.00	21.00	5.00	16.00	14.00	21.00	5.00
2161	44.00	7.00	34.00	25.00	43.00	7.00	35.00	25.00	43.00	7.00
2163	3.00	0.00	4.00	2.00	3.00	0.00	4.00	2.00	3.00	0.00
2166	12.00	2.00	10.00	8.00	12.00	2.00	10.00	8.00	12.00	2.00
2169	65.00	12.00	59.00	48.00	64.00	12.00	59.00	47.00	66.00	13.00
2170	0.00	0.00	1.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00
2173	28.00	5.00	19.00	17.00	28.00	5.00	19.00	17.00	28.00	5.00
2174	36.00	8.00	52.00	30.00	37.00	8.00	52.00	30.00	38.00	8.00
2175	3.00	0.00	5.00	3.00	3.00	0.00	5.00	3.00	3.00	0.00
2176	13.00	1.00	12.00	8.00	13.00	1.00	12.00	8.00	12.00	1.00
2182	9.00	3.00	8.00	6.00	9.00	3.00	8.00	5.00	9.00	3.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	ESPROJ12	MSPROJ12	HSPROJ12	KSPROJ13	ESPROJ13	MSPROJ13	HSPROJ13	KSPROJ14	ESPROJ14	MSPROJ14	HSPROJ14
2112	26.00	20.00	26.00	6.00	25.00	20.00	26.00	6.00	25.00	19.00	26.00
2113	20.00	11.00	17.00	4.00	20.00	11.00	17.00	4.00	20.00	12.00	17.00
2114	20.00	15.00	19.00	4.00	20.00	15.00	19.00	4.00	19.00	15.00	20.00
2115	9.00	7.00	10.00	2.00	8.00	6.00	10.00	2.00	8.00	6.00	10.00
2131	68.00	40.00	56.00	8.00	69.00	40.00	57.00	8.00	68.00	41.00	58.00
2132	30.00	16.00	19.00	5.00	30.00	16.00	20.00	5.00	30.00	17.00	21.00
2133	22.00	11.00	13.00	5.00	23.00	11.00	14.00	5.00	24.00	11.00	14.00
2134	10.00	5.00	6.00	2.00	10.00	5.00	6.00	3.00	10.00	5.00	6.00
2135	45.00	25.00	30.00	7.00	46.00	25.00	31.00	7.00	46.00	26.00	31.00
2136	0.00	0.00	0.00	11.00	0.00	0.00	0.00	12.00	0.00	0.00	0.00
2137	37.00	26.00	33.00	8.00	37.00	26.00	34.00	8.00	38.00	26.00	34.00
2138	61.00	34.00	43.00	11.00	62.00	35.00	44.00	11.00	62.00	35.00	45.00
2139	8.00	5.00	7.00	4.00	8.00	5.00	7.00	4.00	8.00	5.00	7.00
2143	38.00	22.00	32.00	8.00	38.00	23.00	33.00	9.00	39.00	23.00	33.00
2145	154.00	73.00	77.00	29.00	158.00	76.00	81.00	29.00	161.00	79.00	82.00
2146	73.00	34.00	34.00	21.00	76.00	36.00	36.00	20.00	78.00	37.00	37.00
2147	64.00	52.00	93.00	10.00	65.00	52.00	94.00	10.00	65.00	53.00	93.00
2148	27.00	16.00	19.00	4.00	27.00	16.00	20.00	4.00	27.00	16.00	20.00
2150	36.00	21.00	34.00	7.00	36.00	21.00	34.00	7.00	36.00	21.00	34.00
2151	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2154	69.00	58.00	98.00	8.00	69.00	58.00	100.00	8.00	70.00	58.00	99.00
2156	16.00	14.00	21.00	5.00	16.00	14.00	22.00	6.00	16.00	14.00	22.00
2161	35.00	25.00	42.00	7.00	36.00	24.00	41.00	7.00	36.00	24.00	41.00
2163	6.00	2.00	3.00	0.00	7.00	2.00	3.00	0.00	7.00	3.00	3.00
2166	10.00	8.00	12.00	2.00	10.00	8.00	12.00	2.00	11.00	8.00	12.00
2169	60.00	47.00	66.00	15.00	61.00	46.00	66.00	13.00	62.00	47.00	67.00
2170	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2173	19.00	17.00	28.00	5.00	19.00	17.00	29.00	6.00	19.00	17.00	29.00
2174	53.00	30.00	39.00	8.00	54.00	30.00	40.00	9.00	54.00	31.00	40.00
2175	5.00	3.00	3.00	0.00	5.00	3.00	3.00	0.00	5.00	3.00	4.00
2176	12.00	8.00	13.00	1.00	12.00	8.00	13.00	1.00	12.00	8.00	13.00
2182	9.00	5.00	9.00	3.00	9.00	6.00	9.00	3.00	9.00	6.00	9.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	ES_PASS_RE	ES_TAKE_RE	ES_READ_PC	MS_PASS_RE	MS_TAKE_RE	MS_READ_PC	HS_PASS_RE	HS_TAKE_RE
2112	*	*	80	*	*	89	*	*
2113	0	0	<=5	*	*	40	*	*
2114	*	*	>=95	*	*	83	*	*
2115	*	*	>=95	*	*	>=95	*	*
2131	11	11	>=95	14	14	>=95	*	*
2132	*	*	75				*	*
2133	*	*	>=95				*	*
2134	0	0	<=5				*	*
2135	0	0	<=5	*	*	>=95	*	*
2136								
2137	*	*	<=5	*	*	90	*	*
2138	*	*	>=95	*	*	80	*	*
2139	*	*	>=95				*	*
2143	*	*	50	*	*	67	10	10
2145	*	*	>=95	*	*	67	*	*
2146	*	*	33	*	*	>=95	*	*
2147	14	14	>=95	*	*	89	57	74
2148	*	*	50					
2150	*	*	>=95	*	*	92	*	*
2151								
2154	*	*	86	*	*	81	31	48
2156	*	*	>=95	*	*	80	*	*
2161	*	*	>=95	*	*	89	31	42
2163								
2166	*	*	>=95	*	*	50	*	*
2169	*	*	75	*	*	85	*	*
2170								
2173	*	*	33	*	*	81	*	*
2174	*	*	>=95	*	*	80	*	*
2175								
2176	*	*	<=5	11	11	>=95	*	*
2182	*	*	>=95	*	*	>=95	*	*

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HS_READ_PC	ES_PASS_MA	ES_TAKE_MA	ES_MATH_PC	MS_PASS_MA	MS_TAKE_MA	MS_MATH_PC	HS_PASS_MA
2112	75	*	*	>=95	*	*	67	*
2113	>=95	0	0	<=5	*	*	>=95	*
2114	67	*	*	>=95	*	*	83	*
2115	>=95	*	*	>=95	*	*	67	*
2131	70	11	11	>=95	*	*	79	*
2132	>=95	*	*	75				*
2133	67	*	*	<=5				*
2134	>=95	0	0	<=5				*
2135	<=5	0	0	<=5	*	*	50	*
2136								
2137	80	*	*	>=95	*	*	70	*
2138	>=95	*	*	<=5	*	*	40	*
2139	>=95	*	*	<=5				*
2143	>=95	*	*	50	*	*	75	*
2145	>=95	*	*	>=95	*	*	50	*
2146	67	*	*	>=95	*	*	50	*
2147	77	*	*	93	*	*	87	52
2148		*	*	>=95				
2150	81	*	*	40	*	*	92	*
2151								
2154	65	*	*	>=95	*	*	85	34
2156	78	*	*	80	*	*	60	*
2161	74	*	*	83	*	*	71	26
2163								
2166	80	*	*	>=95	*	*	>=95	*
2169	75	*	*	>=95	*	*	90	*
2170								
2173	67	*	*	67	*	*	88	*
2174	>=95	*	*	<=5	*	*	80	*
2175								
2176	75	*	*	>=95	*	*	73	*
2182	67	*	*	>=95	*	*	75	*

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HS_TAKE_MA	HS_MATH_PC	DONE
2112	*	83	
2113	*	25	
2114	*	89	
2115	*	43	
2131	*	85	
2132	*	<=5	
2133	*	67	
2134	*	67	
2135	*	>=95	
2136			
2137	*	60	
2138	*	>=95	
2139	*	50	
2143	*	70	
2145	*	22	
2146	*	>=95	
2147	74	70	
2148			
2150	*	69	
2151			
2154	48	71	
2156	*	>=95	
2161	42	62	
2163			
2166	*	80	
2169	*	71	
2170			
2173	*	83	
2174	*	25	
2175			
2176	*	50	
2182	*	>=95	

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

OBJECTID	PLAN_ID	ES_HOME	MS_HOME	HS_HOME	PHASEOUT
	2183	Triadelphia Ridge ES	Folly Quarter MS	River Hill HS	
	2184	Centennial Lane ES	Burleigh Manor MS	Centennial HS	
	2189	Pointers Run ES	Clarksville MS	River Hill HS	
	2191	Veterans ES	Dunloggin MS	Centennial HS	
	2198	Dayton Oaks ES	Lime Kiln MS	River Hill HS	
	2204	Bryant Woods ES	Wilde Lake MS	Wilde Lake HS	
	2205	Dayton Oaks ES	Folly Quarter MS	Glenelg HS	
	2210	Triadelphia Ridge ES	Folly Quarter MS	Glenelg HS	
	2215	Bushy Park ES	Glenwood MS	Glenelg HS	
	2220	Bushy Park ES	Folly Quarter MS	Glenelg HS	
	2221	Fulton ES	Hammond MS	Reservoir HS	
	2223	West Friendship ES	Mount View MS	Marriotts Ridge HS	
	2226	West Friendship ES	Mount View MS	Marriotts Ridge HS	
	2228	West Friendship ES	Mount View MS	Marriotts Ridge HS	
	2229	West Friendship ES	Mount View MS	Marriotts Ridge HS	
	2233	Bushy Park ES	Glenwood MS	Glenelg HS	
	2236	Lisbon ES	Glenwood MS	Glenelg HS	
	2238	Bushy Park ES	Glenwood MS	Glenelg HS	
	2245	Lisbon ES	Glenwood MS	Glenelg HS	
	2247	Lisbon ES	Glenwood MS	Glenelg HS	
	2248	Lisbon ES	Glenwood MS	Glenelg HS	
	2250	Lisbon ES	Glenwood MS	Glenelg HS	
	2263	Fulton ES	Lime Kiln MS	Reservoir HS	
	2268	Bryant Woods ES	Wilde Lake MS	Wilde Lake HS	
	2306	Hollifield Station ES	Patapsco MS	Mt Hebron HS	
	2308	Veterans ES	Dunloggin MS	Mt Hebron HS	
	2310	Worthington ES	Ellicott Mills MS	Mt Hebron HS	
	3012	Laurel Woods ES	Murray Hill MS	Reservoir HS	
	3023	Bollman Bridge ES	Patuxent Valley MS	Hammond HS	
	3034	St Johns Lane ES	Patapsco MS	Mt Hebron HS	
	3035	Bellows Spring ES	Thomas Viaduct MS	Long Reach HS	
	3041	Elkridge ES	Elkridge Landing MS	Howard HS	

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	STUDNT_POP	GR0_POP	GR1_POP	GR2_POP	GR3_POP	GR4_POP	GR5_POP	GR6_POP	GR7_POP	GR8_POP	GR9_POP	GR10_POP	GR11_POP	GR12_POP
2183	44	2	5	5	0	3	7	1	5	2	3	1	3	7
2184	220	14	9	17	14	19	18	14	20	21	17	19	22	16
2189	11	0	1	1	1	1	0	0	2	0	1	0	2	2
2191	97	7	11	6	4	7	6	6	6	12	10	7	10	5
2198	59	2	2	7	5	2	7	5	5	5	5	7	6	1
2204	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2205	120	7	8	11	11	4	11	6	18	9	11	6	7	11
2210	74	6	7	7	4	5	7	5	5	7	8	1	6	6
2215	34	2	2	2	3	2	3	0	5	2	4	6	1	2
2220	32	0	2	1	4	2	3	2	1	6	3	2	5	1
2221	61	2	3	0	7	7	1	7	5	7	9	4	2	7
2223	55	3	5	3	6	6	3	2	5	4	5	5	2	6
2226	45	5	4	5	5	3	3	2	3	1	3	3	4	4
2228	21	1	1	1	2	1	1	1	2	2	3	1	4	1
2229	35	3	5	1	7	2	0	4	0	3	5	1	3	1
2233	32	7	2	4	1	1	0	2	3	1	3	0	6	2
2236	27	2	3	2	5	3	2	4	1	1	2	1	0	1
2238	58	0	0	0	5	2	1	4	6	8	10	6	6	10
2245	21	1	0	2	0	3	2	1	4	0	3	1	3	1
2247	33	3	2	1	3	1	3	1	4	2	3	4	5	1
2248	21	1	1	2	2	1	1	1	2	3	5	0	2	0
2250	170	8	11	14	16	10	12	16	19	15	15	10	11	13
2263	76	4	2	3	2	6	5	8	5	9	5	9	10	8
2268	96	8	9	11	9	8	8	6	7	12	7	6	2	3
2306	16	2	2	0	5	0	1	1	0	1	1	1	0	2
2308	194	20	20	23	18	17	21	14	13	9	8	13	9	9
2310	0	0	0	0	0	0	0	0	0	0	0	0	0	0
3012	257	20	21	28	16	17	22	21	26	18	15	20	15	18
3023	0	0	0	0	0	0	0	0	0	0	0	0	0	0
3034	83	6	9	7	7	5	2	7	10	9	8	5	3	5
3035	176	15	21	17	21	14	21	10	9	6	15	10	9	8
3041	79	5	4	1	7	6	8	7	6	6	9	5	6	9

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	FARM_POP	ESPROJ1	MSPROJ1	HSPROJ1	ESPROJ2	MSPROJ2	HSPROJ2	ESPROJ3	MSPROJ3
2183	*	18	11	13	18	11	14	18	12
2184	*	75	56	78	73	57	81	70	58
2189	*	4	2	4	4	3	4	4	3
2191	59	35	20	33	36	20	33	35	20
2198	*	27	15	21	25	16	21	25	16
2204	*	0	0	0	0	0	0	0	0
2205	*	45	31	37	45	30	40	44	31
2210	*	28	19	21	27	18	23	27	18
2215	*	11	8	11	11	8	11	10	8
2220	*	12	8	11	12	8	11	11	8
2221	*	19	13	23	19	12	22	19	12
2223	*	24	14	17	23	15	18	22	16
2226	*	22	11	12	21	13	13	20	14
2228	*	6	5	8	6	5	8	6	5
2229	*	16	9	10	15	10	11	15	10
2233	*	8	6	9	8	6	9	8	6
2236	*	15	9	6	16	10	8	15	11
2238	*	7	11	28	8	9	25	7	8
2245	*	7	5	7	8	5	7	7	6
2247	*	10	7	11	10	7	11	10	8
2248	*	7	5	7	7	5	7	7	6
2250	20	63	48	53	62	47	59	60	50
2263	*	19	16	30	19	14	29	19	14
2268	61	51	27	31	50	27	33	51	29
2306	*	8	4	3	9	4	4	8	5
2308	64	103	48	42	103	51	49	101	54
2310	*	0	0	0	0	0	0	0	0
3012	103	105	68	76	102	69	82	95	72
3023	*	0	0	0	0	0	0	0	0
3034	*	29	22	27	29	20	27	31	19
3035	36	96	42	37	105	47	44	119	53
3041	16	25	18	29	25	18	28	29	18

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HSPROJ3	ESPROJ4	MSPROJ4	HSPROJ4	ESPROJ5	MSPROJ5	HSPROJ5	KSPROJ1	KSPROJ2
2183	15	17	12	15	17	11	15	2.00	3.00
2184	85	69	58	88	69	57	89	17.00	16.00
2189	4	4	3	4	4	3	4	0.00	0.00
2191	34	36	20	34	35	21	34	6.00	6.00
2198	22	23	16	22	24	16	22	3.00	2.00
2204	0	0	0	0	0	0	0	0.00	0.00
2205	40	41	30	38	43	29	40	9.00	6.00
2210	23	26	18	23	26	18	23	8.00	7.00
2215	11	10	8	11	9	8	11	2.00	2.00
2220	11	11	8	11	10	8	11	0.00	0.00
2221	21	21	13	21	22	13	21	2.00	2.00
2223	19	23	16	19	23	17	20	3.00	3.00
2226	14	21	14	15	21	15	16	4.00	5.00
2228	8	6	5	8	6	5	8	1.00	1.00
2229	12	15	11	12	15	11	13	3.00	3.00
2233	9	7	6	9	7	6	9	10.00	7.00
2236	9	22	12	10	29	13	12	2.00	3.00
2238	22	7	8	19	7	7	18	0.00	0.00
2245	7	7	6	7	7	5	7	1.00	2.00
2247	10	9	8	10	9	7	11	2.00	3.00
2248	7	6	6	7	6	5	7	1.00	1.00
2250	59	56	49	59	52	48	62	7.00	7.00
2263	27	21	14	26	21	14	25	4.00	4.00
2268	34	50	29	35	50	30	36	7.00	7.00
2306	4	8	5	5	8	5	5	2.00	2.00
2308	53	102	55	57	102	59	61	18.00	16.00
2310	0	0	0	0	0	0	0	0.00	0.00
3012	85	94	75	92	91	71	94	20.00	18.00
3023	0	0	0	0	0	0	0	0.00	1.00
3034	27	30	19	27	31	20	27	6.00	7.00
3035	49	132	60	54	152	65	59	19.00	26.00
3041	28	34	18	28	43	20	29	4.00	4.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	KSPROJ3	KSPROJ4	KSPROJ5	KSPROJ6	KSPROJ7	KSPROJ8	KSPROJ9	ESPROJ9	MSPROJ9
2183	2.00	2.00	2.00	2.00	2.00	2.00	2.00	17.00	11.00
2184	15.00	15.00	14.00	14.00	15.00	15.00	16.00	67.00	59.00
2189	0.00	0.00	0.00	0.00	0.00	0.00	0.00	4.00	3.00
2191	6.00	6.00	6.00	6.00	6.00	6.00	6.00	34.00	21.00
2198	2.00	2.00	3.00	2.00	2.00	2.00	2.00	24.00	16.00
2204	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2205	6.00	6.00	8.00	6.00	6.00	6.00	6.00	38.00	26.00
2210	7.00	6.00	7.00	6.00	7.00	6.00	6.00	25.00	17.00
2215	2.00	2.00	2.00	2.00	2.00	2.00	2.00	9.00	7.00
2220	0.00	0.00	0.00	0.00	0.00	0.00	0.00	9.00	7.00
2221	2.00	2.00	2.00	2.00	2.00	2.00	2.00	21.00	14.00
2223	3.00	4.00	3.00	3.00	4.00	4.00	4.00	26.00	18.00
2226	5.00	7.00	7.00	7.00	6.00	7.00	7.00	26.00	16.00
2228	1.00	1.00	1.00	1.00	1.00	1.00	1.00	7.00	5.00
2229	3.00	4.00	3.00	3.00	4.00	4.00	4.00	18.00	12.00
2233	6.00	7.00	6.00	6.00	6.00	6.00	6.00	6.00	5.00
2236	2.00	6.00	5.00	5.00	5.00	5.00	5.00	31.00	16.00
2238	0.00	0.00	0.00	0.00	0.00	0.00	0.00	6.00	6.00
2245	1.00	1.00	1.00	1.00	1.00	1.00	1.00	7.00	5.00
2247	2.00	3.00	2.00	2.00	2.00	2.00	3.00	9.00	7.00
2248	1.00	1.00	1.00	1.00	1.00	1.00	1.00	6.00	5.00
2250	6.00	7.00	6.00	6.00	6.00	6.00	7.00	53.00	40.00
2263	4.00	4.00	4.00	4.00	4.00	3.00	3.00	20.00	14.00
2268	7.00	7.00	8.00	8.00	8.00	8.00	8.00	49.00	34.00
2306	2.00	2.00	2.00	2.00	2.00	2.00	3.00	15.00	5.00
2308	18.00	17.00	17.00	17.00	17.00	17.00	16.00	91.00	58.00
2310	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3012	18.00	16.00	16.00	18.00	17.00	17.00	17.00	81.00	68.00
3023	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.00	0.00
3034	6.00	7.00	6.00	7.00	7.00	7.00	7.00	38.00	21.00
3035	32.00	45.00	44.00	48.00	48.00	48.00	46.00	179.00	98.00
3041	5.00	6.00	7.00	7.00	7.00	8.00	9.00	56.00	25.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HSPROJ9	KSPROJ10	ESPROJ10	MSPROJ10	HSPROJ10	KSPROJ11	ESPROJ11	MSPROJ11	HSPROJ11	KSPROJ12
2183	15.00	2.00	17.00	11.00	15.00	2.00	17.00	11.00	15.00	2.00
2184	92.00	15.00	66.00	59.00	92.00	16.00	66.00	58.00	94.00	16.00
2189	4.00	0.00	4.00	3.00	4.00	0.00	4.00	3.00	4.00	0.00
2191	35.00	6.00	33.00	21.00	35.00	6.00	34.00	21.00	35.00	6.00
2198	22.00	2.00	23.00	17.00	22.00	2.00	22.00	17.00	22.00	2.00
2204	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2205	40.00	6.00	38.00	26.00	38.00	6.00	36.00	26.00	38.00	6.00
2210	23.00	6.00	25.00	17.00	23.00	6.00	25.00	16.00	23.00	6.00
2215	10.00	2.00	8.00	7.00	10.00	2.00	9.00	7.00	10.00	2.00
2220	10.00	0.00	9.00	7.00	10.00	0.00	9.00	7.00	10.00	0.00
2221	20.00	2.00	20.00	15.00	20.00	2.00	19.00	14.00	20.00	2.00
2223	23.00	4.00	25.00	18.00	23.00	4.00	25.00	18.00	23.00	4.00
2226	19.00	7.00	27.00	17.00	19.00	7.00	28.00	17.00	20.00	7.00
2228	8.00	1.00	7.00	5.00	8.00	1.00	7.00	5.00	8.00	1.00
2229	15.00	4.00	20.00	12.00	15.00	4.00	20.00	12.00	15.00	4.00
2233	8.00	6.00	6.00	5.00	8.00	7.00	8.00	6.00	8.00	7.00
2236	15.00	6.00	32.00	17.00	15.00	5.00	33.00	18.00	16.00	5.00
2238	14.00	0.00	6.00	6.00	14.00	0.00	6.00	6.00	13.00	0.00
2245	7.00	1.00	7.00	5.00	7.00	2.00	8.00	5.00	7.00	2.00
2247	10.00	4.00	11.00	7.00	10.00	3.00	11.00	7.00	10.00	4.00
2248	7.00	1.00	6.00	5.00	7.00	2.00	7.00	5.00	7.00	2.00
2250	61.00	7.00	54.00	42.00	60.00	6.00	57.00	42.00	59.00	6.00
2263	23.00	3.00	20.00	15.00	23.00	3.00	19.00	15.00	23.00	3.00
2268	39.00	8.00	50.00	35.00	40.00	8.00	50.00	35.00	41.00	8.00
2306	6.00	4.00	17.00	6.00	7.00	5.00	19.00	6.00	7.00	5.00
2308	72.00	16.00	89.00	58.00	73.00	18.00	92.00	58.00	74.00	17.00
2310	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3012	96.00	17.00	84.00	66.00	96.00	19.00	83.00	64.00	96.00	19.00
3023	0.00	1.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	1.00
3034	29.00	8.00	40.00	22.00	29.00	7.00	39.00	22.00	29.00	8.00
3035	78.00	44.00	176.00	105.00	85.00	43.00	172.00	109.00	92.00	43.00
3041	31.00	9.00	57.00	27.00	32.00	9.00	58.00	29.00	33.00	9.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	ESPROJ12	MSPROJ12	HSPROJ12	KSPROJ13	ESPROJ13	MSPROJ13	HSPROJ13	KSPROJ14	ESPROJ14	MSPROJ14	HSPROJ14
2183	17.00	11.00	15.00	2.00	17.00	11.00	16.00	2.00	17.00	11.00	16.00
2184	67.00	57.00	95.00	15.00	68.00	57.00	96.00	16.00	68.00	57.00	96.00
2189	3.00	3.00	4.00	0.00	3.00	3.00	4.00	0.00	3.00	3.00	4.00
2191	35.00	21.00	36.00	6.00	35.00	21.00	36.00	7.00	35.00	22.00	36.00
2198	22.00	17.00	23.00	2.00	23.00	17.00	23.00	3.00	24.00	16.00	23.00
2204	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2205	37.00	26.00	37.00	5.00	39.00	26.00	38.00	7.00	40.00	27.00	38.00
2210	25.00	16.00	23.00	6.00	25.00	17.00	23.00	6.00	24.00	17.00	23.00
2215	9.00	8.00	10.00	2.00	9.00	7.00	10.00	2.00	9.00	7.00	10.00
2220	10.00	6.00	10.00	0.00	10.00	7.00	10.00	0.00	10.00	7.00	10.00
2221	18.00	14.00	21.00	2.00	17.00	15.00	21.00	2.00	16.00	15.00	21.00
2223	25.00	18.00	24.00	4.00	25.00	18.00	24.00	4.00	25.00	18.00	24.00
2226	28.00	17.00	20.00	6.00	29.00	17.00	21.00	6.00	28.00	18.00	21.00
2228	7.00	5.00	8.00	1.00	7.00	5.00	8.00	1.00	7.00	5.00	8.00
2229	20.00	13.00	15.00	4.00	20.00	13.00	16.00	4.00	20.00	13.00	16.00
2233	9.00	6.00	8.00	6.00	9.00	6.00	8.00	6.00	8.00	6.00	8.00
2236	33.00	19.00	16.00	5.00	32.00	19.00	17.00	5.00	32.00	20.00	18.00
2238	7.00	6.00	13.00	0.00	7.00	6.00	13.00	0.00	7.00	6.00	12.00
2245	8.00	6.00	7.00	2.00	9.00	5.00	7.00	2.00	8.00	6.00	7.00
2247	12.00	8.00	10.00	3.00	11.00	7.00	10.00	3.00	11.00	8.00	10.00
2248	8.00	5.00	7.00	3.00	9.00	5.00	7.00	3.00	9.00	5.00	7.00
2250	57.00	45.00	57.00	6.00	57.00	44.00	59.00	6.00	55.00	43.00	59.00
2263	18.00	15.00	23.00	3.00	17.00	14.00	23.00	3.00	16.00	14.00	23.00
2268	50.00	35.00	42.00	8.00	50.00	35.00	43.00	8.00	51.00	35.00	44.00
2306	19.00	7.00	7.00	5.00	20.00	7.00	7.00	5.00	23.00	8.00	7.00
2308	93.00	58.00	74.00	16.00	92.00	58.00	75.00	17.00	91.00	59.00	75.00
2310	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3012	83.00	63.00	97.00	20.00	83.00	63.00	96.00	18.00	84.00	61.00	96.00
3023	0.00	0.00	0.00	1.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00
3034	41.00	23.00	29.00	8.00	40.00	22.00	29.00	8.00	39.00	23.00	30.00
3035	166.00	112.00	100.00	43.00	165.00	111.00	111.00	41.00	162.00	110.00	116.00
3041	57.00	31.00	33.00	9.00	57.00	31.00	34.00	9.00	58.00	32.00	35.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	ES_PASS_RE	ES_TAKE_RE	ES_READ_PC	MS_PASS_RE	MS_TAKE_RE	MS_READ_PC	HS_PASS_RE	HS_TAKE_RE
2183	*	*	75	*	*	83	*	*
2184	13	13	>=95	*	*	92	35	46
2189								
2191	*	*	>=95	*	*	57	*	*
2198	*	*	>=95	*	*	93	*	*
2204								
2205	*	*	78	*	*	87	*	*
2210	*	*	67	*	*	92	*	*
2215	*	*	>=95	*	*	86	*	*
2220	*	*	>=95	*	*	>=95	*	*
2221	*	*	>=95	*	*	78	13	13
2223	*	*	>=95	*	*	71	*	*
2226	*	*	>=95	*	*	>=95	*	*
2228	*	*	<=5				*	*
2229	0	0	<=5	*	*	>=95	*	*
2233	0	0	<=5	*	*	80	*	*
2236	0	0	<=5	*	*	67		
2238	0	0	<=5	*	*	75	*	*
2245	*	*	>=95				*	*
2247	*	*	>=95	*	*	80	*	*
2248	*	*	<=5	*	*	>=95	*	*
2250	*	*	71	*	*	75	*	*
2263	*	*	>=95	*	*	88	*	*
2268	0	0	<=5	*	*	63	*	*
2306	0	0	<=5					
2308	*	*	75	*	*	89	*	*
2310								
3012	*	*	82	*	*	82	*	*
3023								
3034	*	*	>=95	*	*	79	*	*
3035	*	*	67	10	10	>=95	*	*
3041	*	*	25	*	*	88	*	*

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HS_READ_PC	ES_PASS_MA	ES_TAKE_MA	ES_MATH_PC	MS_PASS_MA	MS_TAKE_MA	MS_MATH_PC	HS_PASS_MA
2183	71	*	*	>=95	*	*	>=95	*
2184	76	13	13	>=95	26	36	72	*
2189								
2191	75	*	*	>=95	*	*	43	*
2198	71	*	*	>=95	*	*	93	*
2204								
2205	69	*	*	89	*	*	87	*
2210	73	*	*	67	*	*	77	*
2215	90	*	*	>=95	*	*	>=95	*
2220	>=95	*	*	>=95	*	*	83	*
2221	>=95	*	*	>=95	*	*	67	*
2223	85	*	*	33	*	*	71	*
2226	60	*	*	>=95	*	*	>=95	*
2228	75	*	*	>=95				*
2229	80	0	0	<=5	*	*	83	*
2233	25	0	0	<=5	*	*	80	*
2236		0	0	<=5	*	*	67	
2238	61	0	0	<=5	*	*	75	*
2245	50	*	*	<=5				*
2247	56	*	*	>=95	*	*	80	*
2248	67	*	*	>=95	*	*	<=5	*
2250	86	*	*	86	*	*	75	*
2263	82	*	*	50	*	*	88	*
2268	>=95	0	0	<=5	*	*	75	*
2306		0	0	<=5				
2308	83	*	*	88	*	*	>=95	*
2310								
3012	83	*	*	91	*	*	65	*
3023								
3034	92	*	*	>=95	*	*	79	*
3035	83	*	*	67	*	*	30	*
3041	90	*	*	>=95	*	*	63	*

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HS_TAKE_MA	HS_MATH_PC	DONE
2183	*	57	
2184	*	80	
2189			
2191	*	75	
2198	*	79	
2204			
2205	*	75	
2210	*	64	
2215	*	90	
2220	*	<=5	
2221	*	54	
2223	*	62	
2226	*	90	
2228	*	75	
2229	*	80	
2233	*	>=95	
2236			
2238	*	83	
2245	*	>=95	
2247	*	>=95	
2248	*	67	
2250	*	75	
2263	*	73	
2268	*	<=5	
2306			
2308	*	33	
2310			
3012	*	56	
3023			
3034	*	75	
3035	*	33	
3041	*	40	

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

OBJECTID	PLAN_ID	ES_HOME	MS_HOME	HS_HOME	PHASEOUT
	3042	Elkridge ES	Elkridge Landing MS	Howard HS	
	3046	Forest Ridge ES	Patuxent Valley MS	Reservoir HS	
	3047	Forest Ridge ES	Patuxent Valley MS	Hammond HS	
	3048	Guilford ES	Lake Elkhorn MS	Hammond HS	
	3056	Atholton ES	Oakland Mills MS	Oakland Mills HS	
	3059	Talbott Springs ES	Oakland Mills MS	Oakland Mills HS	
	3068	Phelps Luck ES	Bonnie Branch MS	Howard HS	
	3069	Phelps Luck ES	Bonnie Branch MS	Long Reach HS	
	3071	Jeffers Hill ES	Mayfield Woods MS	Long Reach HS	
	3075	Waterloo ES	Mayfield Woods MS	Long Reach HS	
	3085	Ilchester ES	Bonnie Branch MS	Howard HS	
	3087	Rockburn ES	Elkridge Landing MS	Howard HS	
	3091	Rockburn ES	Bonnie Branch MS	Howard HS	
	3093	Worthington ES	Ellicott Mills MS	Mt Hebron HS	
	3101	Veterans ES	Ellicott Mills MS	Centennial HS	
	3107	Hollifield Station ES	Patapsco MS	Mt Hebron HS	
	3113	Stevens Forest ES	Oakland Mills MS	Oakland Mills HS	
	3115	Pointers Run ES	Lime Kiln MS	Reservoir HS	
	3131	Clemens Crossing ES	Wilde Lake MS	Atholton HS	
	3133	Running Brook ES	Wilde Lake MS	Atholton HS	
	3136	Running Brook ES	Wilde Lake MS	Wilde Lake HS	
	3137	Bryant Woods ES	Wilde Lake MS	Wilde Lake HS	
	3138	Swansfield ES	Harpers Choice MS	Wilde Lake HS	
	3139	Cradlerock ES	Lake Elkhorn MS	Oakland Mills HS	
	3143	Longfellow ES	Harpers Choice MS	Wilde Lake HS	
	3146	Running Brook ES	Wilde Lake MS	Wilde Lake HS	
	3147	Centennial Lane ES	Burleigh Manor MS	Centennial HS	
	3150	Northfield ES	Dunloggin MS	Centennial HS	
	3169	Waverly ES	Mount View MS	Marriotts Ridge HS	
	3174	Swansfield ES	Harpers Choice MS	Wilde Lake HS	
	3176	Triadelphia Ridge ES	Folly Quarter MS	River Hill HS	
	3182	Triadelphia Ridge ES	Folly Quarter MS	River Hill HS	

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	STUDNT_POP	GR0_POP	GR1_POP	GR2_POP	GR3_	GR4_	GR5_	GR6_	GR7_	GR8_	GR9_	GR10	GR11_POP	GR12_POP
3042	103	5	2	10	9	8	7	11	8	8	11	10	10	4
3046	108	6	10	10	6	7	5	11	5	8	10	8	14	8
3047	165	8	13	10	13	17	12	15	16	13	12	13	9	14
3048	101	7	8	12	7	10	6	8	8	5	8	3	6	13
3056	37	5	0	3	1	4	5	3	4	2	4	2	3	1
3059	83	8	5	5	8	5	8	6	6	10	6	4	8	4
3068	91	6	6	6	9	9	6	4	4	5	12	6	10	8
3069	60	4	5	2	2	5	5	3	4	6	9	4	5	6
3071	3	0	0	1	0	1	0	0	0	0	0	0	0	1
3075	61	6	7	3	3	2	3	7	5	5	6	4	8	2
3085	26	1	1	0	3	3	2	3	3	4	1	3	1	1
3087	82	0	6	5	7	4	4	11	6	10	9	6	5	9
3091	11	1	0	1	0	0	1	0	1	1	3	0	0	3
3093	49	5	1	5	4	7	2	3	4	5	2	5	4	2
3101	36	0	0	4	3	2	2	4	3	4	5	2	5	2
3107	249	30	15	19	19	21	12	20	23	18	22	20	11	19
3113	73	7	5	4	4	5	4	5	6	5	7	9	7	5
3115	32	2	4	0	2	5	0	1	1	2	4	3	6	2
3131	21	2	2	0	3	1	3	1	1	2	3	0	3	0
3133	106	3	13	8	2	8	10	5	6	9	15	8	11	8
3136	87	2	4	7	9	6	8	4	12	9	9	6	3	8
3137	123	6	9	13	8	8	12	8	10	7	14	9	6	13
3138	43	4	2	3	8	3	3	2	1	2	6	2	5	2
3139	86	7	2	5	5	6	4	6	5	8	9	10	12	7
3143	195	17	16	16	16	16	14	24	13	14	12	17	12	8
3146	74	8	2	8	8	3	9	5	7	1	8	5	3	7
3147	5	0	0	0	0	0	1	0	1	1	1	0	1	0
3150	143	6	8	8	6	11	4	17	14	16	15	12	9	17
3169	78	4	1	4	2	4	4	6	10	5	9	4	9	16
3174	67	7	2	3	3	3	5	8	8	9	8	3	5	3
3176	127	6	6	9	14	19	11	9	16	10	9	6	8	4
3182	50	3	2	4	1	3	4	3	5	5	7	6	4	3

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	FARM_POP	ESPROJ1	MSPROJ1	HSPROJ1	ESPROJ2	MSPROJ2	HSPROJ2	ESPROJ3	MSPROJ3
3042	30	35	25	38	35	25	36	33	24
3046	47	38	22	36	37	23	35	37	22
3047	33	66	38	50	62	40	50	62	38
3048	34	40	24	28	40	25	29	40	25
3056	*	15	8	11	14	9	11	15	9
3059	*	32	19	25	32	19	25	32	20
3068	35	36	19	30	36	22	28	38	22
3069	36	19	13	20	19	13	20	20	13
3071	*	2	1	1	2	1	1	2	1
3075	12	17	12	20	17	12	19	16	12
3085	*	8	8	10	9	7	10	9	7
3087	*	27	22	34	27	20	33	28	20
3091	*	2	2	5	2	2	4	2	1
3093	*	17	13	14	16	13	15	15	13
3101	*	11	9	15	11	9	15	11	9
3107	80	91	58	76	91	56	76	88	54
3113	18	21	14	25	21	14	23	21	14
3115	*	11	6	11	11	6	10	10	7
3131	*	9	5	7	9	5	7	10	5
3133	40	42	25	41	47	24	42	50	26
3136	50	35	23	37	39	21	36	42	23
3137	68	56	29	46	56	29	45	57	32
3138	10	19	9	11	19	10	12	19	10
3139	26	22	15	33	21	15	28	20	15
3143	114	73	46	36	73	46	46	72	46
3146	45	31	17	26	34	17	25	37	18
3147	*	1	1	2	1	1	2	1	1
3150	*	38	30	60	39	27	57	39	26
3169	*	15	15	34	15	14	30	15	13
3174	31	16	15	14	16	13	16	16	12
3176	*	57	39	38	55	37	43	55	38
3182	*	13	11	20	13	10	19	13	10

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HSPROJ3	ESPROJ4	MSPROJ4	HSPROJ4	ESPROJ5	MSPROJ5	HSPROJ5	KSPROJ1	KSPROJ2
3042	37	31	23	37	30	24	36	4.00	4.00
3046	35	40	23	35	40	22	35	6.00	6.00
3047	51	69	39	49	68	37	50	8.00	8.00
3048	30	38	25	30	35	25	30	8.00	8.00
3056	11	15	9	11	14	9	12	4.00	4.00
3059	25	32	19	26	32	19	27	7.00	6.00
3068	30	40	22	30	40	22	31	6.00	6.00
3069	19	21	13	19	21	12	19	4.00	4.00
3071	1	2	1	1	2	1	1	0.00	0.00
3075	19	17	12	18	16	12	18	7.00	7.00
3085	10	8	6	10	8	6	10	1.00	1.00
3087	33	29	19	32	29	20	31	0.00	0.00
3091	4	2	1	4	5	1	3	1.00	1.00
3093	16	13	13	16	13	12	17	5.00	5.00
3101	15	11	9	15	11	9	15	0.00	0.00
3107	76	90	55	76	89	57	77	27.00	23.00
3113	22	22	13	22	22	13	22	9.00	9.00
3115	10	10	7	10	10	7	10	2.00	2.00
3131	7	10	5	8	11	6	8	2.00	2.00
3133	41	54	27	42	59	28	42	4.00	4.00
3136	34	45	23	33	49	24	33	3.00	3.00
3137	44	56	32	44	57	33	43	5.00	5.00
3138	12	20	10	12	20	11	12	4.00	5.00
3139	26	19	14	26	19	14	26	7.00	4.00
3143	50	70	45	54	67	46	53	20.00	20.00
3146	25	40	19	25	43	20	25	10.00	12.00
3147	2	1	1	2	1	1	2	0.00	0.00
3150	55	39	25	53	40	26	51	7.00	6.00
3169	28	14	13	27	13	12	25	4.00	4.00
3174	17	17	11	17	17	12	16	7.00	8.00
3176	45	54	37	47	52	37	48	8.00	8.00
3182	18	12	9	17	12	9	16	3.00	4.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	KSPROJ3	KSPROJ4	KSPROJ5	KSPROJ6	KSPROJ7	KSPROJ8	KSPROJ9	ESPROJ9	MSPROJ9
3042	4.00	4.00	4.00	4.00	3.00	4.00	4.00	27.00	22.00
3046	7.00	6.00	7.00	8.00	8.00	8.00	8.00	47.00	23.00
3047	9.00	8.00	10.00	10.00	11.00	11.00	11.00	80.00	39.00
3048	8.00	7.00	7.00	7.00	8.00	8.00	9.00	39.00	22.00
3056	3.00	4.00	3.00	3.00	3.00	3.00	3.00	12.00	8.00
3059	7.00	7.00	7.00	7.00	7.00	7.00	7.00	31.00	19.00
3068	6.00	6.00	7.00	7.00	7.00	7.00	7.00	43.00	24.00
3069	4.00	4.00	4.00	4.00	4.00	5.00	5.00	23.00	13.00
3071	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.00	1.00
3075	7.00	7.00	7.00	7.00	7.00	7.00	7.00	17.00	11.00
3085	2.00	2.00	2.00	2.00	2.00	2.00	2.00	9.00	6.00
3087	0.00	0.00	0.00	0.00	0.00	0.00	0.00	28.00	20.00
3091	1.00	1.00	1.00	1.00	1.00	2.00	2.00	13.00	3.00
3093	4.00	5.00	5.00	4.00	5.00	6.00	6.00	15.00	10.00
3101	0.00	0.00	0.00	0.00	0.00	0.00	0.00	10.00	8.00
3107	26.00	25.00	24.00	24.00	23.00	23.00	22.00	83.00	57.00
3113	8.00	8.00	9.00	9.00	9.00	9.00	9.00	22.00	13.00
3115	2.00	2.00	2.00	2.00	2.00	2.00	2.00	10.00	7.00
3131	2.00	2.00	2.00	2.00	2.00	3.00	3.00	12.00	7.00
3133	5.00	5.00	5.00	5.00	6.00	6.00	6.00	80.00	38.00
3136	4.00	4.00	4.00	4.00	5.00	5.00	6.00	66.00	32.00
3137	5.00	5.00	5.00	5.00	5.00	5.00	5.00	55.00	37.00
3138	4.00	4.00	4.00	4.00	4.00	5.00	5.00	21.00	12.00
3139	5.00	5.00	5.00	5.00	5.00	5.00	5.00	18.00	12.00
3143	18.00	19.00	19.00	19.00	20.00	20.00	20.00	70.00	43.00
3146	13.00	13.00	14.00	14.00	15.00	15.00	16.00	58.00	28.00
3147	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.00	1.00
3150	5.00	6.00	5.00	6.00	6.00	6.00	6.00	40.00	25.00
3169	3.00	4.00	3.00	3.00	4.00	4.00	4.00	13.00	11.00
3174	8.00	8.00	8.00	8.00	8.00	8.00	8.00	17.00	11.00
3176	7.00	6.00	6.00	6.00	6.00	6.00	6.00	51.00	33.00
3182	3.00	3.00	3.00	3.00	3.00	3.00	3.00	13.00	8.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HSPROJ9	KSPROJ10	ESPROJ10	MSPROJ10	HSPROJ10	KSPROJ11	ESPROJ11	MSPROJ11	HSPROJ11	KSPROJ12
3042	36.00	4.00	28.00	22.00	35.00	4.00	29.00	23.00	35.00	4.00
3046	33.00	8.00	50.00	24.00	33.00	8.00	49.00	24.00	33.00	7.00
3047	51.00	10.00	84.00	40.00	52.00	10.00	83.00	41.00	54.00	10.00
3048	32.00	8.00	39.00	23.00	32.00	8.00	38.00	23.00	33.00	8.00
3056	12.00	3.00	12.00	8.00	12.00	4.00	12.00	8.00	12.00	4.00
3059	27.00	7.00	32.00	19.00	27.00	7.00	32.00	19.00	27.00	7.00
3068	32.00	7.00	44.00	25.00	32.00	7.00	45.00	25.00	33.00	7.00
3069	19.00	5.00	23.00	14.00	19.00	5.00	24.00	14.00	20.00	5.00
3071	1.00	0.00	2.00	1.00	1.00	0.00	2.00	1.00	1.00	0.00
3075	18.00	7.00	17.00	12.00	18.00	7.00	16.00	12.00	18.00	7.00
3085	10.00	2.00	11.00	6.00	10.00	2.00	11.00	6.00	10.00	2.00
3087	31.00	0.00	28.00	20.00	31.00	0.00	27.00	21.00	31.00	0.00
3091	4.00	2.00	13.00	4.00	4.00	3.00	20.00	4.00	4.00	3.00
3093	17.00	6.00	15.00	10.00	17.00	5.00	15.00	10.00	16.00	5.00
3101	15.00	0.00	10.00	8.00	15.00	0.00	10.00	8.00	15.00	0.00
3107	82.00	22.00	82.00	59.00	81.00	23.00	82.00	59.00	81.00	24.00
3113	21.00	9.00	23.00	13.00	20.00	9.00	23.00	13.00	20.00	9.00
3115	10.00	1.00	10.00	7.00	10.00	1.00	10.00	7.00	10.00	1.00
3131	9.00	3.00	12.00	7.00	9.00	3.00	13.00	7.00	10.00	3.00
3133	48.00	6.00	84.00	41.00	49.00	7.00	89.00	42.00	51.00	7.00
3136	35.00	7.00	70.00	34.00	36.00	7.00	74.00	36.00	37.00	8.00
3137	45.00	5.00	55.00	38.00	46.00	5.00	56.00	38.00	47.00	5.00
3138	14.00	5.00	21.00	12.00	14.00	5.00	21.00	12.00	15.00	5.00
3139	24.00	6.00	18.00	12.00	23.00	6.00	18.00	12.00	22.00	6.00
3143	55.00	21.00	71.00	45.00	57.00	20.00	71.00	43.00	60.00	21.00
3146	28.00	17.00	62.00	30.00	29.00	17.00	65.00	31.00	30.00	18.00
3147	2.00	0.00	2.00	1.00	2.00	0.00	2.00	1.00	2.00	0.00
3150	49.00	6.00	39.00	24.00	49.00	6.00	40.00	25.00	48.00	6.00
3169	23.00	4.00	13.00	12.00	22.00	4.00	13.00	11.00	22.00	4.00
3174	16.00	8.00	18.00	11.00	16.00	8.00	18.00	11.00	16.00	8.00
3176	48.00	6.00	51.00	33.00	48.00	6.00	51.00	33.00	47.00	6.00
3182	15.00	3.00	13.00	8.00	14.00	3.00	13.00	8.00	14.00	3.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	ESPROJ12	MSPROJ12	HSPROJ12	KSPROJ13	ESPROJ13	MSPROJ13	HSPROJ13	KSPROJ14	ESPROJ14	MSPROJ14	HSPROJ14
3042	28.00	23.00	35.00	4.00	28.00	22.00	35.00	4.00	29.00	22.00	35.00
3046	49.00	25.00	34.00	7.00	48.00	25.00	34.00	7.00	47.00	26.00	34.00
3047	83.00	42.00	56.00	10.00	82.00	43.00	57.00	10.00	80.00	43.00	59.00
3048	38.00	23.00	34.00	9.00	39.00	23.00	35.00	8.00	39.00	24.00	36.00
3056	12.00	8.00	12.00	4.00	13.00	8.00	11.00	4.00	13.00	8.00	12.00
3059	33.00	19.00	27.00	7.00	33.00	19.00	26.00	7.00	34.00	19.00	26.00
3068	45.00	26.00	33.00	7.00	46.00	27.00	33.00	7.00	46.00	28.00	34.00
3069	24.00	14.00	20.00	5.00	24.00	15.00	21.00	5.00	24.00	15.00	22.00
3071	2.00	1.00	1.00	0.00	2.00	1.00	1.00	0.00	2.00	1.00	1.00
3075	17.00	12.00	19.00	7.00	17.00	12.00	19.00	7.00	17.00	12.00	20.00
3085	11.00	6.00	9.00	2.00	11.00	6.00	9.00	1.00	10.00	7.00	9.00
3087	27.00	21.00	30.00	0.00	28.00	21.00	30.00	0.00	28.00	21.00	30.00
3091	22.00	5.00	4.00	3.00	22.00	6.00	4.00	3.00	22.00	6.00	5.00
3093	17.00	11.00	16.00	5.00	17.00	11.00	16.00	5.00	16.00	11.00	16.00
3101	10.00	8.00	15.00	0.00	10.00	8.00	15.00	0.00	10.00	8.00	15.00
3107	82.00	58.00	82.00	24.00	84.00	57.00	82.00	24.00	87.00	56.00	81.00
3113	23.00	13.00	20.00	9.00	23.00	13.00	19.00	9.00	23.00	13.00	19.00
3115	9.00	7.00	10.00	1.00	9.00	7.00	10.00	1.00	9.00	7.00	10.00
3131	13.00	7.00	10.00	2.00	13.00	8.00	10.00	3.00	13.00	8.00	11.00
3133	92.00	44.00	54.00	7.00	96.00	46.00	56.00	7.00	98.00	48.00	58.00
3136	76.00	37.00	39.00	9.00	79.00	38.00	40.00	10.00	81.00	40.00	41.00
3137	56.00	39.00	48.00	5.00	56.00	39.00	49.00	6.00	57.00	39.00	50.00
3138	21.00	12.00	15.00	5.00	22.00	12.00	15.00	5.00	22.00	12.00	15.00
3139	19.00	12.00	22.00	6.00	19.00	12.00	21.00	6.00	19.00	12.00	21.00
3143	72.00	44.00	59.00	22.00	72.00	44.00	61.00	21.00	73.00	45.00	61.00
3146	67.00	32.00	32.00	18.00	70.00	33.00	33.00	19.00	72.00	35.00	34.00
3147	2.00	1.00	2.00	0.00	2.00	1.00	2.00	0.00	2.00	1.00	2.00
3150	40.00	25.00	48.00	6.00	40.00	25.00	48.00	6.00	40.00	25.00	48.00
3169	13.00	11.00	22.00	4.00	13.00	11.00	21.00	4.00	13.00	11.00	21.00
3174	18.00	11.00	16.00	8.00	18.00	11.00	17.00	9.00	19.00	11.00	17.00
3176	50.00	33.00	48.00	6.00	49.00	34.00	49.00	6.00	49.00	33.00	49.00
3182	13.00	8.00	14.00	3.00	13.00	8.00	14.00	3.00	12.00	8.00	14.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	ES_PASS_RE	ES_TAKE_RE	ES_READ_PC	MS_PASS_RE	MS_TAKE_RE	MS_READ_PC	HS_PASS_RE	HS_TAKE_RE
3042	*	*	75	*	*	92	*	*
3046	*	*	>=95	*	*	>=95	*	*
3047	*	*	75	*	*	76	*	*
3048	*	*	>=95	*	*	71	*	*
3056	*	*	75	*	*	>=95	*	*
3059	*	*	>=95	*	*	82	*	*
3068	*	*	33	*	*	83	*	*
3069	*	*	50	*	*	50	*	*
3071								
3075	*	*	50	*	*	75	*	*
3085	*	*	>=95	*	*	80	*	*
3087	*	*	>=95	*	*	78	*	*
3091							*	*
3093	0	0	<=5	*	*	88	*	*
3101	0	0	<=5	*	*	89	*	*
3107	*	*	71	*	*	75	*	*
3113	*	*	33	*	*	>=95	*	*
3115	0	0	<=5				*	*
3131	*	*	>=95				*	*
3133	*	*	>=95	*	*	88	*	*
3136	*	*	<=5	*	*	>=95	*	*
3137	*	*	33	*	*	75	*	*
3138	*	*	>=95				*	*
3139	0	0	<=5	*	*	>=95	*	*
3143	*	*	>=95	*	*	71	*	*
3146	0	0	<=5	*	*	<=5	*	*
3147								
3150	*	*	>=95	*	*	86	*	*
3169	*	*	>=95	*	*	88	*	*
3174	0	0	<=5	*	*	89	*	*
3176	*	*	80	*	*	91	*	*
3182	*	*	>=95	*	*	90	*	*

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HS_READ_PC	ES_PASS_MA	ES_TAKE_MA	ES_MATH_PC	MS_PASS_MA	MS_TAKE_MA	MS_MATH_PC	HS_PASS_MA
3042	75	*	*	50	*	*	54	*
3046	71	*	*	50	*	*	33	*
3047	79	*	*	>=95	*	*	67	*
3048	83	*	*	>=95	*	*	57	*
3056	75	*	*	>=95	*	*	80	*
3059	73	*	*	>=95	*	*	82	*
3068	75	*	*	>=95	*	*	67	*
3069	67	*	*	>=95	*	*	75	*
3071								
3075	88	*	*	50	*	*	75	*
3085	>=95	*	*	>=95	*	*	>=95	*
3087	80	*	*	75	*	*	89	*
3091	50							*
3093	>=95	0	0	<=5	*	*	>=95	*
3101	73	0	0	<=5	*	*	56	*
3107	67	*	*	86	*	*	81	*
3113	71	*	*	67	*	*	40	*
3115	60	0	0	<=5				*
3131	<=5	*	*	50				*
3133	70	*	*	<=5	*	*	88	*
3136	83	*	*	>=95	*	*	43	*
3137	60	*	*	>=95	*	*	63	*
3138	67	*	*	50				*
3139	85	0	0	<=5	*	*	75	*
3143	75	*	*	60	*	*	57	*
3146	>=95	0	0	<=5	*	*	>=95	*
3147								
3150	84	*	*	>=95	*	*	80	21
3169	64	*	*	67	*	*	69	*
3174	>=95	0	0	<=5	*	*	89	*
3176	64	10	10	>=95	*	*	91	*
3182	86	*	*	67	*	*	80	*

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HS_TAKE_MA	HS_MATH_PC	DONE
3042	*	75	
3046	*	57	
3047	*	79	
3048	*	33	
3056	*	50	
3059	*	45	
3068	*	75	
3069	*	67	
3071			
3075	*	50	
3085	*	>=95	
3087	*	55	
3091	*	>=95	
3093	*	40	
3101	*	45	
3107	*	76	
3113	*	43	
3115	*	80	
3131	*	>=95	
3133	*	60	
3136	*	17	
3137	*	60	
3138	*	67	
3139	*	69	
3143	*	75	
3146	*	<=5	
3147			
3150	31	68	
3169	*	68	
3174	*	33	
3176	*	82	
3182	*	79	

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

OBJECTID	PLAN_ID	ES_HOME	MS_HOME	HS_HOME	PHASEOUT
	3191	Veterans ES	Dunloggin MS	Centennial HS	
	3223	West Friendship ES	Mount View MS	Marriotts Ridge HS	
	3226	West Friendship ES	Mount View MS	Marriotts Ridge HS	
	3228	West Friendship ES	Mount View MS	Marriotts Ridge HS	
	3238	Bushy Park ES	Glenwood MS	Glenelg HS	
	3247	Lisbon ES	Glenwood MS	Glenelg HS	
	3248	Lisbon ES	Glenwood MS	Glenelg HS	
	3250	Lisbon ES	Glenwood MS	Glenelg HS	
	4035	Ducketts Lane ES	Thomas Viaduct MS	Long Reach HS	
	4041	Elkridge ES	Elkridge Landing MS	Howard HS	
	4042	Elkridge ES	Elkridge Landing MS	Howard HS	
	4047	Bollman Bridge ES	Patuxent Valley MS	Hammond HS	
	4069	Phelps Luck ES	Bonnie Branch MS	Long Reach HS	
	4087	Rockburn ES	Elkridge Landing MS	Howard HS	
	4093	Worthington ES	Ellicott Mills MS	Mt Hebron HS	
	4113	Stevens Forest ES	Oakland Mills MS	Oakland Mills HS	
	4131	Clemens Crossing ES	Wilde Lake MS	Atholton HS	
	4133	Bryant Woods ES	Wilde Lake MS	Atholton HS	
	4136	Running Brook ES	Wilde Lake MS	Wilde Lake HS	
	4147	Centennial Lane ES	Burleigh Manor MS	Centennial HS	
	4150	Northfield ES	Dunloggin MS	Centennial HS	
	4169	Waverly ES	Mount View MS	Marriotts Ridge HS	
	5041	Elkridge ES	Elkridge Landing MS	Howard HS	
	5069	Phelps Luck ES	Bonnie Branch MS	Long Reach HS	
	5133	Bryant Woods ES	Wilde Lake MS	Atholton HS	
	5147	Centennial Lane ES	Burleigh Manor MS	Centennial HS	
	5169	Waverly ES	Mount View MS	Marriotts Ridge HS	
	6169	Waverly ES	Mount View MS	Marriotts Ridge HS	
	7169	Waverly ES	Mount View MS	Marriotts Ridge HS	

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	STUDNT_POP	GR0_POP	GR1_POP	GR2_POP	GR3_POP	GR4_POP	GR5_POP	GR6_POP	GR7_POP	GR8_POP	GR9_POP	GR10_POP	GR11_POP	GR12_POP
3191	76	9	6	6	3	4	3	7	6	7	9	4	7	5
3223	81	3	5	5	7	3	6	10	6	5	7	12	6	6
3226	8	1	0	0	1	0	1	2	0	1	1	1	0	0
3228	39	2	2	5	1	4	4	3	7	4	2	2	1	2
3238	2	0	0	0	0	0	0	0	0	0	1	1	0	0
3247	34	3	3	2	5	2	1	4	0	3	3	1	5	2
3248	14	0	2	2	0	1	0	0	4	1	1	1	1	1
3250	45	4	1	2	5	2	3	2	2	3	5	7	2	7
4035	2	0	0	1	0	0	0	0	0	0	0	1	0	0
4041	28	3	2	1	1	1	2	1	5	1	3	4	2	2
4042	1	0	0	0	0	0	0	0	0	0	1	0	0	0
4047	102	6	11	8	9	6	3	7	8	8	15	6	6	9
4069	93	13	8	6	8	12	5	7	4	6	9	7	5	3
4087	154	14	6	12	12	7	17	8	13	17	14	7	14	13
4093	85	6	6	4	7	7	4	9	6	7	6	9	6	8
4113	25	1	4	2	2	3	2	2	3	0	2	2	0	2
4131	33	5	1	2	3	1	4	1	5	2	1	1	5	2
4133	52	2	5	4	4	1	4	3	2	4	8	4	7	4
4136	0	0	0	0	0	0	0	0	0	0	0	0	0	0
4147	16	0	0	1	0	0	0	3	1	3	3	1	3	1
4150	55	6	3	1	6	2	4	3	6	4	5	6	3	6
4169	2	0	1	0	0	0	0	0	0	0	0	1	0	0
5041	9	1	1	1	0	0	0	3	0	0	2	0	0	1
5069	48	1	2	2	3	5	3	4	3	8	3	5	6	3
5133	34	5	1	3	1	2	3	2	3	1	7	2	1	3
5147	98	5	6	6	10	5	6	12	8	8	7	13	5	7
5169	210	11	21	17	23	17	14	16	23	12	16	20	9	11
6169	59	5	5	8	4	5	6	2	6	7	2	4	2	3
7169	98	3	4	6	7	11	7	10	9	13	10	1	10	7

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	FARM_POP	ESPROJ1	MSPROJ1	HSPROJ1	ESPROJ2	MSPROJ2	HSPROJ2	ESPROJ3	MSPROJ3
3191	22	23	15	27	23	14	26	22	14
3223	*	27	20	30	26	20	29	25	20
3226	*	2	2	3	2	2	3	2	2
3228	*	17	13	12	16	12	14	16	12
3238	*	0	0	1	0	0	1	0	0
3247	*	13	8	10	12	9	10	14	9
3248	*	5	4	5	6	4	5	6	4
3250	*	13	8	15	12	9	14	12	9
4035	*	1	0	1	1	0	0	1	0
4041	*	7	6	11	7	5	10	6	5
4042	*	0	0	1	0	0	0	0	0
4047	28	39	21	32	37	23	31	38	22
4069	54	39	22	22	39	24	25	41	25
4087	*	56	37	52	57	37	52	59	38
4093	*	26	21	29	23	20	29	21	20
4113	*	14	7	6	13	7	7	13	8
4131	*	11	8	11	11	7	12	12	7
4133	19	20	10	21	20	10	20	21	11
4136	*	0	0	0	0	0	0	0	0
4147	*	1	3	9	1	2	8	1	2
4150	*	16	10	20	18	10	19	18	10
4169	*	1	0	1	1	1	0	1	1
5041	*	2	2	4	2	2	3	2	2
5069	*	15	12	17	15	12	17	16	11
5133	*	11	6	13	11	6	12	11	6
5147	*	32	26	36	32	26	38	30	25
5169	*	91	62	62	88	61	70	91	63
6169	*	27	18	15	27	19	18	27	19
7169	*	34	28	35	34	27	36	34	27

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HSPROJ3	ESPROJ4	MSPROJ4	HSPROJ4	ESPROJ5	MSPROJ5	HSPROJ5	KSPROJ1	KSPROJ2
3191	26	23	14	26	23	14	25	8.00	7.00
3223	30	26	20	29	27	20	30	3.00	3.00
3226	3	2	2	3	2	2	3	1.00	1.00
3228	15	16	12	15	16	12	16	2.00	2.00
3238	1	0	0	1	0	0	0	0.00	0.00
3247	11	13	10	11	13	10	11	2.00	3.00
3248	5	5	4	5	5	4	5	0.00	0.00
3250	14	11	9	13	10	9	13	3.00	4.00
4035	0	1	1	0	2	1	0	0.00	0.00
4041	10	6	5	9	6	5	9	3.00	2.00
4042	0	0	0	0	0	0	0	0.00	0.00
4047	31	40	23	30	40	22	30	6.00	7.00
4069	26	43	24	28	44	24	29	12.00	15.00
4087	53	61	37	54	63	39	54	16.00	14.00
4093	28	20	19	28	19	18	28	7.00	6.00
4113	8	14	8	8	14	8	9	1.00	1.00
4131	12	13	7	12	13	7	12	5.00	6.00
4133	19	20	12	19	20	12	19	2.00	2.00
4136	0	0	0	0	0	0	0	0.00	0.00
4147	7	1	2	6	1	2	6	0.00	0.00
4150	19	18	10	18	18	11	18	7.00	6.00
4169	1	1	1	1	1	1	1	0.00	0.00
5041	3	2	2	3	4	2	3	1.00	1.00
5069	17	16	11	17	17	10	16	1.00	1.00
5133	12	11	7	11	11	7	11	4.00	5.00
5147	39	29	26	40	30	25	40	6.00	5.00
5169	74	87	64	77	82	65	80	9.00	11.00
6169	20	26	19	22	25	20	23	5.00	5.00
7169	37	33	26	38	31	26	38	3.00	3.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	KSPROJ3	KSPROJ4	KSPROJ5	KSPROJ6	KSPROJ7	KSPROJ8	KSPROJ9	ESPROJ9	MSPROJ9
3191	8.00	8.00	8.00	8.00	7.00	7.00	7.00	20.00	14.00
3223	3.00	4.00	3.00	3.00	4.00	4.00	4.00	31.00	21.00
3226	1.00	1.00	1.00	1.00	1.00	1.00	1.00	2.00	2.00
3228	2.00	3.00	2.00	2.00	2.00	3.00	3.00	19.00	13.00
3238	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.00	0.00
3247	3.00	3.00	3.00	3.00	3.00	3.00	4.00	13.00	9.00
3248	1.00	1.00	1.00	1.00	1.00	1.00	1.00	6.00	4.00
3250	3.00	3.00	3.00	3.00	3.00	3.00	3.00	11.00	8.00
4035	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.00	1.00
4041	2.00	2.00	2.00	2.00	2.00	2.00	2.00	6.00	5.00
4042	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4047	7.00	7.00	7.00	7.00	7.00	7.00	7.00	41.00	23.00
4069	14.00	15.00	14.00	15.00	14.00	14.00	14.00	46.00	26.00
4087	14.00	18.00	15.00	15.00	16.00	16.00	16.00	71.00	41.00
4093	5.00	7.00	6.00	5.00	6.00	7.00	7.00	22.00	15.00
4113	1.00	1.00	1.00	1.00	1.00	1.00	1.00	16.00	8.00
4131	6.00	6.00	6.00	6.00	6.00	6.00	7.00	15.00	9.00
4133	2.00	2.00	2.00	2.00	2.00	2.00	2.00	20.00	13.00
4136	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
4147	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.00	2.00
4150	5.00	6.00	5.00	6.00	6.00	6.00	6.00	18.00	11.00
4169	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	1.00
5041	1.00	1.00	1.00	1.00	1.00	1.00	2.00	8.00	2.00
5069	1.00	1.00	1.00	1.00	1.00	1.00	1.00	18.00	11.00
5133	4.00	4.00	4.00	5.00	4.00	4.00	4.00	11.00	8.00
5147	5.00	6.00	5.00	5.00	5.00	5.00	5.00	28.00	26.00
5169	9.00	9.00	10.00	10.00	10.00	8.00	9.00	78.00	65.00
6169	4.00	5.00	4.00	4.00	4.00	5.00	5.00	24.00	19.00
7169	2.00	3.00	3.00	3.00	3.00	3.00	3.00	30.00	25.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HSPROJ9	KSPROJ10	ESPROJ10	MSPROJ10	HSPROJ10	KSPROJ11	ESPROJ11	MSPROJ11	HSPROJ11	KSPROJ12
3191	25.00	7.00	20.00	13.00	25.00	8.00	20.00	14.00	25.00	8.00
3223	30.00	4.00	30.00	22.00	30.00	4.00	30.00	21.00	31.00	4.00
3226	3.00	1.00	2.00	2.00	3.00	1.00	2.00	2.00	3.00	1.00
3228	17.00	3.00	18.00	13.00	17.00	3.00	18.00	13.00	18.00	2.00
3238	0.00	0.00	8.00	1.00	0.00	0.00	9.00	1.00	0.00	0.00
3247	12.00	3.00	14.00	9.00	12.00	5.00	15.00	10.00	12.00	4.00
3248	5.00	0.00	6.00	4.00	5.00	0.00	6.00	4.00	5.00	0.00
3250	12.00	3.00	11.00	8.00	12.00	3.00	12.00	8.00	12.00	3.00
4035	1.00	0.00	2.00	1.00	1.00	0.00	2.00	1.00	1.00	0.00
4041	8.00	2.00	6.00	5.00	8.00	2.00	6.00	5.00	8.00	2.00
4042	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4047	31.00	7.00	40.00	23.00	31.00	7.00	39.00	23.00	32.00	7.00
4069	32.00	15.00	48.00	27.00	33.00	15.00	48.00	28.00	34.00	15.00
4087	57.00	17.00	71.00	43.00	57.00	17.00	69.00	45.00	58.00	17.00
4093	28.00	7.00	22.00	15.00	27.00	6.00	22.00	15.00	27.00	6.00
4113	10.00	1.00	16.00	8.00	10.00	1.00	16.00	8.00	10.00	1.00
4131	13.00	7.00	16.00	9.00	13.00	7.00	16.00	9.00	13.00	6.00
4133	20.00	2.00	20.00	14.00	21.00	2.00	20.00	14.00	21.00	2.00
4136	0.00	1.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	2.00
4147	5.00	0.00	2.00	2.00	5.00	0.00	2.00	2.00	5.00	0.00
4150	18.00	6.00	17.00	11.00	18.00	6.00	18.00	11.00	19.00	6.00
4169	1.00	0.00	1.00	1.00	1.00	0.00	1.00	1.00	1.00	0.00
5041	4.00	2.00	9.00	3.00	4.00	2.00	10.00	3.00	4.00	3.00
5069	16.00	1.00	18.00	11.00	16.00	1.00	19.00	11.00	17.00	1.00
5133	12.00	4.00	11.00	8.00	12.00	4.00	11.00	8.00	12.00	5.00
5147	41.00	5.00	28.00	25.00	42.00	5.00	28.00	25.00	42.00	5.00
5169	89.00	10.00	77.00	64.00	88.00	10.00	80.00	64.00	90.00	10.00
6169	26.00	5.00	24.00	20.00	26.00	5.00	24.00	19.00	26.00	5.00
7169	39.00	3.00	30.00	26.00	38.00	3.00	30.00	25.00	39.00	3.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	ESPROJ12	MSPROJ12	HSPROJ12	KSPROJ13	ESPROJ13	MSPROJ13	HSPROJ13	KSPROJ14	ESPROJ14	MSPROJ14	HSPROJ14
3191	21.00	14.00	25.00	7.00	21.00	13.00	25.00	7.00	20.00	14.00	25.00
3223	30.00	22.00	31.00	4.00	30.00	22.00	31.00	4.00	33.00	22.00	31.00
3226	2.00	2.00	3.00	1.00	2.00	2.00	3.00	1.00	2.00	2.00	3.00
3228	18.00	13.00	18.00	2.00	18.00	13.00	18.00	2.00	17.00	13.00	18.00
3238	9.00	2.00	1.00	3.00	12.00	2.00	1.00	3.00	12.00	3.00	1.00
3247	15.00	10.00	12.00	4.00	15.00	10.00	12.00	4.00	14.00	10.00	12.00
3248	6.00	4.00	5.00	1.00	7.00	4.00	5.00	1.00	7.00	4.00	5.00
3250	12.00	9.00	12.00	3.00	12.00	9.00	12.00	3.00	12.00	9.00	12.00
4035	2.00	1.00	1.00	0.00	2.00	1.00	1.00	0.00	2.00	1.00	1.00
4041	6.00	5.00	8.00	2.00	6.00	5.00	8.00	2.00	7.00	5.00	8.00
4042	1.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	1.00	0.00	0.00
4047	39.00	23.00	33.00	7.00	40.00	24.00	34.00	7.00	40.00	23.00	35.00
4069	49.00	29.00	36.00	16.00	49.00	29.00	38.00	16.00	50.00	30.00	39.00
4087	69.00	47.00	58.00	17.00	70.00	46.00	59.00	17.00	71.00	47.00	59.00
4093	25.00	16.00	26.00	6.00	25.00	16.00	26.00	6.00	24.00	17.00	26.00
4113	16.00	8.00	10.00	1.00	16.00	8.00	10.00	1.00	17.00	9.00	10.00
4131	17.00	10.00	14.00	6.00	17.00	10.00	14.00	6.00	17.00	10.00	14.00
4133	20.00	14.00	22.00	2.00	20.00	14.00	22.00	2.00	20.00	14.00	23.00
4136	0.00	0.00	0.00	2.00	0.00	0.00	0.00	2.00	0.00	0.00	0.00
4147	2.00	2.00	5.00	0.00	2.00	2.00	5.00	0.00	2.00	2.00	4.00
4150	18.00	11.00	19.00	6.00	18.00	11.00	19.00	6.00	18.00	11.00	19.00
4169	1.00	1.00	1.00	0.00	1.00	1.00	1.00	0.00	1.00	1.00	1.00
5041	19.00	4.00	4.00	7.00	20.00	4.00	4.00	7.00	20.00	5.00	4.00
5069	19.00	11.00	17.00	1.00	19.00	12.00	18.00	1.00	19.00	12.00	18.00
5133	11.00	8.00	13.00	5.00	11.00	8.00	13.00	5.00	11.00	8.00	13.00
5147	28.00	25.00	42.00	5.00	28.00	24.00	43.00	6.00	30.00	25.00	42.00
5169	79.00	64.00	89.00	11.00	80.00	63.00	90.00	11.00	81.00	63.00	91.00
6169	24.00	19.00	26.00	5.00	25.00	19.00	27.00	5.00	25.00	19.00	27.00
7169	30.00	25.00	39.00	3.00	31.00	24.00	38.00	3.00	31.00	25.00	39.00

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	ES_PASS_RE	ES_TAKE_RE	ES_READ_PC	MS_PASS_RE	MS_TAKE_RE	MS_READ_PC	HS_PASS_RE	HS_TAKE_RE
3191	*	*	>=95	*	*	>=95	*	*
3223	*	*	67	11	11	>=95	*	*
3226								
3228	*	*	33	*	*	78	*	*
3238								
3247	*	*	>=95	*	*	67	*	*
3248								
3250	*	*	50	*	*	50	*	*
4035								
4041	*	*	>=95	*	*	>=95	*	*
4042								
4047	*	*	>=95	*	*	>=95	*	*
4069	*	*	>=95	*	*	>=95	*	*
4087	*	*	69	*	*	77	*	*
4093	*	*	50	17	17	>=95	*	*
4113	*	*	>=95				*	*
4131	*	*	75	*	*	>=95	*	*
4133	*	*	>=95	*	*	67	*	*
4136								
4147				*	*	>=95	*	*
4150	*	*	75	10	10	>=95	*	*
4169								
5041								
5069	*	*	>=95	*	*	>=95	*	*
5133	*	*	>=95	*	*	>=95	*	*
5147	*	*	>=95	*	*	86	*	*
5169	*	*	89	*	*	84	*	*
6169	*	*	50	*	*	93	*	*
7169	*	*	>=95	*	*	>=95	*	*

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HS_READ_PC	ES_PASS_MA	ES_TAKE_MA	ES_MATH_PC	MS_PASS_MA	MS_TAKE_MA	MS_MATH_PC	HS_PASS_MA
3191	54	*	*	>=95	*	*	86	*
3223	72	*	*	>=95	11	11	>=95	*
3226								
3228	>=95	*	*	>=95	*	*	78	*
3238								
3247	80	*	*	<=5	*	*	33	*
3248								
3250	73	*	*	>=95	*	*	50	*
4035								
4041	88	*	*	>=95	*	*	67	*
4042								
4047	>=95	*	*	>=95	*	*	<=5	*
4069	>=95	*	*	>=95	*	*	>=95	*
4087	81	*	*	92	*	*	77	14
4093	88	*	*	>=95	*	*	59	*
4113	>=95	*	*	>=95				*
4131	40	*	*	>=95	*	*	>=95	*
4133	50	*	*	>=95	*	*	33	*
4136								
4147	50				*	*	50	*
4150	91	*	*	50	*	*	80	*
4169								
5041								
5069	89	*	*	>=95	*	*	89	*
5133	80	*	*	>=95	*	*	>=95	*
5147	72	*	*	>=95	*	*	90	*
5169	94	*	*	>=95	*	*	88	21
6169	>=95	*	*	>=95	*	*	93	*
7169	65	*	*	>=95	*	*	92	*

THIS DOCUMENT WAS FOUND TO HAVE INACCURATE DATA AND IS PROVIDED FOR REFERENCE ONLY

PLAN_ID	HS_TAKE_MA	HS_MATH_PC	DONE
3191	*	92	
3223	*	83	
3226			
3228	*	>=95	
3238			
3247	*	60	
3248			
3250	*	73	
4035			
4041	*	63	
4042			
4047	*	67	
4069	*	<=5	
4087	27	52	
4093	*	59	
4113	*	<=5	
4131	*	>=95	
4133	*	50	
4136			
4147	*	>=95	
4150	*	45	
4169			
5041			
5069	*	67	
5133	*	60	
5147	*	83	
5169	31	68	
6169	*	25	
7169	*	65	